



Simponi ARIA® (golimumab) (Intravenous)

Document Number: MODA-0176

Last Review Date: 03/04/2025

Date of Origin: 09/05/2013

Dates Reviewed: 12/2013, 08/2014, 03/2015, 06/2015, 09/2015, 12/2015, 03/2016, 06/2016, 09/2016, 12/2016, 03/2017, 06/2017, 09/2017, 10/2017, 03/2018, 06/2018, 10/2018, 10/2019, 07/2020, 11/2020, 08/2021, 10/2022, 10/2023, 10/2024, 03/2025

I. Length of Authorization

Initial coverage will be provided for 6 months and may be renewed annually thereafter, unless otherwise specified.

• Therapy for the Management of Immune Checkpoint Inhibitor-Related Toxicities may not be renewed.

II. Dosing Limits

Max Units (per dose and over time) [HCPCS Unit]:

- Management of Immune Checkpoint Inhibitor-Related Toxicities
 - o 250 billable units x 1 dose
- All other indications
 - Loading Dose: 250 billable units on weeks 0 and 4
 - Maintenance: 250 billable units every 8 weeks

III. Initial Approval Criteria¹

Site of care specialty infusion program requirements are met (refer to Moda Site of Care Policy).

Coverage is provided in the following conditions:

- Patient is at least 18 years of age, unless otherwise specified; AND
- Patient has been evaluated and screened for the presence hepatitis B virus (HBV) infection prior to initiating treatment; **AND**

Universal Criteria¹

- Patient has been evaluated and screened for the presence of latent tuberculosis (TB) infection prior to initiating treatment and will receive ongoing monitoring for presence of TB during treatment; AND
- Patient does not have an active infection, including clinically important localized infections; AND
- Patient will not receive live vaccines while on therapy; AND

• Patient is not on concurrent treatment with another biologic therapy or targeted synthetic therapy; **AND**

Rheumatoid Arthritis (RA) † ^{1,17,33}

- Physician has assessed baseline disease severity utilizing an objective measure/tool; AND
- Documented moderate to severe active disease; AND
 - Patient has had at least a 3-month trial and failed previous therapy with ONE conventional synthetic disease modifying anti-rheumatic drug (csDMARD) (e.g., methotrexate, azathioprine, auranofin, hydroxychloroquine, penicillamine, sulfasalazine, leflunomide, etc.);
 OR
 - Patient is already established on biologic or targeted synthetic therapy for the treatment of RA; AND
- Prescribed in combination with methotrexate unless the patient has a contraindication or intolerance

Psoriatic Arthritis (PsA) † 1,22,23,27,32

- Patient is at least 2 years of age; AND
- Physician has assessed baseline disease severity utilizing an objective measure/tool; AND
- Documented moderate to severe active disease; AND
 - For patients with predominantly axial disease OR enthesitis, a failure of at least a 4-week trial of ONE non-steroidal anti-inflammatory drug (NSAID), unless use is contraindicated; OR
 - For patients with peripheral arthritis OR dactylitis, a failure of at least a 3-month trial of ONE conventional synthetic disease-modifying anti-rheumatic drug (csDMARD) (e.g., methotrexate, azathioprine, sulfasalazine, leflunomide, hydroxychloroquine, etc.); OR
 - Patient is already established on biologic or targeted synthetic therapy for the treatment of PsA

Ankylosing Spondylitis (AS) † 1,7,19,28

- Physician has assessed baseline disease severity utilizing an objective measure/tool; AND
- Documented active disease; AND
 - Patient had an adequate trial and failure of at least TWO (2) non-steroidal anti-inflammatory drugs (NSAIDs) over 4 weeks (in total), unless use is contraindicated; OR
 - Patient is already established on biologic or targeted synthetic therapy for the treatment of AS

Polyarticular Juvenile Idiopathic Arthritis (pJIA) † Φ^{1,14,21}

- Patient is at least 2 years of age; AND
- Physician has assessed baseline disease severity utilizing an objective measure/tool; AND
- Documented moderate to severe active polyarticular disease; AND

Page 2

Medical Necessity Criteria



- Patient has had at least a 1-month trial and failure (unless contraindicated or intolerant) of previous therapy with either oral non-steroidal anti-inflammatory drugs (NSAIDs) OR conventional synthetic disease modifying anti-rheumatic drugs (csDMARDs) (e.g., methotrexate, leflunomide, sulfasalazine, etc.); OR
- Patient is already established on biologic or targeted synthetic therapy for the treatment of pJIA; AND
- May be used as a single agent or in combination with methotrexate

Management of Immune Checkpoint Inhibitor-Related Toxicities ^{29,30}

- Patient has been receiving therapy with an immune checkpoint inhibitor; AND
- Patient has moderate or severe immunotherapy-related inflammatory arthritis; AND
- Patient is unable to taper corticosteroids after one week

† FDA Approved Indication(s); **‡** Compendia Recommended Indication(s); **Φ** Orphan Drug

IV. Renewal Criteria¹

Coverage can be renewed based upon the following criteria:

- Patient continues to meet universal and other indication-specific relevant criteria such as concomitant therapy requirements (not including prerequisite therapy), performance status, etc. identified in section III; **AND**
- Duration of authorization has not been exceeded (refer to Section I); AND
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: serious infections, congestive heart failure, malignancy, demyelinating disorders, lupus-like syndrome, severe hypersensitivity reactions (including anaphylaxis), severe hematologic cytopenias (e.g., pancytopenia, leukopenia, neutropenia, agranulocytosis, aplastic anemia, thrombocytopenia), etc.; AND

Rheumatoid Arthritis (RA) 9-11

Disease response as indicated by improvement in signs and symptoms compared to baseline such as the number of tender and swollen joint counts, reduction of C-reactive protein, improvement of patient global assessment, and/or an improvement on a disease activity scoring tool [e.g. an improvement on a composite scoring index such as Disease Activity Score-28 (DAS28) of 1.2 points or more or a ≥20% improvement on the American College of Rheumatology-20 (ACR20) criteria, an improvement of disease severity on RAPID3 assessment, etc.].

Psoriatic Arthritis (PsA) 8,25,31

• Disease response as indicated by improvement in signs and symptoms compared to baseline such as the number of tender and swollen joint counts, reduction of C-reactive protein,



Medical Necessity Criteria

Page 3

improvement of patient global assessment, improvement on imaging (X-ray, ultrasound, or MRI), and/or an improvement on a disease activity scoring tool.

Ankylosing Spondylitis (AS) 7,24,28

 Disease response as indicated by improvement in signs and symptoms compared to baseline such as total back pain, physical function, morning stiffness, and/or an improvement on a disease activity scoring tool [e.g. ≥ 1.1 improvement on the Ankylosing Spondylitis Disease Activity Score (ASDAS) or an improvement of ≥ 2 on the Bath Ankylosing Spondylitis Disease Activity Index (BASDAI)].

Polyarticular Juvenile Idiopathic Arthritis (pJIA) ^{15,16}

 Disease response as indicated by improvement in signs and symptoms compared to baseline such as the number of tender and swollen joint counts, reduction of C-reactive protein, improvement of patient global assessment, and/or an improvement on a disease activity scoring tool [e.g., an improvement on a composite scoring index such as Juvenile Arthritis Disease Activity Score (JADAS) or the American College of Rheumatology (ACR) Pediatric (ACR-Pedi 30) of at least 30% improvement from baseline in three of six variables].

V. Dosage/Administration¹

| Indication | Dose |
|---|--|
| Rheumatoid Arthritis, Ankylosing Spondylitis | Administer a 2 mg/kg intravenous infusion at weeks 0 and 4, then every 8 weeks thereafter. |
| Psoriatic Arthritis | <u>Adult</u> Administer a 2 mg/kg intravenous infusion at weeks 0 and 4, then every 8 weeks thereafter. <u>Pediatric</u> Administer an 80 mg/m² intravenous infusion at weeks 0 and 4, and every 8 weeks thereafter. |
| Polyarticular Juvenile Idiopathic Arthritis | Administer an 80 mg/m² intravenous infusion at weeks 0 and 4, and every 8 weeks thereafter. |
| Management of Immune Checkpoint Inhibitor- Related Toxicities | Administer a 2 mg/kg intravenous infusion x 1 dose |

VI. Billing Code/Availability Information

HCPCS Code:

- J1602 Injection, golimumab, 1 mg, for intravenous use; 1 billable unit = 1 mg NDC:
- Simponi ARIA 50 mg/4 mL injection, single-dose vial: 57894-0350-xx



Page 4

Medical Necessity Criteria

VII. References

- 1. Simponi ARIA [package insert]. Horsham, PA; Janssen Biotech Inc; July 2023. Accessed January 2025.
- Singh JA, Saag KG, Bridges SL Jr, et al. 2015 American College of Rheumatology Guideline for the Treatment of Rheumatoid Arthritis. Arthritis Care Res (Hoboken). 2015 Nov 6. doi: 10.1002/acr.22783.
- Weinblatt ME, Bingham CO 3rd, Mendelsohn AM, et al. Intravenous golimumab is effective in patients with active rheumatoid arthritis despite methotrexate therapy with responses as early as week 2: results of the phase 3, randomised, multicentre, double-blind, placebo-controlled GO-FURTHER trial. Ann Rheum Dis. 2013 Mar;72(3):381-9. doi: 10.1136/annrheumdis-2012-201411. Epub 2012 Jun 1.
- 4. Smolen JS, Landewé R, Bijlsma J, et al. EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2016 update. Ann Rheum Dis. 2017 Mar 6. pii: annrheumdis-2016-210715.
- 5. Gottlieb A, Korman NJ, Gordon KB, et al. Guidelines of care for the management of psoriasis and psoriatic arthritis: Section 2. Psoriatic arthritis: overview and guidelines of care for treatment with an emphasis on the biologics. J Am Acad Dermatol 2008 May; 58(5):851-64.
- Ramiro S, Smolen JS, Landewé R, et al. Pharmacological treatment of psoriatic arthritis: a systematic literature review for the 2015 update of the EULAR recommendations for the management of psoriatic arthritis. Ann Rheum Dis 2016;75:490-498 doi:10.1136/annrheumdis-2015-208466
- 7. Van Der Heijde D, Ramiro S, Landewe R, et al. 2016 update of the ASAS-EULAR management recommendations for axial spondyloarthritis. Annals of the Rheumatic Diseases Published Online First: 13 January 2017. Doi: 10.1136/annrheumdis-2016-210770.
- National Institute for Health and Care Excellence. NICE 2017. Certolizumab pegol and secukinumab for treating active psoriatic arthritis after inadequate response to DMARDs. Published 24 May 2017. Technology Appraisal Guidance [TA445]. <u>https://www.nice.org.uk/guidance/ta445</u>. Accessed August 2024.
- National Institute for Health and Care Excellence. NICE 2018. Rheumatoid Arthritis in Adults: Management. Published 11th July 2018. NICE Guideline [NG100]. <u>https://www.nice.org.uk/guidance/ng100/chapter/Recommendations</u>.
- National Institute for Health and Care Excellence. NICE 2010. Adalimumab, etanercept, infliximab, rituximab and abatacept for the treatment of rheumatoid arthritis after failure of a TNF inhibitor. Published 10 October 2012. Clinical Guideline [TA195]. <u>https://www.nice.org.uk/guidance/ta195/resources/adalimumab-etanercept-infliximab-rituximaband-abatacept-for-the-treatment-of-rheumatoid-arthritis-after-the-failure-of-a-tnf-inhibitor-pdf-82598558287813.
 </u>
- 11. Ward MM, Guthri LC, Alba MI. Rheumatoid Arthritis Response Criteria And Patient-Reported Improvement in Arthritis Activity: Is an ACR20 Response Meaningful to Patients". Arthritis Rheumatol. 2014 Sep; 66(9): 2339–2343. doi: 10.1002/art.38705.



Page 5

Medical Necessity Criteria

- 12. Ward M, Deodhar A, Gensler L, et al. 2019 Update of the American College of Rheumatology/Spondylitis Association of America/Spondyloarthritis Research and Treatment Network Recommendations for the Treatment of Ankylosing Spondylitis and Nonradiographic Axial Spondyloarthritis. 2019 Aug; Arthritis Care Res. doi:_10.1002/acr.24025.
- Fahrenbruch R, Kintzel P, Bott AM, et al. Dose Rounding of Biologic and Cytotoxic Anticancer Agents: A Position Statement of the Hematology/Oncology Pharmacy Association. J Oncol Pract. 2018 Mar;14(3):e130-e136.
- Ringold S, Angeles-Han ST, Beukelman T, et al. 2019 American College of Rheumatology/Arthritis Foundation Guideline for the Treatment of Juvenile Idiopathic Arthritis: Therapeutic Approaches for Non-Systemic Polyarthritis, Sacroiliitis, and Enthesitis. Arthritis Care & Research, Vol. 71, No. 6, June 2019, pp 717–734 DOI 10.1002/acr.23870.
- 15. Ringold S, Bittner R, Neggi T, et al. Performance of rheumatoid arthritis disease activity measures and juvenile arthritis disease activity scores in polyarticular-course juvenile idiopathic arthritis: Analysis of their ability to classify the American College of Rheumatology pediatric measures of response and the preliminary criteria for flare and inactive disease. Arthritis Care Res (Hoboken). 2010 Aug;62(8):1095-102.
- 16. Consolaro A, Giancane G, Schiappapietra B, et al. Clinical outcome measures in juvenile idiopathic arthritis. Pediatric Rheumatology 18 April 2016 14:23.
- Fraenkel L, Bathon JM, England BR, et al. 2021 American College of Rheumatology Guideline for the Treatment of Rheumatoid Arthritis. Arthritis Care Res (Hoboken). 2021 Jun 8. doi: 10.1002/acr.24596.
- Gossec L, Baraliakos X, Kerschbaumer A, et al. EULAR recommendations for the management of psoriatic arthritis with pharmacological therapies: 2019 update. Ann Rheum Dis. 2020 Jun;79(6):700-712. doi: 10.1136/annrheumdis-2020-217159.
- Ward MM, Deodhar A, Gensler LS, et al. 2019 Update of the American College of Rheumatology/Spondylitis Association of America/Spondyloarthritis Research and Treatment Network Recommendations for the Treatment of Ankylosing Spondylitis and Nonradiographic Axial Spondyloarthritis. Arthritis Rheumatol. 2019 Oct;71(10):1599-1613. doi: 10.1002/art.41042.
- 20. Smolen JS, Landewé RBM, Bijlsma JWJ, et al. EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2019 update. Annals of the Rheumatic Diseases 2020;79:685-699.
- 21. Ringold S, Weiss PF, Beukelman T, et al. 2013 update of the 2011 American College of Rheumatology recommendations for the treatment of juvenile idiopathic arthritis: recommendations for the medical therapy of children with systemic juvenile idiopathic arthritis and tuberculosis screening among children receiving biologic medications. Arthritis Rheum. 2013 Oct;65(10):2499-512.
- Singh JA, Guyatt G, Ogdie A, et al. 2018 American College of Rheumatology/National Psoriasis Foundation Guideline for the Treatment of Psoriatic Arthritis. Arthritis Rheumatol. 2019 Jan;71(1):5-32. Doi: 10.1002/art.40726.
- 23. American Academy of Dermatology Work Group. Guidelines of care for the management of psoriasis and psoriatic arthritis: section 6. Guidelines of care for the treatment of psoriasis and





psoriatic arthritis: case-based presentations and evidence-based conclusions. J Am Acad Dermatol. 2011 Jul;65(1):137-74. Doi: 10.1016/j.jaad.2010.11.055.

- 24. National Institute for Health and Care Excellence (NICE). Spondyloarthritis. Quality standard [QS170]. Published: 28 June 2018 <u>https://www.nice.org.uk/guidance/qs170/chapter/Quality-statements</u>. Accessed August 2024.
- 25. Mease PJ. Measures of psoriatic arthritis: Tender and Swollen Joint Assessment, Psoriasis Area and Severity Index (PASI), Nail Psoriasis Severity Index (NAPSI), Modified Nail Psoriasis Severity Index (mNAPSI), Mander/Newcastle Enthesitis Index (MEI), Leeds Enthesitis Index (LEI), Spondyloarthritis Research Consortium of Canada (SPARCC), Maastricht Ankylosing Spondylitis Enthesis Score (MASES), Leeds Dactylitis Index (LDI), Patient Global for Psoriatic Arthritis, Dermatology Life Quality Index (DLQI), Psoriatic Arthritis Quality of Life (PsAQOL), Functional Assessment of Chronic Illness Therapy-Fatigue (FACIT-F), Psoriatic Arthritis Response Criteria (PsARC), Psoriatic Arthritis Joint Activity Index (PsAJAI), Disease Activity in Psoriatic Arthritis (DAPSA), and Composite Psoriatic Disease Activity Index (CPDAI). Arthritis Care Res (Hoboken). 2011 Nov;63 Suppl 11:S64-85. doi: 10.1002/acr.20577.
- 26. Elmets CA, Korman NL, Prater EF, et al. Joint AAD-NPF guidelines of care for the management and treatment of psoriasis with topical therapy and alternative medicine modalities for psoriasis severity measures. J Am Acad Dermatol 2021 Feb; 84(2):432-470. Doi: 10.1016/j.jaad.2020.07.087
- Tucker L, Allen A, Chandler D, et al. The 2022 British Society for Rheumatology guideline for the treatment of psoriatic arthritis with biologic and targeted synthetic DMARDs. Rheum 2022 Sept; 61(9): e255–e266. Doi: 10.1093/rheumatology/keac295.
- 28. Ramiro S, Nikiphorou E, Sepriano A, et al. ASAS-EULAR recommendations for the management of axial spondyloarthritis: 2022 update. Ann Rheum Dis. 2023 Jan; 82(1):19–34. doi:10.1136/ard-2022-223296
- 29. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) golimumab. National Comprehensive Cancer Network, 2025. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed February 2025.
- 30. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium[®]) Management of Immunotherapy-Related Toxicities. Version 1.2025. National Comprehensive Cancer Network, 2025. The NCCN Compendium[®] is a derivative work of the NCCN Guidelines[®]. NATIONAL COMPREHENSIVE CANCER NETWORK[®], NCCN[®], and NCCN GUIDELINES[®] are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed February 2025.
- Tiwari V, Brent LH. Psoriatic Arthritis. [Updated 2024 Jan 7]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024. https://www.ncbi.nlm.nih.gov/books/NBK547710/. Accessed February 11, 2025



Page 7

Medical Necessity Criteria

- 32. Gossec L, Kerschbaumer A, Ferreira RJO, et al. EULAR recommendations for the management of psoriatic arthritis with pharmacological therapies: 2023 update. Ann Rheum Dis. 2024 May 15;83(6):706-719. doi: 10.1136/ard-2024-225531. PMID: 38499325
- Smolen JS, Landewé RBM, Bergstra SA, et al. EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2022 update. Ann Rheum Dis. 2023 Jan;82(1):3-18. doi: 10.1136/ard-2022-223356. Epub 2022 Nov 10. Erratum in: Ann Rheum Dis. 2023 Mar;82(3):e76. doi: 10.1136/ard-2022-223356corr1. PMID: 36357155.

| ICD-10 | ICD-10 Description |
|---------|---|
| L40.50 | Arthropathic psoriasis, unspecified |
| L40.51 | Distal interphalangeal psoriatic arthropathy |
| L40.52 | Psoriatic arthritis mutilans |
| L40.53 | Psoriatic spondylitis |
| L40.59 | Other psoriatic arthropathy |
| M05.10 | Rheumatoid lung disease with rheumatoid arthritis of unspecified site |
| M05.111 | Rheumatoid lung disease with rheumatoid arthritis of right shoulder |
| M05.112 | Rheumatoid lung disease with rheumatoid arthritis of left shoulder |
| M05.119 | Rheumatoid lung disease with rheumatoid arthritis of unspecified shoulder |
| M05.121 | Rheumatoid lung disease with rheumatoid arthritis of right elbow |
| M05.122 | Rheumatoid lung disease with rheumatoid arthritis of left elbow |
| M05.129 | Rheumatoid lung disease with rheumatoid arthritis of unspecified elbow |
| M05.131 | Rheumatoid lung disease with rheumatoid arthritis of right wrist |
| M05.132 | Rheumatoid lung disease with rheumatoid arthritis of left wrist |
| M05.139 | Rheumatoid lung disease with rheumatoid arthritis of unspecified wrist |
| M05.141 | Rheumatoid lung disease with rheumatoid arthritis of right hand |
| M05.142 | Rheumatoid lung disease with rheumatoid arthritis of left hand |
| M05.149 | Rheumatoid lung disease with rheumatoid arthritis of unspecified hand |
| M05.151 | Rheumatoid lung disease with rheumatoid arthritis of right hip |
| M05.152 | Rheumatoid lung disease with rheumatoid arthritis of left hip |
| M05.159 | Rheumatoid lung disease with rheumatoid arthritis of unspecified hip |
| M05.161 | Rheumatoid lung disease with rheumatoid arthritis of right knee |
| M05.162 | Rheumatoid lung disease with rheumatoid arthritis of left knee |
| M05.169 | Rheumatoid lung disease with rheumatoid arthritis of unspecified knee |
| M05.171 | Rheumatoid lung disease with rheumatoid arthritis of right ankle and foot |
| M05.172 | Rheumatoid lung disease with rheumatoid arthritis of left ankle and foot |

Appendix 1 – Covered Diagnosis Codes

Page 8

Medical Necessity Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2025 Prime Therapeutics Management, LLC



| ICD-10 | ICD-10 Description |
|---------|---|
| M05.179 | Rheumatoid lung disease with rheumatoid arthritis of unspecified ankle and foot |
| M05.19 | Rheumatoid lung disease with rheumatoid arthritis of multiple sites |
| M05.20 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified site |
| M05.211 | Rheumatoid vasculitis with rheumatoid arthritis of right shoulder |
| M05.212 | Rheumatoid vasculitis with rheumatoid arthritis of left shoulder |
| M05.219 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified shoulder |
| M05.221 | Rheumatoid vasculitis with rheumatoid arthritis of right elbow |
| M05.222 | Rheumatoid vasculitis with rheumatoid arthritis of left elbow |
| M05.229 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified elbow |
| M05.231 | Rheumatoid vasculitis with rheumatoid arthritis of right wrist |
| M05.232 | Rheumatoid vasculitis with rheumatoid arthritis of left wrist |
| M05.239 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified wrist |
| M05.241 | Rheumatoid vasculitis with rheumatoid arthritis of right hand |
| M05.242 | Rheumatoid vasculitis with rheumatoid arthritis of left hand |
| M05.249 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified hand |
| M05.251 | Rheumatoid vasculitis with rheumatoid arthritis of right hip |
| M05.252 | Rheumatoid vasculitis with rheumatoid arthritis of left hip |
| M05.259 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified hip |
| M05.261 | Rheumatoid vasculitis with rheumatoid arthritis of right knee |
| M05.262 | Rheumatoid vasculitis with rheumatoid arthritis of left knee |
| M05.269 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified knee |
| M05.271 | Rheumatoid vasculitis with rheumatoid arthritis of right ankle and foot |
| M05.272 | Rheumatoid vasculitis with rheumatoid arthritis of left ankle and foot |
| M05.279 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified ankle and foot |
| M05.29 | Rheumatoid vasculitis with rheumatoid arthritis of multiple sites |
| M05.30 | Rheumatoid heart disease with rheumatoid arthritis of unspecified site |
| M05.311 | Rheumatoid heart disease with rheumatoid arthritis of right shoulder |
| M05.312 | Rheumatoid heart disease with rheumatoid arthritis of left shoulder |
| M05.319 | Rheumatoid heart disease with rheumatoid arthritis of unspecified shoulder |
| M05.321 | Rheumatoid heart disease with rheumatoid arthritis of right elbow |
| M05.322 | Rheumatoid heart disease with rheumatoid arthritis of left elbow |
| M05.329 | Rheumatoid heart disease with rheumatoid arthritis of unspecified elbow |
| M05.331 | Rheumatoid heart disease with rheumatoid arthritis of right wrist |
| M05.332 | Rheumatoid heart disease with rheumatoid arthritis of left wrist |
| M05.339 | Rheumatoid heart disease with rheumatoid arthritis of unspecified wrist |



Medical Necessity Criteria

| ICD-10 | ICD-10 Description |
|---------|--|
| M05.341 | Rheumatoid heart disease with rheumatoid arthritis of right hand |
| M05.342 | Rheumatoid heart disease with rheumatoid arthritis of left hand |
| M05.349 | Rheumatoid heart disease with rheumatoid arthritis of unspecified hand |
| M05.351 | Rheumatoid heart disease with rheumatoid arthritis of right hip |
| M05.352 | Rheumatoid heart disease with rheumatoid arthritis of left hip |
| M05.359 | Rheumatoid heart disease with rheumatoid arthritis of unspecified hip |
| M05.361 | Rheumatoid heart disease with rheumatoid arthritis of right knee |
| M05.362 | Rheumatoid heart disease with rheumatoid arthritis of left knee |
| M05.369 | Rheumatoid heart disease with rheumatoid arthritis of unspecified knee |
| M05.371 | Rheumatoid heart disease with rheumatoid arthritis of right ankle and foot |
| M05.372 | Rheumatoid heart disease with rheumatoid arthritis of left ankle and foot |
| M05.379 | Rheumatoid heart disease with rheumatoid arthritis of unspecified ankle and foot |
| M05.39 | Rheumatoid heart disease with rheumatoid arthritis of multiple sites |
| M05.40 | Rheumatoid myopathy with rheumatoid arthritis of unspecified site |
| M05.411 | Rheumatoid myopathy with rheumatoid arthritis of right shoulder |
| M05.412 | Rheumatoid myopathy with rheumatoid arthritis of left shoulder |
| M05.419 | Rheumatoid myopathy with rheumatoid arthritis of unspecified shoulder |
| M05.421 | Rheumatoid myopathy with rheumatoid arthritis of right elbow |
| M05.422 | Rheumatoid myopathy with rheumatoid arthritis of left elbow |
| M05.429 | Rheumatoid myopathy with rheumatoid arthritis of unspecified elbow |
| M05.431 | Rheumatoid myopathy with rheumatoid arthritis of right wrist |
| M05.432 | Rheumatoid myopathy with rheumatoid arthritis of left wrist |
| M05.439 | Rheumatoid myopathy with rheumatoid arthritis of unspecified wrist |
| M05.441 | Rheumatoid myopathy with rheumatoid arthritis of right hand |
| M05.442 | Rheumatoid myopathy with rheumatoid arthritis of left hand |
| M05.449 | Rheumatoid myopathy with rheumatoid arthritis of unspecified hand |
| M05.451 | Rheumatoid myopathy with rheumatoid arthritis of right hip |
| M05.452 | Rheumatoid myopathy with rheumatoid arthritis of left hip |
| M05.459 | Rheumatoid myopathy with rheumatoid arthritis of unspecified hip |
| M05.461 | Rheumatoid myopathy with rheumatoid arthritis of right knee |
| M05.462 | Rheumatoid myopathy with rheumatoid arthritis of left knee |
| M05.469 | Rheumatoid myopathy with rheumatoid arthritis of unspecified knee |
| M05.471 | Rheumatoid myopathy with rheumatoid arthritis of right ankle and foot |
| M05.472 | Rheumatoid myopathy with rheumatoid arthritis of left ankle and foot |
| M05.479 | Rheumatoid myopathy with rheumatoid arthritis of unspecified ankle and foot |

Medical Necessity Criteria

Prime THERAPEUTICS

| ICD-10 | ICD-10 Description |
|---------|---|
| M05.49 | Rheumatoid myopathy with rheumatoid arthritis of multiple sites |
| M05.50 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified site |
| M05.511 | Rheumatoid polyneuropathy with rheumatoid arthritis of right shoulder |
| M05.512 | Rheumatoid polyneuropathy with rheumatoid arthritis of left shoulder |
| M05.519 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified shoulder |
| M05.521 | Rheumatoid polyneuropathy with rheumatoid arthritis of right elbow |
| M05.522 | Rheumatoid polyneuropathy with rheumatoid arthritis of left elbow |
| M05.529 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified elbow |
| M05.531 | Rheumatoid polyneuropathy with rheumatoid arthritis of right wrist |
| M05.532 | Rheumatoid polyneuropathy with rheumatoid arthritis of left wrist |
| M05.539 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified wrist |
| M05.541 | Rheumatoid polyneuropathy with rheumatoid arthritis of right hand |
| M05.542 | Rheumatoid polyneuropathy with rheumatoid arthritis of left hand |
| M05.549 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hand |
| M05.551 | Rheumatoid polyneuropathy with rheumatoid arthritis of right hip |
| M05.552 | Rheumatoid polyneuropathy with rheumatoid arthritis of left hip |
| M05.559 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hip |
| M05.561 | Rheumatoid polyneuropathy with rheumatoid arthritis of right knee |
| M05.562 | Rheumatoid polyneuropathy with rheumatoid arthritis of left knee |
| M05.569 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified knee |
| M05.571 | Rheumatoid polyneuropathy with rheumatoid arthritis of right ankle and foot |
| M05.572 | Rheumatoid polyneuropathy with rheumatoid arthritis of left ankle and foot |
| M05.579 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified ankle and foot |
| M05.59 | Rheumatoid polyneuropathy with rheumatoid arthritis of multiple sites |
| M05.60 | Rheumatoid arthritis of unspecified site with involvement of other organs and systems |
| M05.611 | Rheumatoid arthritis of right shoulder with involvement of other organs and systems |
| M05.612 | Rheumatoid arthritis of left shoulder with involvement of other organs and systems |
| M05.619 | Rheumatoid arthritis of unspecified shoulder with involvement of other organs and systems |
| M05.621 | Rheumatoid arthritis of right elbow with involvement of other organs and systems |
| M05.622 | Rheumatoid arthritis of left elbow with involvement of other organs and systems |
| M05.629 | Rheumatoid arthritis of unspecified elbow with involvement of other organs and systems |
| M05.631 | Rheumatoid arthritis of right wrist with involvement of other organs and systems |
| M05.632 | Rheumatoid arthritis of left wrist with involvement of other organs and systems |
| M05.639 | Rheumatoid arthritis of unspecified wrist with involvement of other organs and systems |
| M05.641 | Rheumatoid arthritis of right hand with involvement of other organs and systems |

Medical Necessity Criteria

Prime THERAPEUTICS

| ICD-10 | ICD-10 Description |
|---------|--|
| M05.642 | Rheumatoid arthritis of left hand with involvement of other organs and systems |
| M05.649 | Rheumatoid arthritis of unspecified hand with involvement of other organs and systems |
| M05.651 | Rheumatoid arthritis of right hip with involvement of other organs and systems |
| M05.652 | Rheumatoid arthritis of left hip with involvement of other organs and systems |
| M05.659 | Rheumatoid arthritis of unspecified hip with involvement of other organs and systems |
| M05.661 | Rheumatoid arthritis of right knee with involvement of other organs and systems |
| M05.662 | Rheumatoid arthritis of left knee with involvement of other organs and systems |
| M05.669 | Rheumatoid arthritis of unspecified knee with involvement of other organs and systems |
| M05.671 | Rheumatoid arthritis of right ankle and foot with involvement of other organs and systems |
| M05.672 | Rheumatoid arthritis of left ankle and foot with involvement of other organs and systems |
| M05.679 | Rheumatoid arthritis of unspecified ankle and foot with involvement of other organs and systems |
| M05.69 | Rheumatoid arthritis of multiple sites with involvement of other organs and systems |
| M05.7A | Rheumatoid arthritis with rheumatoid factor of other specified site without organ or systems involvement |
| M05.711 | Rheumatoid arthritis with rheumatoid factor of right shoulder without organ or systems involvement |
| M05.712 | Rheumatoid arthritis with rheumatoid factor of left shoulder without organ or systems involvement |
| M05.719 | Rheumatoid arthritis with rheumatoid factor of unspecified shoulder without organ or systems involvement |
| M05.721 | Rheumatoid arthritis with rheumatoid factor of right elbow without organ or systems involvement |
| M05.722 | Rheumatoid arthritis with rheumatoid factor of left elbow without organ or systems involvement |
| M05.729 | Rheumatoid arthritis with rheumatoid factor of unspecified elbow without organ or systems involvement |
| M05.731 | Rheumatoid arthritis with rheumatoid factor of right wrist without organ or systems involvement |
| M05.732 | Rheumatoid arthritis with rheumatoid factor of left wrist without organ or systems involvement |
| M05.739 | Rheumatoid arthritis with rheumatoid factor of unspecified wrist without organ or systems involvement |
| M05.741 | Rheumatoid arthritis with rheumatoid factor of right hand without organ or systems involvement |
| M05.742 | Rheumatoid arthritis with rheumatoid factor of left hand without organ or systems involvement |
| M05.749 | Rheumatoid arthritis with rheumatoid factor of unspecified hand without organ or systems involvement |
| M05.751 | Rheumatoid arthritis with rheumatoid factor of right hip without organ or systems involvement |
| M05.752 | Rheumatoid arthritis with rheumatoid factor of left hip without organ or systems involvement |
| M05.759 | Rheumatoid arthritis with rheumatoid factor of unspecified hip without organ or systems involvement |
| M05.761 | Rheumatoid arthritis with rheumatoid factor of right knee without organ or systems involvement |
| M05.762 | Rheumatoid arthritis with rheumatoid factor of left knee without organ or systems involvement |
| M05.769 | Rheumatoid arthritis with rheumatoid factor of unspecified knee without organ or systems involvement |
| M05.771 | Rheumatoid arthritis with rheumatoid factor of right ankle and foot without organ or systems involvement |
| M05.772 | Rheumatoid arthritis with rheumatoid factor of left ankle and foot without organ or systems involvement |
| M05.779 | Rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot without organ or systems involvement |



| ICD-10 | ICD-10 Description |
|---------|--|
| M05.79 | Rheumatoid arthritis with rheumatoid factor of multiple sites without organ or systems involvement |
| M05.8A | Other rheumatoid arthritis with rheumatoid factor of other specified site |
| M05.811 | Other rheumatoid arthritis with rheumatoid factor of right shoulder |
| M05.812 | Other rheumatoid arthritis with rheumatoid factor of left shoulder |
| M05.819 | Other rheumatoid arthritis with rheumatoid factor of unspecified shoulder |
| M05.821 | Other rheumatoid arthritis with rheumatoid factor of right elbow |
| M05.822 | Other rheumatoid arthritis with rheumatoid factor of left elbow |
| M05.829 | Other rheumatoid arthritis with rheumatoid factor of unspecified elbow |
| M05.831 | Other rheumatoid arthritis with rheumatoid factor of right wrist |
| M05.832 | Other rheumatoid arthritis with rheumatoid factor of left wrist |
| M05.839 | Other rheumatoid arthritis with rheumatoid factor of unspecified wrist |
| M05.841 | Other rheumatoid arthritis with rheumatoid factor of right hand |
| M05.842 | Other rheumatoid arthritis with rheumatoid factor of left hand |
| M05.849 | Other rheumatoid arthritis with rheumatoid factor of unspecified hand |
| M05.851 | Other rheumatoid arthritis with rheumatoid factor of right hip |
| M05.852 | Other rheumatoid arthritis with rheumatoid factor of left hip |
| M05.859 | Other rheumatoid arthritis with rheumatoid factor of unspecified hip |
| M05.861 | Other rheumatoid arthritis with rheumatoid factor of right knee |
| M05.862 | Other rheumatoid arthritis with rheumatoid factor of left knee |
| M05.869 | Other rheumatoid arthritis with rheumatoid factor of unspecified knee |
| M05.871 | Other rheumatoid arthritis with rheumatoid factor of right ankle and foot |
| M05.872 | Other rheumatoid arthritis with rheumatoid factor of left ankle and foot |
| M05.879 | Other rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot |
| M05.89 | Other rheumatoid arthritis with rheumatoid factor of multiple sites |
| M05.9 | Rheumatoid arthritis with rheumatoid factor, unspecified |
| M06.0A | Rheumatoid arthritis without rheumatoid factor, other specified site |
| M06.011 | Rheumatoid arthritis without rheumatoid factor, right shoulder |
| M06.012 | Rheumatoid arthritis without rheumatoid factor, left shoulder |
| M06.019 | Rheumatoid arthritis without rheumatoid factor, unspecified shoulder |
| M06.021 | Rheumatoid arthritis without rheumatoid factor, right elbow |
| M06.022 | Rheumatoid arthritis without rheumatoid factor, left elbow |
| M06.029 | Rheumatoid arthritis without rheumatoid factor, unspecified elbow |
| M06.031 | Rheumatoid arthritis without rheumatoid factor, right wrist |
| M06.032 | Rheumatoid arthritis without rheumatoid factor, left wrist |
| M06.039 | Rheumatoid arthritis without rheumatoid factor, unspecified wrist |

Medical Necessity Criteria



| ICD-10 | ICD-10 Description |
|---------|--|
| M06.041 | Rheumatoid arthritis without rheumatoid factor, right hand |
| M06.042 | Rheumatoid arthritis without rheumatoid factor, left hand |
| M06.049 | Rheumatoid arthritis without rheumatoid factor, unspecified hand |
| M06.051 | Rheumatoid arthritis without rheumatoid factor, right hip |
| M06.052 | Rheumatoid arthritis without rheumatoid factor, left hip |
| M06.059 | Rheumatoid arthritis without rheumatoid factor, unspecified hip |
| M06.061 | Rheumatoid arthritis without rheumatoid factor, right knee |
| M06.062 | Rheumatoid arthritis without rheumatoid factor, left knee |
| M06.069 | Rheumatoid arthritis without rheumatoid factor, unspecified knee |
| M06.071 | Rheumatoid arthritis without rheumatoid factor, right ankle and foot |
| M06.072 | Rheumatoid arthritis without rheumatoid factor, left ankle and foot |
| M06.079 | Rheumatoid arthritis without rheumatoid factor, unspecified ankle and foot |
| M06.08 | Rheumatoid arthritis without rheumatoid factor, vertebrae |
| M06.09 | Rheumatoid arthritis without rheumatoid factor, multiple sites |
| M06.4 | Inflammatory polyarthropathy |
| M06.8A | Other specified rheumatoid arthritis, other specified site |
| M06.811 | Other specified rheumatoid arthritis, right shoulder |
| M06.812 | Other specified rheumatoid arthritis, left shoulder |
| M06.819 | Other specified rheumatoid arthritis, unspecified shoulder |
| M06.821 | Other specified rheumatoid arthritis, right elbow |
| M06.822 | Other specified rheumatoid arthritis, left elbow |
| M06.829 | Other specified rheumatoid arthritis, unspecified elbow |
| M06.831 | Other specified rheumatoid arthritis, right wrist |
| M06.832 | Other specified rheumatoid arthritis, left wrist |
| M06.839 | Other specified rheumatoid arthritis, unspecified wrist |
| M06.841 | Other specified rheumatoid arthritis, right hand |
| M06.842 | Other specified rheumatoid arthritis, left hand |
| M06.849 | Other specified rheumatoid arthritis, unspecified hand |
| M06.851 | Other specified rheumatoid arthritis, right hip |
| M06.852 | Other specified rheumatoid arthritis, left hip |
| M06.859 | Other specified rheumatoid arthritis, unspecified hip |
| M06.861 | Other specified rheumatoid arthritis, right knee |
| M06.862 | Other specified rheumatoid arthritis, left knee |
| M06.869 | Other specified rheumatoid arthritis, unspecified knee |
| M06.871 | Other specified rheumatoid arthritis, right ankle and foot |

Medical Necessity Criteria



| ICD-10 | ICD-10 Description |
|---------|---|
| M06.872 | Other specified rheumatoid arthritis, left ankle and foot |
| M06.879 | Other specified rheumatoid arthritis, unspecified ankle and foot |
| M06.88 | Other specified rheumatoid arthritis, vertebrae |
| M06.89 | Other specified rheumatoid arthritis, multiple sites |
| M06.9 | Rheumatoid arthritis, unspecified |
| M08.0A | Unspecified juvenile rheumatoid arthritis, other specified site |
| M08.011 | Unspecified juvenile rheumatoid arthritis, right shoulder |
| M08.012 | Unspecified juvenile rheumatoid arthritis, left shoulder |
| M08.019 | Unspecified juvenile rheumatoid arthritis, unspecified shoulder |
| M08.021 | Unspecified juvenile rheumatoid arthritis, right elbow |
| M08.022 | Unspecified juvenile rheumatoid arthritis, left elbow |
| M08.029 | Unspecified juvenile rheumatoid arthritis, unspecified elbow |
| M08.031 | Unspecified juvenile rheumatoid arthritis, right wrist |
| M08.032 | Unspecified juvenile rheumatoid arthritis, left wrist |
| M08.039 | Unspecified juvenile rheumatoid arthritis, unspecified wrist |
| M08.041 | Unspecified juvenile rheumatoid arthritis, right hand |
| M08.042 | Unspecified juvenile rheumatoid arthritis, left hand |
| M08.049 | Unspecified juvenile rheumatoid arthritis, unspecified hand |
| M08.051 | Unspecified juvenile rheumatoid arthritis, right hip |
| M08.052 | Unspecified juvenile rheumatoid arthritis, left hip |
| M08.059 | Unspecified juvenile rheumatoid arthritis, unspecified hip |
| M08.061 | Unspecified juvenile rheumatoid arthritis, right knee |
| M08.062 | Unspecified juvenile rheumatoid arthritis, left knee |
| M08.069 | Unspecified juvenile rheumatoid arthritis, unspecified knee |
| M08.071 | Unspecified juvenile rheumatoid arthritis, right ankle and foot |
| M08.072 | Unspecified juvenile rheumatoid arthritis, left ankle and foot |
| M08.079 | Unspecified juvenile rheumatoid arthritis, unspecified ankle and foot |
| M08.08 | Unspecified juvenile rheumatoid arthritis, vertebrae |
| M08.09 | Unspecified juvenile rheumatoid arthritis, multiple sites |
| M08.2A | Juvenile rheumatoid arthritis with systemic onset, other specified site |
| M08.211 | Juvenile rheumatoid arthritis with systemic onset, right shoulder |
| M08.212 | Juvenile rheumatoid arthritis with systemic onset, left shoulder |
| M08.219 | Juvenile rheumatoid arthritis with systemic onset, unspecified shoulder |
| M08.221 | Juvenile rheumatoid arthritis with systemic onset, right elbow |
| M08.222 | Juvenile rheumatoid arthritis with systemic onset, left elbow |



Medical Necessity Criteria

| ICD-10 | ICD-10 Description |
|---------|---|
| M08.229 | Juvenile rheumatoid arthritis with systemic onset, unspecified elbow |
| M08.231 | Juvenile rheumatoid arthritis with systemic onset, right wrist |
| M08.232 | Juvenile rheumatoid arthritis with systemic onset, left wrist |
| M08.239 | Juvenile rheumatoid arthritis with systemic onset, unspecified wrist |
| M08.241 | Juvenile rheumatoid arthritis with systemic onset, right hand |
| M08.242 | Juvenile rheumatoid arthritis with systemic onset, left hand |
| M08.249 | Juvenile rheumatoid arthritis with systemic onset, unspecified hand |
| M08.251 | Juvenile rheumatoid arthritis with systemic onset, right hip |
| M08.252 | Juvenile rheumatoid arthritis with systemic onset, left hip |
| M08.259 | Juvenile rheumatoid arthritis with systemic onset, unspecified hip |
| M08.261 | Juvenile rheumatoid arthritis with systemic onset, right knee |
| M08.262 | Juvenile rheumatoid arthritis with systemic onset, left knee |
| M08.269 | Juvenile rheumatoid arthritis with systemic onset, unspecified knee |
| M08.271 | Juvenile rheumatoid arthritis with systemic onset, right ankle and foot |
| M08.272 | Juvenile rheumatoid arthritis with systemic onset, left ankle and foot |
| M08.279 | Juvenile rheumatoid arthritis with systemic onset, unspecified ankle and foot |
| M08.28 | Juvenile rheumatoid arthritis with systemic onset, vertebrae |
| M08.29 | Juvenile rheumatoid arthritis with systemic onset, multiple sites |
| M08.3 | Juvenile rheumatoid polyarthritis (seronegative) |
| M08.4A | Pauciarticular juvenile rheumatoid arthritis, other specified site |
| M08.411 | Pauciarticular juvenile rheumatoid arthritis, right shoulder |
| M08.412 | Pauciarticular juvenile rheumatoid arthritis, left shoulder |
| M08.419 | Pauciarticular juvenile rheumatoid arthritis, unspecified shoulder |
| M08.421 | Pauciarticular juvenile rheumatoid arthritis, right elbow |
| M08.422 | Pauciarticular juvenile rheumatoid arthritis, left elbow |
| M08.429 | Pauciarticular juvenile rheumatoid arthritis, unspecified elbow |
| M08.431 | Pauciarticular juvenile rheumatoid arthritis, right wrist |
| M08.432 | Pauciarticular juvenile rheumatoid arthritis, left wrist |
| M08.439 | Pauciarticular juvenile rheumatoid arthritis, unspecified wrist |
| M08.441 | Pauciarticular juvenile rheumatoid arthritis, right hand |
| M08.442 | Pauciarticular juvenile rheumatoid arthritis, left hand |
| M08.449 | Pauciarticular juvenile rheumatoid arthritis, unspecified hand |
| M08.451 | Pauciarticular juvenile rheumatoid arthritis, right hip |
| M08.452 | Pauciarticular juvenile rheumatoid arthritis, left hip |
| M08.459 | Pauciarticular juvenile rheumatoid arthritis, unspecified hip |



Medical Necessity Criteria

THERAPEUTICS"

| M08.471Pauciarticular juvenile rheumM08.472Pauciarticular juvenile rheum | atoid arthritis, left knee atoid arthritis, unspecified knee atoid arthritis, right ankle and foot atoid arthritis, left ankle and foot atoid arthritis, unspecified ankle and foot |
|--|---|
| M08.469Pauciarticular juvenile rheumM08.471Pauciarticular juvenile rheumM08.472Pauciarticular juvenile rheumM08.479Pauciarticular juvenile rheum | atoid arthritis, unspecified knee atoid arthritis, right ankle and foot atoid arthritis, left ankle and foot atoid arthritis, unspecified ankle and foot |
| M08.471Pauciarticular juvenile rheumM08.472Pauciarticular juvenile rheumM08.479Pauciarticular juvenile rheum | atoid arthritis, right ankle and foot atoid arthritis, left ankle and foot atoid arthritis, unspecified ankle and foot |
| M08.472Pauciarticular juvenile rheumM08.479Pauciarticular juvenile rheum | atoid arthritis, left ankle and foot atoid arthritis, unspecified ankle and foot |
| M08.479 Pauciarticular juvenile rheum | atoid arthritis, unspecified ankle and foot |
| | |
| M08.48 Pauciarticular iuvenile rheum | atoid arthritia wattahraa |
| | |
| M08.80 Other juvenile arthritis, unspe | ecified site |
| M08.811 Other juvenile arthritis, right s | shoulder |
| M08.812 Other juvenile arthritis, left sh | oulder |
| M08.819 Other juvenile arthritis, unspe | cified shoulder |
| M08.821 Other juvenile arthritis, right e | lbow |
| M08.822 Other juvenile arthritis, left ell | woo |
| M08.829 Other juvenile arthritis, unspe | cified elbow |
| M08.831 Other juvenile arthritis, right v | vrist |
| M08.832 Other juvenile arthritis, left wr | ist |
| M08.839 Other juvenile arthritis, unspe | cified wrist |
| M08.841 Other juvenile arthritis, right h | nand |
| M08.842 Other juvenile arthritis, left ha | and |
| M08.849 Other juvenile arthritis, unspe | cified hand |
| M08.851 Other juvenile arthritis, right h | nip |
| M08.852 Other juvenile arthritis, left hi | 0 |
| M08.859 Other juvenile arthritis, unspe | cified hip |
| M08.861 Other juvenile arthritis, right k | nee |
| M08.862 Other juvenile arthritis, left kn | ee |
| M08.869 Other juvenile arthritis, unspe | cified knee |
| M08.871 Other juvenile arthritis, right a | ankle and foot |
| M08.872 Other juvenile arthritis, left ar | ikle and foot |
| M08.879 Other juvenile arthritis, unspe | cified ankle and foot |
| M08.88 Other juvenile arthritis, other | specified site |
| M08.89 Other juvenile arthritis, multip | le sites |
| M08.9A Juvenile arthritis, unspecified | , other specified site |
| M08.911 Juvenile arthritis, unspecified | , right shoulder |
| M08.912 Juvenile arthritis, unspecified | , left shoulder |
| M08.919 Juvenile arthritis, unspecified | , unspecified shoulder |



Medical Necessity Criteria



| ICD-10 | ICD-10 Description |
|---------|---|
| M08.921 | Juvenile arthritis, unspecified, right elbow |
| M08.922 | Juvenile arthritis, unspecified, left elbow |
| M08.929 | Juvenile arthritis, unspecified, unspecified elbow |
| M08.931 | Juvenile arthritis, unspecified, right wrist |
| M08.932 | Juvenile arthritis, unspecified, left wrist |
| M08.939 | Juvenile arthritis, unspecified, unspecified wrist |
| M08.941 | Juvenile arthritis, unspecified, right hand |
| M08.942 | Juvenile arthritis, unspecified, left hand |
| M08.949 | Juvenile arthritis, unspecified, unspecified hand |
| M08.951 | Juvenile arthritis, unspecified, right hip |
| M08.952 | Juvenile arthritis, unspecified, left hip |
| M08.959 | Juvenile arthritis, unspecified, unspecified hip |
| M08.961 | Juvenile arthritis, unspecified, right knee |
| M08.962 | Juvenile arthritis, unspecified, left knee |
| M08.969 | Juvenile arthritis, unspecified, unspecified knee |
| M08.971 | Juvenile arthritis, unspecified, right ankle and foot |
| M08.972 | Juvenile arthritis, unspecified, left ankle and foot |
| M08.979 | Juvenile arthritis, unspecified, unspecified ankle and foot |
| M08.98 | Juvenile arthritis, unspecified, vertebrae |
| M08.99 | Juvenile arthritis, unspecified, multiple sites |
| M45.0 | Ankylosing spondylitis of multiple sites in spine |
| M45.1 | Ankylosing spondylitis of occipito-atlanto-axial region |
| M45.2 | Ankylosing spondylitis of cervical region |
| M45.3 | Ankylosing spondylitis of cervicothoracic region |
| M45.4 | Ankylosing spondylitis of thoracic region |
| M45.5 | Ankylosing spondylitis of thoracolumbar region |
| M45.6 | Ankylosing spondylitis lumbar region |
| M45.7 | Ankylosing spondylitis of lumbosacral region |
| M45.8 | Ankylosing spondylitis sacral and sacrococcygeal region |
| M45.9 | Ankylosing spondylitis of unspecified sites in spine |

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

The preceding information is intended for non-Medicare coverage determinations. Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determinations (NCDs) and/or Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where

Page 18

Medical Necessity Criteria



applicable. Local Coverage Articles (LCAs) may also exist for claims payment purposes or to clarify benefit eligibility under Part B for drugs which may be self-administered. The following link may be used to search for NCD, LCD, or LCA documents: <u>https://www.cms.gov/medicare-coverage-</u> <u>database/search.aspx</u>. Additional indications, including any preceding information, may be applied at the discretion of the health plan.

| Medicare Part B Administrative Contractor (MAC) Jurisdictions | | |
|---|---|---|
| Jurisdiction | Applicable State/US Territory | Contractor |
| E (1) | CA, HI, NV, AS, GU, CNMI | Noridian Healthcare Solutions, LLC |
| F (2 & 3) | AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ | Noridian Healthcare Solutions, LLC |
| 5 | KS, NE, IA, MO | Wisconsin Physicians Service Insurance Corp (WPS) |
| 6 | MN, WI, IL | National Government Services, Inc. (NGS) |
| H (4 & 7) | LA, AR, MS, TX, OK, CO, NM | Novitas Solutions, Inc. |
| 8 | MI, IN | Wisconsin Physicians Service Insurance Corp (WPS) |
| N (9) | FL, PR, VI | First Coast Service Options, Inc. |
| J (10) | TN, GA, AL | Palmetto GBA |
| M (11) | NC, SC, WV, VA (excluding below) | Palmetto GBA |
| L (12) | DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA) | Novitas Solutions, Inc. |
| K (13 & 14) | NY, CT, MA, RI, VT, ME, NH | National Government Services, Inc. (NGS) |
| 15 | КҮ, ОН | CGS Administrators, LLC |

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD/LCA): N/A



Medical Necessity Criteria

Page 19