

Procedures and services considered always investigational or cosmetic

Moda Health Commercial Group and Individual Members

Updated 12/09/2025

Codes	ServiceDescription	ExceptionsNotes
	Temporary female intraurethral valve-pump (ie, voiding prosthesis); initial	
	insertion, including urethral measurement	
0596T		Always Investigational
	Glomerular filtration rate (GFR) monitoring, transdermal, including sensor	
	placement and administration of more than one dose of fluorescent	
	pyrazine agent, each 24 hours	
0603T		Always Investigational
	Osteotomy, humerus, with insertion of an externally controlled	
	intramedullary lengthening device, including intraoperative imaging,	
	initial and subsequent alignment assessments, computations of	
	adjustment schedules, and management of the intramedullary	
	lengthening device	
0594T		Always Investigational
	Noncontact real-time fluorescence wound imaging, for bacterial presence,	
	location, and load, per session; first anatomic site (eg, lower extremity)	
0598T		Always Investigational
	To account to the state of the	
	Temporary female intraurethral valve-pump (ie, voiding prosthesis); initial	
05077	insertion, including urethral measurement replacement	Alexandra
0597T		Always Investigational
	Optical coherence tomography (OCT) of retina, remote, patientinitiated	
	image capture and transmission to a remote surveillance center unilateral	
	or bilateral;remote surveillance center technical support, data	
	analyses and reports, with a minimum of 8 daily recordings, each 30 days	Always Investigational
0605T	analyses and reports, with a minimum of 8 daily recordings, each 30 days	Aiways iiivesugauoiiai
50051	Glomerular filtration rate (GFR) measurement(s), transdermal, including	
	sensor placement and administration of a single dose of fluorescent	
	pyrazine agent	
0602T	F 7. 2 200	Always Investigational
	Magnetic resonance spectroscopy, determination and localization of	272 220.000.000
	chemical differences between discs	
0611T		Always Investigational
0602T 0611T	discogenic pain (cervical, thoracic, or lumbar); postprocessing for algorithmic analysis of biomarker data for determination of relative	Always Investigational Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0600T	Ablation, irreversible electroporation; 1 or more tumors per organ, including imaging guidance, when performed, percutaneous	Always Investigational
0609T	"Magnetic resonance spectroscopy, determination and localization of discogenic pain (cervical, thoracic, or lumbar); acquisition of single voxel data, per disc, on biomarkers (ie, lactic acid, carbohydrate, alanine, laal, propionic acid, proteoglycan, and collagen) in at least 3 discs	Always Investigational
	Noncontact real-time fluorescence wound imaging, for bacterial presence, location, and load, per session; each additional anatomic site (eg, upper extremity) (List separately in addition to code for primary procedure)	
0599T 0601T	Ablation, irreversible electroporation; 1 or more tumors, including fluoroscopic and ultrasound guidance, when performed, open	Always Investigational Always Investigational
0608T	Remote monitoring of an external continuous pulmonary fluid monitoring system, including measurement of radiofrequencyderived pulmonary fluid levels, heart rate, respiration rate, activity, posture, and cardiovascular rhythm (eg, ECG data), transmitted to a remote 24-hour attended surveillance center; analysis of data received and transmission of reports to the physician or other qualified health care professional	
0612T	Magnetic resonance spectroscopy, determination and localization of discogenic pain (cervical, thoracic, or lumbar); interpretation and report	Always Investigational
0610T	Magnetic resonance spectroscopy, determination and localization of discogenic pain (cervical, thoracic, or lumbar); transmission of biomarker data for software analysis	Always Investigational
0604T	Optical coherence tomography (OCT) of retina, remote, patientinitiated image capture and transmission to a remote surveillance center unilateral or bilateral; initial device provision, set-up and patient education on use of equipment	, ,

Codes	ServiceDescription	ExceptionsNotes
0607T	Remote monitoring of an external continuous pulmonary fluid monitoring system, including measurement of radiofrequencyderived pulmonary fluid levels, heart rate, respiration rate, activity, posture, and cardiovascular rhythm (eg, ECG data), transmitted to a remote 24-hour attended surveillance center; set-up and patient education on use of equipment	
0606Т	Optical coherence tomography (OCT) of retina, remote, patientinitiated image capture and transmission to a remote surveillance center unilateral or bilateral; review, interpretation and report by the prescribing physician or other qualified health care professional of remote surveillance center data analyses, each 30 days	Always Investigational
0614T	Removal and replacement of a substernal implantable defibrillator pulse generator	Always Investigational
0616T	Insertion of iris prosthesis, including suture fixation and repair or removal of iris, when performed; without removal of crystalline lens or intraocular lens, without insertion of intraocular lens	Always Investigational
00101	Percutaneous transcatheter implantation of interatrial septal shunt device, including right and left heart catheterization, intracardiac echocardiography, and imaging guidance by the proceduralist, when performed	7 ilways ilivestigational
0613T	Insertion of iris prosthesis, including suture fixation and repair or removal of iris, when performed; with removal of crystalline lens and insertion of intraocular lens	Always Investigational
0617T	Endovascular venous arterialization, tibial or peroneal vein, with transcatheter placement of intravascular stent graft(s) and closure by any method, including percutaneous or open vascular access, ultrasound guidance for vascular access when performed, all catheterization(s) and intraprocedural roadmapping and imaging guidance necessary to complete the intervention, all associated radiological supervision and	Always Investigational
0620T	interpretation, when performed	Always Investigational
0621T 0618T	Trabeculostomy ab interno by laser Insertion of iris prosthesis, including suture fixation and repair or removal of iris, when performed; with secondary intraocular lens placement or intraocular lens exchange	Always Investigational Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Eye-movement analysis without spatial calibration, with	
	interpretation and report	
0615T		Always Investigational
	Cystourethroscopy with transurethral anterior prostate	,
	commissurotomy and drug delivery, including transrectal	
	ultrasound and fluoroscopy, when performed	
0619T	and assume and musicoscopy, when performed	Always Investigational
00131		, avays arrestigational
0622T	Trabeculostomy ab interno by laser; with use of ophthalmic endoscope	Always Investigational
00221	Wireless skin sensor thermal anisotropy measurement(s) and assessment	7 (Ways mivestigational
	of flow in cerebrospinal fluid shunt, including ultrasound guidance, when	
0639T	performed	Always Investigational
00331	Transcutaneous visible light hyperspectral imaging measurement of	Always Investigational
	7	
06247	oxyhemoglobin, deoxyhemoglobin, and tissue oxygenation, with	Abores la collection
0631T	interpretation and report, per extremity	Always Investigational
	Percutaneous transcatheter ultrasound ablation of nerves innervating the	
	pulmonary arteries, including right heart catheterization, pulmonary	
0632T	artery angiography, and all imaging guidance	Always Investigational
	Injection(s), anesthetic agent(s) and /or steroid; nerves innervating the	
	sacroiliac joint, with image guidance (i.e fluoroscopy or computed	
64451	tomography)	Always investigational
	Radiofrequency ablation, nerves innervating the sacroiliac joint, with	
64625	image guidance	Always Investigational
	NUDT15 (nudix hydrolase 15)(eg, drug metabolism) gene analysis,	
81306	common variant(s)	Always Investigational
	Oncology (cutaneous melanoma), mRNA, gene expression profiling by real-	
	time RT-PCR of 31 genes (28 content and 3 housekeeping), utilizing	
	formalin-fixed paraffin-embedded tissue, algorithm reported as	Always Investigational
81529	recurrence risk, including likelihood of sentinel lymph node metastasis	
95803	Actigraphy	Always Investigational
J0591	Injection, deoxycholic acid, 1 mg	Always Cosmetic
	Bionextpatch, per square centimeter	
Q4228		Always Investigational
٧ ، ٢ ٢ ٢ ٢	Amniocore, per square centimeter	,ays mvestigational
Q4227	, anniboore, per square certaineter	Always Investigational
Q7221	Xcellerate, per square centimeter	Aiways ilivestigational
04224	Acenerate, per square centimeter	Always Investigations!
Q4234	Corpley per square continuator	Always Investigational
0.4000	Corplex, per square centimeter	AL
Q4232		Always Investigational
	Cogenex flowable amnion, per 0.5 cc	
Q4230		Always Investigational
	Cogenex amniotic membrane, per square centimeter	
Q4229		Always Investigational
Q4231	Corplex p, per cc	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Carepatch, per square centimeter	
Q4236		Always Investigational
	Corecyte, for topical use only, per 0.5 cc	1, 1, 1, 2, 1, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
Q4240		Always Investigational
Q7270	Surfactor or nudyn, per 0.5 cc	7 Treatigational
04222	Surfactor of fludyff, per 0.5 cc	Always Investigational
Q4233	Debug to fortoried was only you 0.5 as	Always Investigational
	Polycyte, for topical use only, per 0.5 cc	
Q4241		Always Investigational
	Cryo-cord, per square centimeter	
Q4237		Always Investigational
	Amniorepair or altiply, per square centimeter	
Q4235		Always Investigational
	Amnio-maxx or amnio-maxx lite, per square centimeter	
Q4239		Always Investigational
	Derm-maxx, per square centimeter	, <u> </u>
Q4238	, p =	Always Investigational
	Amniotext, per cc	
Q4245	, annoten, per ce	Always Investigational
Q4245 Q4249	AMMIRI V for tonical use only person on	Always Investigational
	AMNIPLY, for topical use only, per sq cm	
Q4254	Novafix DL, per sq cm	Always Investigational
	Procenta, per 200 mg	
Q4244		Always Investigational
	Dermacyte amniotic membrane allograft, per square centimeter	
Q4248		Always Investigational
S1091	Mometasone furoate sinus implant, 370 micrograms	Always Investigational
	Amniotext patch, per square centimeter	
Q4247		Always Investigational
Q4250	AmnioAmp-MP, per sq cm	Always Investigational
	Coretext or protext, per cc	
Q4246	3 to 1 to 1 to 3 ft and 3 ft a	Always Investigational
Q 12 10	Amniocyte plus, per 0.5 cc	7 iiwaya iiivestigationai
Q4242	Anniocyte plus, per 0.5 ce	Always Investigational
	DECUARD for tonical use only nor salem	
Q4255	REGUaRD, for topical use only, per sq cm	Always Investigational
0000:	Twin zygosity, genomic targeted sequence analysis of chromosome 2,	Always Investigational
0060U	using circulating cell-free fetal DNA in maternal blood	
	Prescription drug monitoring, evaluation of 65 common drugs by LC-	
	MS/MS, urine, each drug reported detected or not detected	Always Investigational
0093U		
	Transapical mitral valve repair, including transthoracic echocardiography,	
	when performed, with placement of artificial chordae tendineae	Always Investigational
0543T		
	Transcatheter mitral valve annulus reconstruction, with implantation of	
	adjustable annulus reconstruction device, percutaneous approach	
	including transseptal puncture	Always Investigational
OF 4 4 T	Iniciacing transseptal puncture	Always Investigational
0544T		1

Codes	ServiceDescription	ExceptionsNotes
0545T	Transcatheter tricuspid valve annulus reconstruction with implantation of adjustable annulus reconstruction device, percutaneous approach	Always Investigational
0546T	Radiofrequency spectroscopy, real time, intraoperative margin assessment, at the time of partial mastectomy, with report	Always Investigational
0547T	Bone-material quality testing by microindentation(s) of the tibia(s), with results reported as a score	Always Investigational
0548T	Transperineal periurethral balloon continence device; bilateral placement, including cystoscopy and fluoroscopy	Always Investigational
0549T	Transperineal periurethral balloon continence device; unilateral placement, including cystoscopy and fluoroscopy	Always Investigational
0550T	Transperineal periurethral balloon continence device; removal, each balloon	Always Investigational
0551T	Transperineal periurethral balloon continence device; adjustment of balloon(s) fluid volume	Always Investigational
0552T	Low-level laser therapy, dynamic photonic and dynamic thermokinetic energies, provided by a physician or other qualified health care professional	Always Investigational
0553T	Percutaneous transcatheter placement of iliac arteriovenous anastomosis implant, inclusive of all radiological supervision and interpretation, intraprocedural roadmapping, and imaging guidance necessary to complete the intervention	Always Investigational
0554T	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; retrieval and transmission of the scan data, assessment of bone strength and fracture risk and bone mineral density, interpretation and report	Always Investigational
0555T	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; retrieval and transmission of the scan data	Always Investigational
0556T	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; assessment of bone strength and fracture risk and bone mineral density	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
05577	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; interpretation and report	Always Investigational
0557T 0558T	Computed tomography scan taken for the purpose of biomechanical computed tomography analysis	Always Investigational
0559T	Anatomic model 3D-printed from image data set(s); first individually prepared and processed component of an anatomic structure	Always Investigational
0560Т	Anatomic model 3D-printed from image data set(s); each additional individually prepared and processed component of an anatomic structure (List separately in addition to code for primary procedure)	Always Investigational
0561T	Anatomic guide 3D-printed and designed from image data set(s); first anatomic guide	Always Investigational
0562T	Anatomic guide 3D-printed and designed from image data set(s); each additional anatomic guide (List separately in addition to code for primary procedure)	Always Investigational
0640Т	"Noncontact near-infrared spectroscopy studies of flap or wound (eg, for measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation [StO2]); image acquisition, interpretation and report, each flap or wound"	Always Investigational
0641T	Noncontact near-infrared spectroscopy studies of flap or wound (eg, for measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation [StO2]); image acquisition ony, each flap or wound	Always Investigational
0642T	Noncontact near-infrared spectroscopy studies of flap or wound (eg, for measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation [StO2]); interpretation and report only, each flap or wound	Always Investigational
0643T	Transcatheter left ventricular restoration device implantation including right and left heart catheterization and left ventriculography when performed, arterial approach	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0644T	"Transcatheter removal or debulking of intracardiac mass (eg, vegetations, thrombus) via suction (eg, vacuum, aspiration) device, percutaneous approach, with intraoperative reinfusion of aspirated blood, including imaging guidance, when performed"	Always Investigational
0645T	"Transcatheter implantation of coronary sinus reduction device including vascular access and closure, right heart catheterization, venous angiography, coronary sinus angiography, imaging guidance, and supervision and interpretation, when performed"	Always Investigational
0646T	"Transcatheter tricuspid valve implantation/replacement (TTVI) with prosthetic valve, percutaneous approach, including right heart catheterization, temporary pacemaker insertion, and selective right ventricular or right atrial angiography, when performed"	Always Investigational
0647T	"Insertion of gastrostomy tube, percutaneous, with magnetic gastropexy, under ultrasound guidance, image documentation and report"	Always Investigational
0648T	"Quantitative magnetic resonance for analysis of tissue composition (eg, fat, iron, water content), including multiparametric data acquisition, data preparation and transmission, interpretation and report, obtained without diagnostic MRI examination of the same anatomy (eg, organ, gland, tissue, target structure) during the same session"	Always Investigational
0649T	"Quantitative magnetic resonance for analysis of tissue composition (eg, fat, iron, water content), including multiparametric data acquisition, data preparation and transmission, interpretation and report, obtained with diagnostic MRI examination of the same anatomy (eg, organ, gland, tissue, target structure) (List separately in addition to code for primary procedure)"	Always Investigational
0650T	"Programming device evaluation (remote) of subcutaneous cardiac rhythm monitor system, with iterative adjustment of the implantable device to test the function of the device and select optimal permanently programmed values with analysis, review and report by a physician or other qualified health care professional "	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	"Magnetically controlled capsule endoscopy, esophagus through stomach, including intraprocedural positioning of capsule, with interpretation and report"	Always Investigational
0651T	interpretation and report	Aiways investigational
	Esophagogastroduodenoscopy, flexible, transnasal; diagnostic, including	
	collection of specimen(s) by brushing or washing, when performed	
06527	(separate procedure)	Always Investigational
0652T		
	Esophagogastroduodenoscopy, flexible, transnasal; with biopsy, single or	Always Investigational
0653T	multiple	
	Esophagogastroduodenoscopy, flexible, transnasal; with insertion of	Always Investigational
0654T	intraluminal tube or catheter	
	Transperineal focal laser ablation of malignant prostate tissue, including transrectal imaging guidance, with MR-fused images or other enhanced	Always Investigational
0655T	ultrasound imaging	Always Investigational
30331	and account integrity	
		Always Investigational
0656T	Vertebral body tethering, anterior; up to 7 vertebral segments	
		Always Investigational
0657T	Vertebral body tethering, anterior; 8 or more segments	
	Electrical impedance spectroscopy of 1 or more skin lesions for	Always Investigational
0658T	automated melanoma risk score	7 aways mvesagaaona
	Transcatheter intracoronary infusion of supersaturated oxygen in	
	conjunction with percutaneous coronary revascularization during acute	
	myocardial infarction, including catheter placement, imaging guidance	Al a characteristic
0659T	(eg, fluoroscopy), angiography, and radiologic supervision and interpretation	Always Investigational
00331	interpretation	
	Implantation of anterior segment intraocular nonbiodegradable drug-	Always Investigational
0660T	eluting system, internal approach	
06647	Removal and reimplantation of anterior segment intraocular	Always Investigational
0661T	nonbiodegradable drug-eluting implant	
		Always Investigational
0662T	Scalp cooling, mechanical; initial measurement and calibration of cap	
	Scalp cooling, mechanical; placement of device, monitoring, and removal	Always Investigational
0663T	of device (List separately in addition to code for primary procedure)	
0664T	Donor hysterectomy (including cold preservation); open, from cadaver	Always Investigational
0664T	donor	

Codes	ServiceDescription	ExceptionsNotes
0665T	Donor hysterectomy (including cold preservation); open, from living donor	Always Investigational
0666T	Donor hysterectomy (including cold preservation); laparoscopic or robotic, from living donor	Always Investigational
0667T	Donor hysterectomy (including cold preservation);recipient uterus allograft transplantation from cadaver or living donor	Always Investigational
0668T	Backbench standard preparation of cadaver or living donoruterine allograft prior to transplantation, including dissection and removal of surrounding soft tissues and preparation of uterine vein(s) and uterine artery(ies), as necessary	Always Investigational
0669T	Backbench reconstruction of cadaver or living donor uterus allograft prior to transplantation; venous anastomosis, each	Always Investigational
0670T	Backbench reconstruction of cadaver or living donor uterus allograft prior to transplantation; arterial anastomosis, each	Always Investigational
0672T	Endovaginal cryogen-cooled, monopolar radiofrequency remodeling of the tissues surrounding the female bladder neck and proximal urethra for urinary incontinence	Always Investigational
64628	Thermal destruction of intraosseous basivertebral nerve, including all imaging guidance; first 2 vertebral bodies, lumbar or sacral	Always Investigational
64629	Thermal destruction of intraosseous basivertebral nerve, including all imaging guidance; each additional vertebral body, lumbar or sacral (List separately in addition to code for primary procedure)	Always Investigational
68841	Insertion of drug-eluting implant, including punctal dilation when performed, into lacrimal canaliculus, each	Always Investigational
77089	Trabecular bone score (TBS), structural condition of the bone microarchitecture; using dual X-ray absorptiometry (DXA) or other imaging data on gray-scale variogram, calculation, with interpretation and report on fracture-risk	Always Investigational
77090	Trabecular bone score (TBS), structural condition of the bone microarchitecture; technical preparation and transmission of data for analysis to be performed elsewhere	Always Investigational
77091	Trabecular bone score (TBS), structural condition of the bone microarchitecture; technical calculation only	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Trabecular bone score (TBS), structural condition of the bone	
	microarchitecture; interpretation and report on fracture-risk only by other	
	qualified health care professional	Always Investigational
7092		, ,
	Ablation, benign thyroid nodule(s), percutaneous, laser, including imaging	
	guidance	Always Investigational
0673T	8	, and the confidence of the co
	"Laparoscopic insertion of new or replacement of permanent implantable	
	synchronized diaphragmatic stimulation system for augmentation of	
	cardiac function, including an implantable pulse generator and	
	diaphragmatic lead(s)	Always Investigational
674T	ulapinaginatic lead(s)	Always ilivesugational
0/41		
	"Laparoscopic insertion of new or replacement of diaphragmatic lead(s),	
	permanent implantable synchronized diaphragmatic stimulation system	
	for augmentation of cardiac function, including	
	connection to an existing pulse generator; first lead"	Always Investigational
675T		
	"Laparoscopic insertion of new or replacement of diaphragmatic lead(s),	
	permanent implantable synchronized diaphragmatic stimulation system	
	for augmentation of cardiac function, including	
	connection to an existing pulse generator; each additional lead (List	
	separately in addition to	
	code for primary procedure)"	Always Investigational
676T		
	"Laparoscopic repositioning of diaphragmatic lead(s), permanent	
	implantable synchronized diaphragmatic stimulation system for	
	augmentation of cardiac function, including connection to an existing	
	pulse generator; first repositioned lead"	Always Investigational
677T	paise generator, in strepositioned read	, avays mivesugational
<u> </u>		
	"Laparoscopic repositioning of diaphragmatic lead(s), permanent	
	implantable synchronized diaphragmatic stimulation system for	
	augmentation of cardiac function, including connection to an existing	
	pulse generator; each additional repositioned lead (List separately in	
	addition to code for primary procedure)"	Always Investigational
678T		
	"Laparoscopic removal of diaphragmatic lead(s), permanent implantable	
	synchronized diaphragmatic stimulation system for augmentation of	
	cardiac function"	Always Investigational
679T		

Codes	ServiceDescription	ExceptionsNotes
0680T	"Insertion or replacement of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, with connection to existing lead(s)"	Always Investigational
0681T	Relocation of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, with connection to existing dual leads	Always Investigational
0682T	Removal of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	Always Investigational
0683T	Programming device evaluation (in-person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	Always Investigational
0684T	"Peri-procedural device evaluation (in-person) and programming of device system parameters before or after a surgery, procedure, or test with analysis, review, and report by a physician or other qualified health care professional, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function"	Always Investigational
0685T	"Interrogation device evaluation (in-person) with analysis, review and report by a physician or other qualified health care professional, including connection, recording and disconnection per patient encounter, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function"	Always Investigational
0686Т	Histotripsy (ie, non-thermal ablation via acoustic energy delivery) of malignant hepatocellular tissue, including image guidance	Always Investigational
0687T	Treatment of amblyopia using an online digital program; device supply, educational set-up, and initial session	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	"Treatment of amblyopia using an online digital program; assessment of	
	patient performance and program data	
	by physician or other qualified health care professional, with report, per	
	calendar month"	Always Investigational
0688T		
	Quantitative ultrasound tissue characterization (non elastographic),	
	including interpretation and report, obtained without diagnostic	
	ultrasound examination of the same anatomy (eg, organ, gland, tissue,	
	target structure)	Always Investigational
0689T		
	Quantitative ultrasound tissue characterization (nonelastographic),	
	including interpretation and report, obtained with diagnostic ultrasound	
	examination of the same anatomy (eg, organ, gland, tissue, target	
	structure) (List separately in addition to code for primary procedure)	Always Investigational
0690T		
	"Automated analysis of an existing computed tomography study for	
	vertebral fracture(s), including assessment of bone density when	
	performed, data preparation, interpretation, and report"	Always Investigational
0691T		
осоэт	Therapeutic ultrafiltration	Always Investigational
0692T	Comprehensive full body computer based markerless 2D kinematic and	
	Comprehensive full body computer-based markerless 3D kinematic and	Abusaya Inyasti gati anal
осоэт	kinetic motion analysis and report	Always Investigational
0693T	"3-dimensional volumetric imaging and reconstruction of breast or	
	axillary lymph node tissue, each excised specimen, 3-dimensional	
	automatic specimen reorientation, interpretation and report, realtime	
		Always Investigational
0694T	intraoperative"	Always Investigational
00541		
	Body surface—activation mapping of pacemaker or pacing cardioverter-	
	defibrillator lead(s) to optimize electrical synchrony, cardiac	
	resynchronization therapy device, including connection, recording,	
	disconnection, review, and report; at time of implant or replacement	Always Investigational
0695T	also similation, review, and report, at time of implant of replacement	, and you meeting an original
	Body surface–activation mapping of pacemaker or pacing cardioverter-	
	defibrillator lead(s) to optimize electrical synchrony, cardiac	
	resynchronization therapy device, including connection, recording,	
	disconnection, review, and report; at time of follow-up interrogation or	
	programming device evaluation	Always Investigational
0696T	F0	
- -		
	Injection, posterior chamber of eye, medication	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Molecular fluorescent imaging of suspicious nevus; first lesion	Always Investigational
0700T		
	Molecular fluorescent imaging of suspicious nevus; each additional lesion	
07047	(List separately in addition to code for primary procedure)	Always Investigational
0701T		
	Pameta treatment of amblyonia using an eye tracking devices device	
	Remote treatment of amblyopia using an eye tracking device; device supply with initial set-up and patient education on use of equipment	
0704T	supply with initial set-up and patient education on use of equipment	Always Investigational
07041		Always investigational
	Remote treatment of amblyopia using an eye tracking device; surveillance	
	center technical support including data transmission with analysis, with a	
	minimum of 18 training hours, each 30 days	Always Investigational
0705T		
	Remote treatment of amblyopia using an eye tracking device;	
	nterpretation and report by physician or other qualified health care	
	professional, per calendar month	Always Investigational
0706T		
	"Injection(s), bone-substitute material (eg, calcium phosphate) into	
	subchondral bone defect (ie, bone marrow lesion, bone bruise, stress	
	injury, microtrabecular fracture), including imaging	
	guidance and arthroscopic assistance for joint visualization"	Always Investigational
0707T		
	Intradermal cancer immunotherapy; preparation and initial injection	Always Investigational
0708T		
	"Intradermal cancer immunotherapy; each additional injection (List	
	separately in addition to	Alicens lesses d'esté en el
0709T	code for primary procedure)"	Always Investigational
07091	Automated quantification and characterization of coronary	
	atherosclerotic plaque to assess severity of coronary disease, using data	Always Investigational
0623T	from coronary computed tomographic angiography	navays mivesugational
55251	Automated quantification and characterization of coronary	
	atherosclerotic plaque to assess severity of coronary disease, using data	
	from coronary computed tomographic angiography	Always Investigational
0624T	, , , , , , , , , , , , , , , , , , , ,	, , ,
	Automated quantification and characterization of coronary	
	atherosclerotic plaque to assess severity of coronary disease, using data	
	from coronary computed tomographic angiography	Always Investigational
0625T		

onal onal onal
onal
onal
onal
onal
onal
onal
onal

Codes	ServiceDescription	ExceptionsNotes
	Blinded procedure for transcatheter implantation of coronary sinus reduction device or placebo control, including vascular access and closure,	
C9783	right heart catherization, venous and coronary sinus angiography, imaging guidance and supervision and interpretation when performed in an approved investigational device exemption (ide) study	Always Investigational
A2013	Innovamatrix fs, per square centimeter	Always Investigational
		Always Investigational
A2012	Suprathel, per square centimeter	
A2011	Supra sdrm, per square centimeter	Always Investigational
0714T	Transperineal laser ablation of benign prostatic hyperplasia, including imaging guidance	Always Investigational
0715T	Percutaneous transluminal coronary lithotripsy (List separately in addition to code for primary procedure)	Always Investigational
0716T	Cardiac acoustic waveform recording with automated analysis and generation of coronary artery disease risk score	Always Investigational
0717T	Autologous adipose-derived regenerative cell (ADRC) therapy for partial thickness rotator cuff tear; adipose tissue harvesting, isolation and preparation of harvested cells, including incubation with cell dissociation enzymes, filtration, washing and concentration of ADRCs	Always Investigational
0718T	Autologous adipose-derived regenerative cell (ADRC) therapy for partial thickness rotator cuff tear; injection into supraspinatus tendon including ultrasound guidance, unilateral	Always Investigational
0720T	Percutaneous electrical nerve field stimulation, cranial nerves, without implantation	Always Investigational
0721T	Quantitative computed tomography (CT) tissue characterization, including interpretation and report, obtained without concurrent CT examination of any structure contained in previously acquired diagnostic imaging	
0722Т	Quantitative computed tomography (CT) tissue characterization, including interpretation and report, obtained with concurrent CT examination of any structure contained in the concurrently acquired diagnostic imaging dataset (List separately in addition to code for primary procedure)	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Quantitative magnetic resonance cholangiopancreatography (QMRCP)	
	including data preparation and transmission, interpretation and report,	
	obtained without diagnostic magnetic resonance imaging (MRI)	
	examination of the same anatomy (eg, organ, gland, tissue, target	Always Investigational
0723T	structure) during the same session	
	Overtitative magnetic records to be less in a parameter and by (OMDCD)	
	Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report,	
	obtained with diagnostic magnetic resonance imaging (MRI) examination	
	of the same anatomy (eg, organ, gland, tissue, target structure) (List	Always Investigational
0724T	separately in addition to code for primary procedure)	Always lilvesugational
<u> </u>	population, in dualities of control primary processing,	
		Always Investigational
0725T	Vestibular device implantation, unilateral	
		Always Investigational
0726T	Removal of implanted vestibular device, unilateral	
		Always Investigational
0727T	Removal and replacement of implanted vestibular device, unilateral	/ ways mivestigational
	Diagnostic analysis of vestibular implant, unilateral; with initial	Always Investigational
0728T	programming	
	Diagnostic analysis of vestibular implant, unilateral; with subsequent	Always Investigational
0729T	programming	Aiways iiivesugadonai
	Trabeculotomy by laser, including optical coherence tomography (OCT)	Always Investigational
0730T	guidance	
		Always Investigational
0731T	Augmentative AI-based facial phenotype analysis with report	7 iiwaya iiwesagaaanai
0732T	Immunotherany administration with electroperation introduced a	Always Investigational
0/321	Immunotherapy administration with electroporation, intramuscular Remote body and limb kinematic measurement-based real-time, motion	
	capture-based neurorehabilitative therapy ordered by a physician or	
	other qualified health care professional; supply and technical support, per	Always Investigational
0733T	30 days	, aways mivesugational
3,331	Remote body and limb kinematic measurement-based therapy ordered by	
	a physician or other qualified health care professional; treatment	
	management services by a physician or other qualified health care	Always Investigational
0734T	professional, per calendar month	2,2 23.0.0
	Remote body and limb kinematic measurement-based therapy ordered by	
	a physician or other qualified health care professional; treatment	
	management services by a physician or other qualified health care	Always Investigational
	Intallage the fit services by a physician of other qualified fleath care	/ livrays illvesagaaoliai

Codes	ServiceDescription	ExceptionsNotes
	Preparation of tumor cavity, with placement of a radiation therapy applicator for intraoperative radiation therapy (IORT) concurrent with primary craniotomy (List separately in addition to code for primary	Always Investigational
0735T	procedure)	
0736T	Colonic lavage, 35 or more liters of water, gravity-fed, with induced defecation, including insertion of rectal catheter	Always Investigational
0737T	Xenograft implantation into the articular surface	Always Investigational
0332U	ONC PAN TUM GENETIC PRFLG 8 DNA QUAN PCR WHL BLD	Always Investigational
03320	ONE TAIN TOWN GENETIC FIXEGO BIAN QUANTITIES WITE BEB	
0333U	ONC LVR SRVLNC HCC ALYS METHYLTN PATTERNS CFDNA	Always Investigational
0334U	ONC SLD ORGN TGSA FFPE TUM TISS DNA 84/+ GEN	Always Investigational
03340	ONE SED ONGIVIOS/VITE TOWN HIS DIVINORY FIGURE	
0335U	RARE DISEASES WHOLE GENOME SEQ ALYS FETAL SAMPLE	Always Investigational
		Always Investigational
0336U	RARE DISEASES WHOLE GENOME SEQ ALYS BLOOD/SALIVA	Always Ilivesugauoliai
		Always Investigational
0337U	ONC PLSM CLL DO&MYLOMA CRCG PLSM CLL IMMLG SLCTN	
0338U	ONC SLD TUM CRCG TUMOR CELL SELECTION	Always Investigational
0339U	ONC PROSTATE MRNA XPRSN PRFLG HOXC6 &DLX1 RT-PCR	Always Investigational
		Always Investigational
0342U	ONC PNCRTC CA MULT IA ECLIA SRM ALG	
		Always Investigational
0343U	ONC PRST8 XOME BASED ALYS 442 SNCRNA RT-QPCR UR	
0344U	HEP NAFLD SEMIQ EVAL 28 LIPID MRK SRM NASH/XNASH	Always Investigational
024511	DOVE CENIONAIC ALVE DANIEL MADIANT ALVE 45 CENICS	Always Investigational
0345U	PSYC GENOMIC ALYS PANEL VARIANT ALYS 15 GENES	

Codes	ServiceDescription	ExceptionsNotes
0346U	BETA AMYLOID AB40&AB42 LC-MS/MS RATIO PLASMA	Always Investigational
0347U	RX METAB/PCX DNA 16 GENE VRNT ALYS&REPRTD PHNT	Always Investigational
0348U	RX METAB/PCX DNA 25 GENE VRNT ALYS&REPRTD PHNT	Always Investigational
0349U	RX METAB/PCX DNA 27 GEN VRNT ALYS&PHNT GEN-RX IA	Always Investigational
0350U	RX METAB/PCX DNA 27 GENE VRNT ALYS&REPRTD PHNT	Always Investigational
0351U	NFCT DS BCT/VIRAL TRAIL IP-10 C-REACT PRTN SRM	Always Investigational
0354U	HPV HIGH RISK QUALITATIVE MRNA XPRSN E6/E7 QPCR	Always Investigational
0323U	Infectious agent detection by nucleic acid (DNA and RNA), central nervous system pathogen, metagenomic next-generation sequencing, cerebrospinal fluid (CSF), identification of pathogenic bacteria, viruses, parasites, or fungi	Always Investigational
0324U	Oncology (ovarian), spheroid cell culture, 4-drug panel (carboplatin, doxorubicin, gemcitabine, paclitaxel), tumor chemotherapy response prediction for each drug	Always Investigational
0325U	Oncology (ovarian), spheroid cell culture, poly (ADP[1]ribose) polymerase (PARP) inhibitors (niraparib, olaparib, rucaparib, velparib), tumor response prediction for each drug	Always Investigational
0330U	Infectious agent detection by nucleic acid (DNA or RNA), vaginal pathogen panel, identification of 27 organisms, amplified probe technique, vaginal swab	Always Investigational
0331U	Oncology (hematolymphoid neoplasia), optical genome mapping for copy number alterations and gene rearrangements utilizing DNA from blood or bone marrow, report of clinically significant alternations	Always Investigational
30469	Repair of nasal valve collapse with low energy, temperature-controlled (ie, radiofrequency) subcutaneous/submucosal remodeling	Always Investigational
92066	Orthoptic training; under supervision of a physician or other qualified health care professional	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Remote therapeutic monitoring (eg, therapy adherence, therapy	
	response); device(s) supply with scheduled (eg, daily) recording(s) and/or	
	programmed alert(s) transmission to monitor cognitive behavioral	Always Investigational
98978	therapy, each 30 days	
	Treatment planning for magnetic field induction ablation of malignant	
	prostate tissue, using data from previously performed magnetic	Always Investigational
0738T	resonance imaging (MRI) examination	
	Ablation of malignant prostate tissue by magnetic field induction,	
	including all intraprocedural, transperineal needle/catheter placement for	
	nanoparticle installation and intraprocedural temperature monitoring,	
	thermal dosimetry, bladder irrigation, and magnetic field nanoparticle	Always Investigational
0739T	activation	
	Remote autonomous algorithm-based recommendation system for insulin	Always Investigational
0740T	dose calculation and titration; initial set-up and patient education	
	Remote autonomous algorithm-based recommendation system for insulin	
	dose calculation and titration; provision of software, data collection,	Always Investigational
0741T	transmission, and storage, each 30 days	
	Bone strength and fracture risk using finite element analysis of functional	
	data and bone mineral density (BMD), with concurrent vertebral fracture	
	assessment, utilizing data from a computed tomography scan, retrieval	
	and transmission of the scan data, measurement of bone strength and	
07407	BMD and classification of any vertebral fractures, with overall fracture-	Always Investigational
0743T	risk assessment, interpretation and report	
	Insertion of bioprosthetic valve, open, femoral vein, including duplex	
	ultrasound imaging guidance, when performed, including autogenous or	Al a ala addada a
0744	nonautogenous patch graft (eg, polyester, ePTFE, bovine pericardium),	Always Investigational
0744T	when performed	
	Cardiac focal ablation utilizing radiation therapy for arrhythmia;	
	noninvasive arrhythmia localization and mapping of arrhythmia site	
	(nidus), derived from anatomical image data (eg, CT, MRI, or myocardial perfusion scan) and electrical data (eg, 12-lead ECG data), and	Always Investigational
0745T	identification of areas of avoidance	Always ilivesugational
07431	identification of areas of avoluance	
	Cardiac focal ablation utilizing radiation therapy for arrhythmia;	
	conversion of arrhythmia localization and mapping of arrhythmia site	Always Investigational
0746T	(nidus) into a multidimensional radiation treatment plan	
	(
	Cardiac focal ablation utilizing radiation therapy for arrhythmia; delivery	Always Investigational
0747T	of radiation therapy, arrhythmia	. ,
· · · ·	Injections of stem cell product into perianal perifistular soft tissue,	
	including fistula preparation (eg, removal of setons, fistula curettage,	Always Investigational
0748T	closure of internal openings)	,

Codes	ServiceDescription	ExceptionsNotes
0749Т	Bone strength and fracture-risk assessment using digital X-ray radiogrammetry-bone mineral density (DXR-BMD) analysis of bone mineral density (BMD) utilizing data from a digital X ray, retrieval and transmission of digital X-ray data, assessment of bone strength and fracture risk and BMD, interpretation and report	Always Investigational
0750T	Bone strength and fracture-risk assessment using digital X-ray radiogrammetry-bone mineral density (DXR-BMD) analysis of bone mineral density (BMD) utilizing data from a digital X ray, retrieval and transmission of digital X-ray data, assessment of bone strength and fracture risk and BMD, interpretation and report; with single-view digital X-ray examination of the hand taken for the purpose of DXR-BMD	Always Investigational
0751T	Digitization of glass microscope slides for level II, surgical pathology, gross and microscopic examination (List separately in addition to code for primary procedure)	Always Investigational
0752T	primary procedure)	Always Investigational
0753T	primary procedure)	Always Investigational
0754T	Digitization of glass microscope slides for level V, surgical pathology, gross and microscopic examination (List separately in addition to code for primary procedure)	Always Investigational
0755T	Digitization of glass microscope slides for level VI, surgical pathology, gross and microscopic examination (List separately in addition to code for primary procedure)	Always Investigational
0756T	Digitization of glass microscope slides for special stain, including interpretation and report, group I, for microorganisms (eg, acid fast, methenamine silver) (List separately in addition to code for primary procedure)	Always Investigational
07577	Digitization of glass microscope slides for special stain, including interpretation and report, group II, all other (eg, iron, trichrome), except stain for microorganisms, stains for enzyme constituents, or immunocytochemistry and immunohistochemistry (List separately in addition to code for primary procedure)	Always Investigational
0757T 0758T	addition to code for primary procedure) Digitization of glass microscope slides for special stain, including interpretation and report, histochemical stain on frozen tissue block (List separately in addition to code for primary procedure)	Always Investigational
0758T	Digitization of glass microscope slides for special stain, including interpretation and report, group III, for enzyme constituents (List separately in addition to code for primary procedure)	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0760T	Digitization of glass microscope slides for immunohistochemistry or immunocytochemistry, per specimen, initial single antibody stain procedure (List separately in addition to code for primary procedure)	Always Investigational
0761T	Digitization of glass microscope slides for immunohistochemistry or immunocytochemistry, per specimen, each additional single antibody stain procedure (List separately in addition to code for primary procedure)	Always Investigational
0762T	Digitization of glass microscope slides for immunohistochemistry or immunocytochemistry, per specimen, each multiplex antibody stain procedure (List separately in addition to code for primary procedure)	Always Investigational
0763T	Digitization of glass microscope slides for morphometric analysis, tumor immunohistochemistry (eg, Her-2/neu, estrogen receptor/progesterone receptor), quantitative or semiquantitative, per specimen, each single antibody stain procedure, manual (List separately in addition to code for primary procedure)	Always Investigational
0764T	Assistive algorithmic electrocardiogram risk-based assessment for cardiac dysfunction (eg, low-ejection fraction, pulmonary hypertension, hypertrophic cardiomyopathy); related to concurrently performed electrocardiogram (List separately in addition to code for primary procedure)	Always Investigational
0765T	Assistive algorithmic electrocardiogram risk-based assessment for cardiac dysfunction (eg, low-ejection fraction, pulmonary hypertension, hypertrophic cardiomyopathy); related to previously performed electrocardiogram	Always Investigational
0766T	Transcutaneous magnetic stimulation by focused low-frequency electromagnetic pulse, peripheral nerve, initial treatment, with identification and marking of the treatment location, including noninvasive electroneurographic localization (nerve conduction localization), when performed; first nerve	Always Investigational
0767Т	Transcutaneous magnetic stimulation by focused low-frequency electromagnetic pulse, peripheral nerve, initial treatment, with identification and marking of the treatment location, including noninvasive electroneurographic localization (nerve conduction localization), when performed; each additional nerve (List separately in addition to code for primary procedure)	Always Investigational
0768Т	Transcutaneous magnetic stimulation by focused low-frequency electromagnetic pulse, peripheral nerve, subsequent treatment, including noninvasive electroneurographic localization (nerve conduction localization), when performed; first nerve	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Transcutaneous magnetic stimulation by focused low-frequency electromagnetic pulse, peripheral nerve, subsequent treatment, including noninvasive electroneurographic localization (nerve conduction	
0769T	localization), when performed; each additional nerve (List separately in addition to code for primary procedure)	Always Investigational
0770T	Virtual reality technology to assist therapy (List separately in addition to code for primary procedure)	Always Investigational
0771T	Virtual reality (VR) procedural dissociation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the VR procedural dissociation supports, requiring the presence of an independent, trained observer to assist in the monitoring of the patient's level of dissociation or consciousness and physiological status; initial 15 minutes of intraservice time, patient age 5 years or older	Always Investigational
	Virtual reality (VR) procedural dissociation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the VR procedural dissociation supports, requiring the presence of an independent, trained observer to assist in the monitoring of the patient's level of dissociation or	
0772T	consciousness and physiological status; each additional 15 minutes intraservice time (List separately in addition to code for primary service)	Always Investigational
	Virtual reality (VR) procedural dissociation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the VR procedural dissociation supports; initial 15 minutes of intraservice time, patient age 5 years or	Always Investigational
0773T	older	, ,
0774T	Virtual reality (VR) procedural dissociation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the VR procedural dissociation supports; each additional 15 minutes intraservice time (List separately in addition to code for primary service)	Always Investigational
0//41	addition to code for primary service) Therapeutic induction of intra-brain hypothermia, including placement of a mechanical temperature-controlled cooling device to the neck over carotids and head, including monitoring (eg, vital signs and sport	Always Investigational
0776T	concussion assessment tool 5 [SCAT5]), 30 minutes of treatment Real-time pressure-sensing epidural guidance system (List separately in	Aiways iiivesugauOiidi
0777T	addition to code for primary procedure)	

Codes	ServiceDescription	ExceptionsNotes
0778T	Surface mechanomyography (sMMG) with concurrent application of inertial measurement unit (IMU) sensors for measurement of multi-joint range of motion, posture, gait, and muscle function	Always Investigational
0779T	Gastrointestinal myoelectrical activity study, stomach through colon, with interpretation and report	Always Investigational
0780T	Instillation of fecal microbiota suspension via rectal enema into lower gastrointestinal tract	Always Investigational
0781T	Bronchoscopy, rigid or flexible, with insertion of esophageal protection device and circumferential radiofrequency destruction of the pulmonary nerves, including fluoroscopic guidance when performed; bilateral mainstem bronchi	Always Investigational
0782T	Bronchoscopy, rigid or flexible, with insertion of esophageal protection device and circumferential radiofrequency destruction of the pulmonary nerves, including fluoroscopic guidance when performed; unilateral mainstem bronchus	Always Investigational
0783T	Transcutaneous auricular neurostimulation, set-up, calibration, and patient education on use of equipment	Always Investigational
Q4262	Dual layer impax membrane, per square centimeter	Always Investigational
Q4263	Surgraft tl, per square centimeter	Always Investigational
Q4264	Cocoon membrane, per square centimeter	Always Investigational
93264	Remote monitoring of a wireless pulmonary artery pressure sensor for up to 30 days, including at least weekly downloads of pulmonary artery pressure recordings, interpretation(s), trend analysis, and report(s) by a physician or other qualified health care professional	Always Investigational
T2050	Financial management, self-directed, waiver; per diem	Noncovered
T2051	Supports brokerage, self-directed, waiver; per diem	Noncovered
A2019	Kerecis omega3 marigen shield, per square centimeter	Always Investigational
A2020	Ac5 advanced wound system (ac5)	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
C1763	Riodosian Fictula Dlug	Always Investigational
C1/63	Biodesign Fistula Plug	
43285	Removal of esophageal sphincter augmentation device	Always Investigational
43285	Removal of esophageal sphincter augmentation device	Always Investigational
Q4279	Vendaje ac, per square centimeter	Always Investigational
Q4287	Dermabind dl, per square centimeter	Always Investigational
Q4288	Dermabind ch, per square centimeter	Always Investigational
Q4289	Revoshield + amniotic barrier, per square centimeter	Always Investigational
Q4290	Membrane wrap-hydro, per square centimeter	Always Investigational
Q4291	Lamellas xt, per square centimeter	Always Investigational
Q4292	Lamellas, per square centimeter	Always Investigational
Q4293	Acesso dl, per square centimeter	Always Investigational
Q4294	Amnio quad-core, per square centimeter	Always Investigational
Q4295	Amnio tri-core amniotic, per square centimeter	Always Investigational
Q4296	Rebound matrix, per square centimeter	Always Investigational
Q4297	Emerge matrix, per square centimeter	Always Investigational
Q4298	Amniocore pro, per square centimeter	Always Investigational
Q4299	Amnicore pro+, per square centimeter	Always Investigational
Q4300	Acesso tl, per square centimeter	Always Investigational
Q4301	Activate matrix, per square centimeter	Always Investigational
Q4302	Complete aca, per square centimeter	Always Investigational
Q4303	Complete aa, per square centimeter	Always Investigational
Q4304	Grafix plus, per square centimeter	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Donata and this day of a second of the secon	
0811T	Remote multi-day complex uroflowmetry (eg, calibrated electronic equipment); set-up and patient education on use of equipment	Always Investigational
00111	Remote multi-day complex uroflowmetry (eg, calibrated electronic	Always ilivestigational
	equipment); device supply with automated report generation, up to 10	
0812T	days	Always Investigational
	Percutaneous injection of calcium-based biodegradable osteoconductive	
0814T	material, proximal femur, including imaging guidance, unilateral	Always Investigational
	Continuous in-person monitoring and intervention (eg, psychotherapy,	
	crisis intervention), as needed, during psychedelic medication therapy;	
0820T	first physician or other qualified health care professional, each hour	Always Investigational
	Continuous in-person monitoring and intervention (eg, psychotherapy,	
	crisis intervention), as needed, during psychedelic medication therapy;	
	second physician or other qualified health care professional, concurrent	
0024T	with first physician or other qualified health care professional, each hour	Almana
0821T	(List separately in addition to code for primary procedure)	Always Investigational
	Continuous in-person monitoring and intervention (eg, psychotherapy,	
	crisis intervention), as needed, during psychedelic medication therapy;	
	clinical staff under the direction of a physician or other qualified health	
	care professional, concurrent with first physician or other qualified health	
	care professional, each hour (List separately in addition to code for	
0822T	primary procedure)	Always Investigational
00221	primary procedure;	7 (Ways mivestigational
	Digitization of glass microscope slides for cytopathology, fluids, washings,	
	or brushings, except cervical or vaginal; smears with interpretation (List	
0827T	separately in addition to code for primary procedure)	Always Investigational
		, ,
	Digitization of glass microscope slides for cytopathology, fluids, washings,	
	or brushings, except cervical or vaginal; simple filter method with	
0828T	interpretation (List separately in addition to code for primary procedure)	Always Investigational
	Digitization of glass microscope slides for cytopathology, concentration	
	technique, smears, and interpretation (eg, Saccomanno technique) (List	
0829T	separately in addition to code for primary procedure)	Always Investigational
	Oncology (prostate) gene expression profile by real-time RT-PCR of 3	
0005U	genes (ERG, PCA3, and SPDEF), urine, algorithm reported as risk score	Always Investigational
04202	Lamallas par squara contimator	Always Investigational
Q4292	Lamellas, per square centimeter	Always Investigational
Q4293	Acesso dl, per square centimeter	Always Investigational
	<u> </u>	, 5

tigational tigational
tigational
tigational
tigational
tigational
tigational
tigational
tigational
tigational
tigational
tigational
tigational
tigational tigational
tigational
tigational
tigational

Codes	ServiceDescription	ExceptionsNotes
045211	Oncology (colorectal cancer), cell-free DNA (cfDNA), methylation-based quantitative PCR assay (SEPTIN9, IKZF1, BCAT1, Septin9-2, VAV3, BCAN), plasma, reported as presence or absence of circulating tumor DNA (ctDNA)	
0453U		Always Investigational
0454U	Rare diseases (constitutional/heritable disorders), identification of copy number variations, inversions, insertions, translocations, and other structural variants by optical genome mapping	Always Investigational
		, 3
	Infectious agents (sexually transmitted infection), Chlamydia trachomatis, Neisseria gonorrhoeae, and Trichomonas vaginalis, multiplex amplified probe technique, vaginal, endocervical, gynecological specimens, oropharyngeal swabs, rectal swabs, female or male urine, each pathogen reported as detected or not detected	
0455U		Always Investigational
	Perfluoroalkyl substances (PFAS) (eg, perfluorooctanoic acid, perfluorooctane sulfonic acid), 9 PFAS compounds by LC-MS/MS, plasma or serum, quantitative	
0457U		Always Investigational
0458U	Oncology (breast cancer), S100A8 and S100A9, by enzyme linked immunosorbent assay April 1, 2024 July 1, 2024 Updated April 1, 2024 (ELISA), tear fluid with age, algorithm reported as a risk score	Always Investigational
04380		Always investigational
	β-amyloid (Abeta42) and total tau (tTau), electrochemiluminescent immunoassay (ECLIA), cerebral spinal fluid, ratio reported as positive or negative for amyloid pathology	
0459U		Always Investigational
	Oncology, whole blood or buccal, DNA single-nucleotide polymorphism (SNP) genotyping by real-time PCR of 24 genes, with variant analysis and reported phenotypes	
0460U		Always Investigational
	Oncology, pharmacogenomic analysis of single-nucleotide polymorphism (SNP) genotyping by real-time PCR of 24 genes, whole blood or buccal swab, with variant analysis, including impacted gene-drug interactions and reported phenotypes	
0461U	Molatonia lovole tost, closa study. 7 or 0 sample molatonia profile	Always Investigational
	Melatonin levels test, sleep study, 7 or 9 sample melatonin profile (cortisol optional), enzyme-linked immunosorbent assay (ELISA), saliva, screening/preliminary	
0462U		Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Oncology (cervix), mRNA gene expression profiling of 14 biomarkers (E6 and E7 of the highest-risk human papillomavirus [HPV] types 16, 18, 31, 33, 45, 52, 58), by real-time nucleic acid sequence-based amplification (NASBA), exo- or endocervical epithelial cells, algorithm reported as positive or negative for increased risk of cervical dysplasia or cancer for each biomarker	
0463U		Always Investigational
0464U	Oncology (colorectal) screening, quantitative real-time target and signal amplification, methylated DNA markers, including LASS4, LRRC4 and PPP2R5C, a reference marker ZDHHC1, and a protein marker (fecal hemoglobin), utilizing stool, algorithm reported as a positive or negative result	Always Investigational
	Oncology (urothelial carcinoma), DNA, quantitative methylation specific PCR of 2 genes (ONECUT2, VIM), algorithmic analysis reported as positive or negative	- mayo masonganoma.
0465U		Always Investigational
0466U	Cardiology (coronary artery disease [CAD]), DNA, genome wide association studies (564856 single-nucleotide polymorphisms [SNPs], targeted variant genotyping), patient lifestyle and clinical data, buccal swab, algorithm reported as polygenic risk to acquired heart disease	Always Investigational
0468U	Hepatology (nonalcoholic steatohepatitis [NASH]), miR-34a5p, alpha 2-macroglobulin, YKL40, HbA1c, serum and whole blood, algorithm reported as a single score for NASH activity and fibrosis	Always Investigational
0469U	"Rare diseases (constitutional/heritable disorders), whole genome sequence analysis for chromosomal abnormalities, copy number variants, duplications/deletions, inversions, unbalanced translocations, regions of homozygosity (ROH), inheritance pattern that indicate uniparental disomy (UPD), and aneuploidy, fetal sample (amniotic fluid, chorionic villus sample, or products of conception), identification and categorization of genetic variants, diagnostic report of fetal results based on phenotype with maternal sample and paternal sample, if performed, as comparators and/or maternal cell contamination"	Always Investigational
04030		niways ilivestigational
0472U	Carbonic anhydrase VI (CA VI), parotid specific/secretory protein (PSP) and salivary protein (SP1) IgG, IgM, and IgA antibodies, enzyme-linked immunosorbent assay (ELISA), semiqualitative, blood, reported as predictive evidence of early Sjögren syndrome	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0473U	Oncology (solid tumor), next generation sequencing (NGS) of DNA from formalin-fixed paraffin embedded (FFPE) tissue with comparative sequence analysis from a matched normal specimen (blood or saliva), 648 genes, interrogation for sequence variants, insertion and deletion alterations, copy number variants, rearrangements, microsatellite instability, and tumor-mutation burden	Always Investigational
047411	Hereditary pan-cancer (eg, hereditary sarcomas, hereditary endocrine tumors, hereditary neuroendocrine tumors, hereditary cutaneous melanoma), genomic sequence analysis panel of 88 genes with 20 duplications/deletions using next generation sequencing (NGS), Sanger sequencing, blood or saliva, reported as positive or negative for germline variants, each gene	
0474U		Always Investigational
	Hereditary prostate cancer related disorders, genomic sequence analysis panel using next-generation sequencing (NGS), Sanger sequencing, multiplex ligation-dependent probe amplification (MLPA), and array comparative genomic hybridization (CGH), evaluation of 23 genes and duplications/deletions when indicated, pathologic mutations reported with a genetic risk score for prostate cancer	
0475U		Always Investigational
0867T	Transperineal laser ablation of benign prostatic hyperplasia, including imaging guidance; prostate volume greater or equal to 50 mL	Always Investigational
0868T	High-resolution gastric electrophysiology mapping with simultaneous patient symptom profiling, with interpretation and report	Always Investigational
0869Т	Injection(s), bone-substitute material for bone and/or soft tissue hardware fixation augmentation, including intraoperative imaging guidance, when performed	Always Investigational
0870Т	Implantation of subcutaneous peritoneal ascites pump system, percutaneous, including pump-pocket creation, insertion of tunneled indwelling bladder and peritoneal catheters with pump connections, including all imaging and initial programming, when performed	Always Investigational
0871T	Replacement of a subcutaneous peritoneal ascites pump, including reconnection between pump and indwelling bladder and peritoneal catheters, including initial programming and imaging, when performed	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Replacement of indwelling bladder and peritoneal catheters, including	
	tunneling of catheter(s) and connection with previously implanted	
	peritoneal ascites pump, including imaging and programming, when	
	performed	
0872T		Always Investigational
	Povision of a subsutaneously implanted poritoneal assites numn system	
	Revision of a subcutaneously implanted peritoneal ascites pump system, any component (ascites pump, associated peritoneal catheter, associated	
	bladder catheter), including imaging and programming, when performed	
0873T	brader satisfies // moraling imaging and programming/ inter-personned	Always Investigational
	Removal of a peritoneal ascites pump system, including implanted	
	peritoneal ascites pump and indwelling bladder and peritoneal catheters	
0874T		Always Investigational
	Programming of subcutaneously implanted peritoneal ascites pump	
	system by physician or other qualified health care professional	
0875T		Always Investigational
	Dupley scan of homodialysis firtula, computer aided, limited (valume	
	Duplex scan of hemodialysis fistula, computer-aided, limited (volume flow, diameter, and depth, including only body of fistula)	
0876T	now, diameter, and depth, including only body of listula,	Always Investigational
00701		7 iiways iiivestigationai
	Augmentative analysis of chest computed tomography (CT) imaging data	
	to provide categorical diagnostic subtype classification of interstitial lung	
	disease; obtained without concurrent CT examination of any structure	Always Investigational
0877T	contained in previously acquired diagnostic imaging	
	Augmentative analysis of chest computed tomography (CT) imaging data	
	to provide categorical diagnostic subtype classification of interstitial lung	
0878T	disease; obtained with concurrent CT examination of the same structure	Always Investigational
	Augmentative analysis of chest computed tomography (CT) imaging data	
	to provide categorical diagnostic subtype classification of interstitial lung	
0879T	disease; radiological data preparation and transmission	Always Investigational
	,	.,
	Cryotherapy of the oral cavity using temperature regulated fluid cooling	
	system, including placement of an oral device, monitoring of patient	
0881T	tolerance to treatment, and removal of the oral device	Always Investigational
	Augmentative analysis of chest computed tomography (CT) imaging data	
	to provide categorical diagnostic subtype classification of interstitial lung	
0000=	disease; physician or other qualified health care professional	
0880T	interpretation and report	Always Investigational
	Intraoperative therapeutic electrical stimulation of peripheral nerve to	
	promote nerve regeneration, including lead placement and removal, upper extremity, minimum of 10 minutes; initial nerve (List separately in	
0882T	addition to code for primary procedure)	Always Investigational
30021	radiction to code for primary procedure/	, avays investigational

Codes	ServiceDescription	ExceptionsNotes
	Intraoperative therapeutic electrical stimulation of peripheral nerve to	
	promote nerve regeneration, including lead placement and removal,	
	upper extremity, minimum of 10 minutes; each additional nerve (List	
0883T	separately in addition to code for primary procedure)	Always Investigational
		, ,
	Esophagoscopy, flexible, transoral, with initial transendoscopic	
	mechanical dilation (eg, nondrug-coated balloon) followed by therapeutic	
	drug delivery by drug-coated balloon catheter for esophageal stricture,	
0884T	including fluoroscopic guidance, when performed	Always Investigational
00011	Colonoscopy, flexible, with initial transendoscopic mechanical dilation (eg,	7 iivays iiivestigationai
	nondrug-coated balloon) followed by therapeutic drug delivery by drug-	
	coated balloon catheter for colonic stricture, including fluoroscopic	
0885T		Always Investigational
00031	guidance, when performed End-tidal control of inhaled anesthetic agents and oxygen to assist	Always Investigational
00077	anesthesia care delivery (List separately in addition to code for primary	Al a standard stand
0887T	procedure)	Always Investigational
	Sigmoidoscopy, flexible, with initial transendoscopic mechanical dilation	
	(eg, nondrug-coated balloon) followed by therapeutic drug delivery by	
	drug-coated balloon catheter for colonic stricture, including fluoroscopic	
0886T	guidance, when performed	Always Investigational
	Histotripsy (ie, non-thermal ablation via acoustic energy delivery) of	
	malignant renal tissue, including imaging guidance	
0888T		Always Investigational
	Personalized target development for accelerated, repetitive high-dose	
	functional connectivity MRI–guided theta-burst stimulation derived from	
	a structural and resting-state functional MRI, including data preparation	
	and transmission, generation of the target, motor threshold–starting	
	location, neuronavigation files and target report, review and	
0889T	interpretation	Always Investigational
	Accelerated, repetitive high-dose functional connectivity MRI–guided	
	theta-burst stimulation, including target assessment, initial motor	
	threshold determination, neuronavigation, delivery and management,	
0890T	initial treatment day	Always Investigational
	Accelerated, repetitive high-dose functional connectivity MRI–guided	
	theta-burst stimulation, including neuronavigation, delivery and	
0891T	management, subsequent treatment day	Always Investigational
	Accelerated, repetitive high-dose functional connectivity MRI–guided	
	Accelerated, repetitive high-dose functional connectivity MRI–guided theta-burst stimulation, including neuronavigation, delivery and	

Codes	ServiceDescription	ExceptionsNotes
	Noninvasive assessment of blood oxygenation, gas exchange efficiency,	
	and cardiorespiratory status, with physician or other qualified health care	
0893T	professional interpretation and report	Always Investigational
	Cannulation of the liver allograft in preparation for connection to the	,
	normothermic perfusion device and decannulation of the liver allograft	
0894T	following normothermic perfusion	Always Investigational
003 11	ionothing nothine periodicin	/ ways mrestigational
	Connection of liver allograft to normathermic machine perfusion device	
	Connection of liver allograft to normothermic machine perfusion device,	
	hemostasis control; initial 4 hours of monitoring time, including hourly	
	physiological and laboratory assessments (eg, perfusate temperature,	
	perfusate pH, hemodynamic parameters, bile production, bile pH, bile	
0895T	glucose, biliary bicarbonate, lactate levels, macroscopic assessment)	Always Investigational
	Connection of liver allograft to normothermic machine perfusion device,	
	hemostasis control; each additional hour, including physiological and	
	laboratory assessments (eg, perfusate temperature, perfusate pH,	
	hemodynamic parameters, bile production, bile pH, bile glucose, biliary	
	bicarbonate, lactate levels, macroscopic assessment) (List separately in	
0896T	addition to code for primary procedure)	Always Investigational
	Noninvasive augmentative arrhythmia analysis derived from quantitative	.,
	computational cardiac arrhythmia simulations, based on selected	
	intervals of interest from 12-lead electrocardiogram and uploaded clinical	
	parameters, including uploading clinical parameters with interpretation	
0897T	and report	Always Investigational
06971	and report	Always investigational
	Noninvasive prostate cancer estimation map, derived from augmentative	
	analysis of image-guided fusion biopsy and pathology, including	
	visualization of margin volume and location, with margin determination	
0898T	and physician interpretation and report	Always Investigational
	Noninvasive determination of absolute quantitation of myocardial blood	
	flow (AQMBF), derived from augmentative algorithmic analysis of the	
	dataset acquired via contrast cardiac magnetic resonance (CMR),	
	pharmacologic stress, with interpretation and report by a physician or	
	other qualified health care professional (List separately in addition to	
0899T	code for primary procedure)	Always Investigational
	Noninvasive estimate of absolute quantitation of myocardial blood flow	
	(AQMBF), derived from assistive algorithmic analysis of the dataset	
	acquired via contrast cardiac magnetic resonance (CMR), pharmacologic	
	stress, with interpretation and report by a physician or other qualified	
	health care professional (List separately in addition to code for primary	
0900Т	procedure)	Always Investigational
		, 223,633,2114
Q4311	Acesso, per square centimeter	Always Investigational
∩/212	Acesso as per square centimeter	Always investigational
Q4312	Acesso ac, per square centimeter	Always investigational

Codes	ServiceDescription	ExceptionsNotes
Q4313	Dermabind fm, per square centimeter	Always Investigational
Q4314	Reeva ft, per square centimeter	Always Investigational
Q4315	Regenelink amniotic membrane allograft, per square centimeter	Always Investigational
Q4316	Amchoplast, per square centimeter	Always Investigational
Q4317	Vitograft, per square centimeter	Always Investigational
Q4318	E-graft, per square centimeter	Always Investigational
Q4319	Sanograft, per square centimeter	Always Investigational
Q4320	Pellograft, per square centimeter	Always Investigational
Q4321	Renograft, per square centimeter	Always Investigational
Q4322	Caregraft, per square centimeter	Always Investigational
Q4323	Alloply, per square centimeter	Always Investigational
Q4324	Amniotx, per square centimeter	Always Investigational
Q4325	Acapatch, per square centimeter	Always Investigational
Q4326	Woundplus, per square centimeter	Always Investigational
Q4327	Duoamnion, per square centimeter	Always Investigational
Q4328	Most, per square centimeter	Always Investigational
Q4329	Singlay, per square centimeter	Always Investigational
Q4330	Total, per square centimeter	Always Investigational
Q4331	Axolotl graft, per square centimeter	Always Investigational
Q4332	Axolotl dualgraft, per square centimeter	Always Investigational
Q4333	Ardeograft, per square centimeter	Always Investigational
G0519	Management of new patient-caregiver dyad with dementia, low complexity, for use in cmmi model	Always Investigational
G0520	Management of new patient-caregiver dyad with dementia, moderate complexity, for use in cmmi model	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Management of new patient-caregiver dyad with dementia, high	
G0521	complexity, for use in cmmi model	Always Investigational
	Management of a new patient with dementia, low complexity, for use in	
G0522	cmmi model	Always Investigational
	Management of a new patient with dementia, moderate to high	
G0523	complexity, for use in cmmi model	Always Investigational
	Management of established patient-caregiver dyad with dementia, low	
G0524	complexity, for use in cmmi model	Always Investigational
	Management of established patient-caregiver dyad with dementia,	
G0525	moderate complexity, for use in cmmi model	Always Investigational
	Management of established patient-caregiver dyad with dementia, high	
G0526	complexity, for use in cmmi model	Always Investigational
	Management of established patient with dementia, low complexity, for	
G0527	use in cmmi model	Always Investigational
	Management of established patient with dementia, moderate to high	
G0528	complexity, for use in cmmi model	Always Investigational
G0529	In-home respite care, 4-hour unit, for use in cmmi model	Always Investigational
G0530	Adult day center, 8-hour unit, for use in cmmi model	Always Investigational
G0531	Facility-based respite, 24-hour unit, for use in cmmi model	Always Investigational
	Graphite crucible for preparation of technetium tc 99m-labeled carbon	
A9506	aerosol, one crucible	Always Investigational
	Nasal/sinus endoscopy, surgical; with destruction by radiofrequency	
31242	ablation, posterior nasal nerve	Always Investigational
	Nasal/sinus endoscopy, surgical; with destruction by cryoablation,	
31243	posterior nasal nerve	Always Investigational
67546	Suprachoroidal space injection of pharmacologic agent (separate	
67516	procedure)	Always Investigational
	Liver disease, analysis of 3 biomarkers (hyaluronic acid [HA], procollagen	
	III amino terminal peptide [PIIINP], tissue inhibitor of metalloproteinase 1	
	[TIMP-1]), using immunoassays, utilizing serum, prognostic algorithm	
04547	reported as a risk score and risk of liver fibrosis and liver-related clinical	Al a straite attend
81517	events within 5 years	Always Investigational
02072	Percutaneous transluminal coronary lithotripsy (List separately in addition	
92972	to code for primary procedure)	Always Investigational
	Application of a modality to 1 or more gross law level lease the recovery	
07027	Application of a modality to 1 or more areas; low-level laser therapy (ie,	Always Investigational
97037	nonthermal and non-ablative) for post-operative pain reduction	Always Investigational
	Oncology (colorectal) screening, quantitative real-time target and signal	
	amplification of 8 RNA markers (GAPDH, SMAD4, ACY1, AREG, CDH1,	
	KRAS,	
042411	TNFRSF10B, EGLN2) and fecal hemoglobin, algorithm reported as a	Alwaya Ingastication
0421U	positive or negative for colorectal cancer risk	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Oncology (urothelial), mRNA expression profiling by real-time quantitative	-
	PCR of MDK, HOXA13, CDC2, IGFBP5, and CXCR2 in combination with	
	droplet digital PCR (ddPCR) analysis of 6 single-nucleotide polymorphisms	
	(SNPs) genes TERT and FGFR3, urine, algorithm reported as a risk score for	
0420U	urothelial carcinoma	Always Investigational
	Oncology (pan-solid tumor), analysis of DNA biomarker response to anti-	.,
	cancer therapy using cell-free circulating DNA, biomarker comparison to a	
	previous baseline pre-treatment cell-free circulating DNA analysis using	
	next-generation	
	sequencing, algorithm reported as a quantitative change from baseline,	
0422U	including specific alterations, if appropriate	Always Investigational
0.220	Psychiatry (eg, depression, anxiety), genomic analysis panel, including	/ www.yo www.gawowa.
	variant analysis of 26 genes, buccal swab, report including metabolizer	
	status and	
0423U	risk of drug toxicity by condition	Always Investigational
04230	Tisk of drug coxicity by condition	7 iways investigational
	Oncology (prostate), exosome based analysis of 53 small noncoding RNAs	
	(sncRNAs) by quantitative reverse transcription polymerase chain reaction	
	(RTqPCR), urine, reported as no molecular evidence, low-, moderate- or	
0424U	elevated-risk of prostate cancer	Always Investigational
0.2.0	Genome (eg, unexplained constitutional or heritable disorder or	/ www.yo www.gawowa.
	syndrome), rapid sequence analysis, each comparator genome (eg,	
0425U	parents, siblings	Always Investigational
	Gastroenterology, malabsorption evaluation of alpha-1-antitrypsin,	
	calprotectin, pancreatic elastase and reducing substances, feces,	
0430U	quantitative	Always Investigational
	Glycine receptor alpha1 IgG, serum or cerebrospinal fluid (CSF), live cell-	.,
0431U	binding assay (LCBA), qualitative	Always Investigational
	Kelch-like protein 11 (KLHL11) antibody, serum or cerebrospinal fluid	, ,
0432U	(CSF), cell-binding assay, qualitative	Always Investigational
	Oncology (prostate), 5 DNA regulatory markers by quantitative PCR,	, ,
	whole blood, algorithm, including prostate-specific antigen, reported as	
0433U	likelihood of cancer	Always Investigational
		, <u>,</u>
	Drug metabolism (adverse drug reactions and drug response), genomic	
0434U	analysis panel, variant analysis of 25 genes with reported phenotypes	Always Investigational
	Oncology, chemotherapeutic drug cytotoxicity assay of cancer stem cells	,
	(CSCs), from cultured CSCs and primary tumor cells, categorical drug	
	response reported based on cytotoxicity percentage observed, minimum	
0435U	of 14 drugs or drug combination	Always Investigational
	Oncology (lung), plasma analysis of 388 proteins, using aptamer based	
	proteomics technology, predictive algorithm reported as clinical benefit	
0436U	from immune checkpoint inhibitor therapy	Always Investigational
	Psychiatry (anxiety disorders), mRNA, gene expression profiling by RNA	, ,
	sequencing of 15 biomarkers, whole blood, algorithm reported as	
	predictive	
0437U	risk score	Always Investigational
<u> </u>	į.	

Codes	ServiceDescription	ExceptionsNotes
	Drug metabolism (adverse drug reactions and drug response), buccal	
	specimen, gene-drug interactions, variant analysis of 33 genes, including	
	deletion/duplication analysis of CYP2D6, including reported phenotypes	
0438U	and impacted gene-drug interactions	Always Investigational
	Externally applied transcranial magnetic stimulation with concomitant	
0858T	measurement of evoked cortical potentials with automated report	Always Investigational
	Noncontact near-infrared spectroscopy (eg, for measurement of	
	deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation), other	
	than for screening for peripheral arterial disease, image acquisition,	
	interpretation, and report; each additional anatomic site (List separately	
0859T	in addition to code for primary procedure)	Always Investigational
	Noncontact near-infrared spectroscopy (eg, for measurement of	
	deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation), for	
	screening for peripheral arterial disease, including provocative	
	maneuvers, image acquisition, interpretation, and report, one or both	
0860T	lower extremities	Always Investigational
	Remote multi-day complex uroflowmetry (eg, calibrated electronic	
0811T	equipment); set-up and patient education on use of equipment	Always Investigational
	Remote multi-day complex uroflowmetry (eg, calibrated electronic	
	equipment); device supply with automated report generation, up to 10	
0812T	days	Always Investigational
		,
	Percutaneous injection of calcium-based biodegradable osteoconductive	
0814T	material, proximal femur, including imaging guidance, unilateral	Always Investigational
	7 0 0 0 0	, ,
	Continuous in-person monitoring and intervention (eg, psychotherapy,	
	crisis intervention), as needed, during psychedelic medication therapy;	
0820T	first physician or other qualified health care professional, each hour	Always Investigational
		.,
	Digitization of glass microscope slides for cytopathology, selective-cellular	
	enhancement technique with interpretation (eg, liquid-based slide	
	preparation method), except cervical or vaginal (List separately in addition	
0830T	to code for primary procedure)	Always Investigational
	To come in principle of the community processing	ays mrestigational
	Digitization of glass microscope slides for cytopathology, cervical or	
	vaginal (any reporting system), requiring interpretation by physician (List	
0831T	separately in addition to code for primary procedure)	Always Investigational
00011	Digitization of glass microscope slides for cytopathology, smears, any	, avays investigational
	other source; screening and interpretation (List separately in addition to	
0832T	code for primary procedure)	Always Investigational
00321	code for printary procedure)	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Digitization of glass microscope slides for cytopathology, smears, any	
	other source; preparation, screening and interpretation (List separately in	
0833T	addition to code for primary procedure)	Always Investigational
	Digitization of glass microscope slides for cytopathology, smears, any	
	other source; extended study involving over 5 slides and/or multiple	
0834T	stains (List separately in addition to code for primary procedure)	Always Investigational
	Digitization of glass microscope slides for cytopathology, evaluation of	
	fine needle aspirate; immediate cytohistologic study to determine	
	adequacy for diagnosis, first evaluation episode, each site (List separately	
0835T	in addition to code for primary procedure)	Always Investigational
00331	in addition to code for primary procedure;	7 iivays iiivestigationai
	Digitization of glass microscope slides for cytopathology, evaluation of	
	fine needle aspirate; immediate cytohistologic study to determine	
	adequacy for diagnosis, each separate additional evaluation episode,	
0836T	same site (List separately in addition to code for primary procedure)	Always Investigational
00301	Digitization of glass microscope slides for cytopathology, evaluation of	Always investigational
0027T	fine needle aspirate; interpretation and report (List separately in addition	Alversa Investigational
0837T	to code for primary procedure)	Always Investigational
	Digitization of glass microscope slides for consultation and report on	
	referred slides prepared elsewhere (List separately in addition to code for	
0838T	primary procedure)	Always Investigational
	Digitization of glass microscope slides for consultation and report on	
	referred material requiring preparation of slides (List separately in	
0839T	addition to code for primary procedure)	Always Investigational
	Digitization of glass microscope slides for consultation, comprehensive,	
	with review of records and specimens, with report on referred material	
0840T	(List separately in addition to code for primary procedure)	Always Investigational
	Digitization of glass microscope slides for pathology consultation during	
	surgery; first tissue block, with frozen section(s), single specimen (List	
0841T	separately in addition to code for primary procedure)	Always Investigational
	Digitization of glass microscope slides for pathology consultation during	
	surgery; each additional tissue block with frozen section(s) (List separately	
0842T	in addition to code for primary procedure)	Always Investigational
	Digitization of glass microscope slides for pathology consultation during	
	surgery; cytologic examination (eg, touch preparation, squash	
	preparation), initial site (List separately in addition to code for primary	
	preparation, mittal site (List separately in addition to code for primary	
0843T	procedure)	Always Investigational
0843T		Always Investigational
0843T	procedure)	Always Investigational
0843T	procedure) Digitization of glass microscope slides for pathology consultation during	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Digitization of glass microscope slides for immunofluorescence, per	
	specimen; initial single antibody stain procedure (List separately in	
0845T	addition to code for primary procedure)	Always Investigational
	Digitization of glass microscope slides for immunofluorescence, per	
	specimen; each additional single antibody stain procedure (List separately	
0846T	in addition to code for primary procedure)	Always Investigational
	Digitization of glass microscope slides for examination and selection of	
	retrieved archival (ie, previously diagnosed) tissue(s) for molecular	
	analysis (eg, KRAS mutational analysis) (List separately in addition to code	
0847T	for primary procedure)	Always Investigational
	Digitization of glass microscope slides for in situ hybridization (eg, FISH),	
	per specimen; initial single probe stain procedure (List separately in	
0848T	addition to code for primary procedure)	Always Investigational
	Digitization of glass microscope slides for in situ hybridization (eg, FISH),	
	per specimen; each additional single probe stain procedure (List	
0849T	separately in addition to code for primary procedure)	Always Investigational
	Digitization of glass microscope slides for in situ hybridization (eg, FISH),	
	per specimen; each multiplex probe stain procedure (List separately in	
0850T	addition to code for primary procedure)	Always Investigational
	Digitization of glass microscope slides for morphometric analysis, in situ	
	hybridization (quantitative or semiquantitative), manual, per specimen;	
	initial single probe stain procedure (List separately in addition to code for	
0851T	primary procedure)	Always Investigational
	Digitization of glass microscope slides for morphometric analysis, in situ	
	hybridization (quantitative or semiquantitative), manual, per specimen;	
	each additional single probe stain procedure (List separately in addition to	
0852T	code for primary procedure)	Always Investigational
	Digitization of glass microscope slides for morphometric analysis, in situ	
	hybridization (quantitative or semiquantitative), manual, per specimen;	
	each multiplex probe stain procedure (List separately in addition to code	
0853T	for primary procedure)	Always Investigational
	Digitization of glass microscope slides for blood smear, peripheral,	
005.47	interpretation by physician with written report (List separately in addition	Al a straight attack
0854T	to code for primary procedure)	Always Investigational
	Distriction of also unique source alide for both and a second	
00557	Digitization of glass microscope slides for bone marrow, smear	Alicens
0855T	interpretation (List separately in addition to code for primary procedure)	Always Investigational
	Distriction of along unique and alider for all atoms unique and the state of the st	
005.63	Digitization of glass microscope slides for electron microscopy, diagnostic	Alivoria la va ati ti I
0856T	(List separately in addition to code for primary procedure)	Always Investigational
	Development of the second of t	
	Psychiatry (eg, depression, anxiety, attention deficit hyperactivity disorder	
041111	[ADHD]), genomic analysis panel, variant analysis of 15 genes, including	Always Invosticational
0411U	deletion/duplication analysis of CYP2D6	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Neuropsychiatry (eg, depression, anxiety), genomic sequence analysis	
	panel, variant analysis of 13 genes, saliva or buccal swab, report of each	
0419U	gene phenotype	Always Investigational
	Drug metabolism (eg, pharmacogenomics) genomic sequence analysis	
	panel, must include testing of at least 6 genes, including CYP2C19,	
81418	CYP2D6, and CYP2D6 duplication/deletion analysis	Always Investigational
	Oncology (melanoma), autophagy and beclin 1 regulator 1 (AMBRA1) and	
	loricrin (AMLo) by immunohistochemistry, formalin-fixed paraffin-	
0387U	embedded (FFPE) tissue, report for risk of progression	Always Investigational
	Obstetrics (preeclampsia), kinase insert domain receptor (KDR), Endoglin	, ,
	(ENG), and retinol-binding protein 4 (RBP4), by immunoassay, serum,	
0390U	algorithm reported as a risk score	Always Investigational
		, 223 61 3131
	Drug metabolism (depression, anxiety, attention deficit hyperactivity	
	disorder [ADHD]), gene-drug interactions, variant analysis of 16 genes,	
	including deletion/duplication analysis of CYP2D6, reported as impact of	
0392U	gene-drug interaction for each drug	Always Investigational
	Perfluoroalkyl substances (PFAS) (eg, perfluorooctanoic acid,	
	perfluorooctane sulfonic acid), 16 PFAS compounds by liquid	
	chromatography with tandem mass spectrometry (LC-MS/MS), plasma or	
0394U	serum, quantitative	Always Investigational
	Gastroenterology (Barrett esophagus), P16, RUNX3, HPP1, and FBN1 DNA	/a yo oo a ga arona.
	methylation analysis using PCR, formalin-fixed paraffin-embedded (FFPE)	
	tissue, algorithm reported as risk score for progression to high-grade	
0398U	dysplasia or cancer	Always Investigational
03300	Cardiology (coronary heart disease [CAD]), 9 genes (12 variants), targeted	7 iiwaya iiivestigationai
	variant genotyping, blood, saliva, or buccal swab, algorithm reported as a	
0401U	genetic risk score for a coronary event	Always Investigational
01010	Application of silver diamine fluoride 38%, by a physician or other	7 iiwaya iiivestigationai
0792T	qualified health care professional	Always Investigational
07321	qualifica ficaltificate professional	7 (Ways mvestigational
	Percutaneous transcatheter thermal ablation of nerves innervating the	
	pulmonary arteries, including right heart catheterization, pulmonary	
0793T	artery angiography, and all imaging guidance	Always Investigational
0/331	artery anglography, and an imaging guidance	Aiways ilivestigational
	Patient-specific, assistive, rules-based algorithm for ranking pharmaco-	
	oncologic treatment options based on the patient's tumor-specific cancer	
	marker information obtained from prior molecular pathology,	
0704T	immunohistochemical, or other pathology results which have been	Always Investigational
0794T	previously interpreted and reported separately	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0801T	Transcatheter removal and replacement of permanent dual-chamber leadless pacemaker, including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography) and device evaluation (eg, interrogation or programming), when performed; dual-chamber system (ie, right atrial and right ventricular pacemaker components)	Always Investigational
0803T	Transcatheter removal and replacement of permanent dual-chamber leadless pacemaker, including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography) and device evaluation (eg, interrogation or programming), when performed; right ventricular pacemaker component (when part of a dual-chamber leadless pacemaker system)	Always Investigational
0804T	Programming device evaluation (in person) with iterative adjustment of implantable device to test the function of device and to select optimal permanent programmed values, with analysis, review, and report, by a physician or other qualified health care professional, leadless pacemaker system in dual cardiac chambers	Always Investigational
0805T	Transcatheter superior and inferior vena cava prosthetic valve implantation (ie, caval valve implantation [CAVI]); percutaneous femoral vein approach	Always Investigational
0806T	Transcatheter superior and inferior vena cava prosthetic valve implantation (ie, caval valve implantation [CAVI]); open femoral vein approach	Always Investigational
0807T	Pulmonary tissue ventilation analysis using software-based processing of data from separately captured cinefluorograph images; in combination with previously acquired computed tomography (CT) images, including data preparation and transmission, quantification of pulmonary tissue ventilation, data review, interpretation and report	Always Investigational
0808T	Pulmonary tissue ventilation analysis using software-based processing of data from separately captured cinefluorograph images; in combination with computed tomography (CT) images taken for the purpose of pulmonary tissue ventilation analysis, including data preparation and transmission, quantification of pulmonary tissue ventilation, data review, interpretation and report	Always Investigational
0809Т	Arthrodesis, sacroiliac joint, percutaneous or minimally invasive (indirect visualization), with image guidance, placement of transfixing device(s) and intra-articular implant(s), including allograft or synthetic device(s)	
0386U	Gastroenterology (Barrett's esophagus), P16, RUNX3, HPP1, and FBN1 methylation analysis, prognostic and predictive algorithm reported as a risk score for progression to high-grade dysplasia or esophageal cancer	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Nephrology (chronic kidney disease), apolipoprotein A4 (ApoA4), CD5 antigen-like (CD5L), and insulin-like growth factor binding protein 3 (IGFBP3) by enzyme-linked immunoassay (ELISA), plasma, algorithm combining results with HDL, estimated glomerular filtration rate (GFR) and clinical data reported as a risk score for developing diabetic kidney	
0385U	disease	Always Investigational
0384U	Nephrology (chronic kidney disease), carboxymethyllysine, methylglyoxal hydroimidazolone, and carboxyethyl lysine by liquid chromatography with tandem mass spectrometry (LC-MS/MS) and HbA1c and estimated glomerular filtration rate (GFR), with risk score reported for predictive progression to high-stage kidney disease	Always Investigational
0380U	Drug metabolism (adverse drug reactions and drug response), targeted sequence analysis, 20 gene variants and CYP2D6 deletion or duplication analysis with reported genotype and phenotype	Always Investigational
0378U	RFC1 (replication factor C subunit 1), repeat expansion variant analysis by traditional and repeat-primed PCR, blood, saliva, or buccal swab	Always Investigational
0377U	Cardiovascular disease, quantification of advanced serum or plasma lipoprotein profile, by nuclear magnetic resonance (NMR) spectrometry with report of a lipoprotein profile (including 23 variables) Oncology (prostate cancer), image analysis of at least 128 histologic features and clinical factors, prognostic algorithm determining the risk of distant metastases, and prostate cancer-specific mortality, includes predictive algorithm to androgen deprivation-therapy response, if	Always Investigational
0376U	appropriate	Always Investigational
0375U	Oncology (ovarian), biochemical assays of 7 proteins (follicle stimulating hormone, human epididymis protein 4, apolipoprotein A-1, transferrin, beta-2 macroglobulin, prealbumin [ie, transthyretin], and cancer antigen 125), algorithm reported as ovarian cancer risk score	Always Investigational
0374U	Infectious agent detection by nucleic acid (DNA or RNA), genitourinary pathogens, identification of 21 bacterial and fungal organisms and identification of 21 associated antibiotic-resistance genes, multiplex amplified probe technique, urine	Always Investigational
0373U	Infectious agent detection by nucleic acid (DNA and RNA), respiratory tract infection, 17 bacteria, 8 fungus, 13 virus, and 16 antibiotic-resistance genes, multiplex amplified probe technique, upper or lower respiratory specimen	Always Investigational
0372U	Infectious disease (genitourinary pathogens), antibiotic-resistance gene detection, multiplex amplified probe technique, urine, reported as an antimicrobial stewardship risk score	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Infectious agent detection by nucleic acid (DNA or RNA), genitourinary	
	pathogen, semiquantitative identification, DNA from 16 bacterial	
	organisms and 1 fungal organism, multiplex amplified probe technique via	
)371U	quantitative polymerase chain reaction (qPCR), urine	Always Investigational
	Infectious agent detection by nucleic acid (DNA and RNA), surgical wound	
	pathogens, 34 microorganisms and identification of 21 associated	
	antibiotic-resistance genes, multiplex amplified probe technique, wound	
0370U	swab	Always Investiigational
	Infectious agent detection by nucleic acid (DNA and RNA), gastrointestinal	
	pathogens, 31 bacterial, viral, and parasitic organisms and identification	
	of 21 associated antibiotic-resistance genes, multiplex amplified probe	
)369U	technique	Always Investigational
	Oncology (colorectal cancer), evaluation for mutations of APC, BRAF,	
	CTNNB1, KRAS, NRAS, PIK3CA, SMAD4, and TP53, and methylation	
	markers (MYO1G, KCNQ5, C9ORF50, FLI1, CLIP4, ZNF132 and TWIST1),	
	multiplex quantitative polymerase chain reaction (qPCR), circulating cell-	
	free DNA (cfDNA), plasma, report of risk score for advanced adenoma or	
)368U	colorectal cancer	Always Investigational
	Oncology (bladder), analysis of 10 protein biomarkers (A1AT, ANG, APOE,	
	CA9, IL8, MMP9, MMP10, PAI1, SDC1 and VEGFA) by immunoassays,	
	urine, diagnostic algorithm reported as a risk score for probability of rapid	
	recurrence of recurrent or persistent cancer following transurethral	
0367U	resection	Always Investigational
	Oncology (bladder), analysis of 10 protein biomarkers (A1AT, ANG, APOE,	
	CA9, IL8, MMP9, MMP10, PAI1, SDC1 and VEGFA) by immunoassays,	
0366U	urine, algorithm reported as a probability of recurrent bladder cancer	Always Investigational
	Oncology (bladder), analysis of 10 protein biomarkers (A1AT, ANG, APOE,	
	CA9, IL8, MMP9, MMP10, PAI1, SDC1 and VEGFA) by immunoassays,	
0365U	urine, algorithm reported as a probability of bladder cancer	Always Investigational
	Oncology (prostate), mRNA, gene expression profiling of 18 genes, first-	
	catch post-digital rectal	
	examination urine (or processed first-catch urine), the algorithm reported	
	as a percentage of likelihood of	
0403U	detecting clinically significant prostate cancer	Always Investigational
		-
44563	Rectal control system for vaginal insertion	Always Investigational
		-
53451	Bilateral periurethral transperineal adjustable balloon continence device	Always Investigational
53452	Unilateral periurethral transperineal adjustable balloon continence device	Always Investigational
	Removal of periurethral transperineal adjustable balloon continence	-
53453	device	Always Investigational
	Fluid adjustment of periurethral transperineal adjustable balloon	, , , , , , , , , , , , , , , , , , , ,
53454	continence device	Always Investigational
	100	

Codes	ServiceDescription	ExceptionsNotes
	Liver disease, analysis of 3 biomarkers (hyaluronic	
	acid [HA], procollagen III amino terminal peptide	
	[PIIINP], tissue inhibitor of metalloproteinase 1	
	[TIMP-1]), using immunoassays, utilizing serum,	
	prognostic algorithm reported as a risk score and risk	
	of liver fibrosis and liver-related clinical events within	
0014M	5 years	Always investigational
0011111	Focused ultrasound ablation of uterine leiomyomata, including MR	/ iiways iiivestigationai
0071T	guidance	Always Investigational
	Focused ultrasound ablation of uterine leiomyomata, including MR	
0072T	guidance; total leiomyomata volume greater or equal to 200 cc of tissue	Always Investigational
	Once le su (lune) anne anne transcription and usic of selection 2 binding annetoire	
	Oncology (lung) mass spectrometric analysis of galectin-3-binding protein	
	and scavenger receptor cysteine-rich type 1 protein M130, with five	
	clinical risk factors (age, smoking status, nodule diameter, nodule-	
	spiculation status and nodule location), utilizing plasma, algorithm	
0080U	reported as a categorical probability of malignancy	Always Investigational
	Nephrology (chronic kidney disease), multiplex electrochemiluminescent	
	immunoassay (ECLIA) of tumor necrosis factor receptor 1A, receptor	
	superfamily 2 (TNFR1, TNFR2), and kidney injury molecule-1 (KIM-1)	
	combined with longitudinal clinical data, including APOL1 genotype if	
	available, and plasma (isolated fresh or frozen), algorithm reported as	
0105U	probability score for rapid kidney function decline (RKFD)	Always Investigational
	Gastric emptying, serial collection of 7 timed breath specimens, non-	
	radioisotope carbon-13 (13C) spirulina substrate, analysis of each	
	specimen by gas isotope ratio mass spectrometry, reported as rate of	
0106U	13CO2 excretion	Always Investigational
04077		Al and a self-self-self-self-
0107T	QST testing and interpretation per extremity; using vibration stimuli	Always Investigational
	Clostridium difficile toxin(s) antigen detection by immunoassay technique,	
0107U	stool, qualitative, multiple-step method	Always Investigational
0108T	QST testing and interpretation per extremity; using cooling stimuli	Always Investigational
	Castroontorology (Parrott's aconhagus) whole slide disitel incesing	
	Gastroenterology (Barrett's esophagus), whole slide digital imaging,	
	including morphometric analysis, computer-assisted quantitative	
	immunolabeling of 9 protein biomarkers (p16, AMACR, p53, CD68, COX-2,	
	CD45RO, HIF1a, HER-2, K20) and morphology, formalin-fixed paraffin-	
	embedded tissue, algorithm reported as risk of progression to high-grade	
0108U	dysplasia or cancer	Always Investigational
0109T	QST testing and interpretation per extremity; using heat-pain stimuli	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Infectious disease (Aspergillus species), real-time PCR for detection of	
	DNA from 4 species (A. fumigatus, A. terreus, A. niger, and A. flavus),	
	blood, lavage fluid, or tissue, qualitative reporting of presence or absence	
0109U	of each species	Always Investigational
0110T	QST testing and interpretation per extremity; using other stimuli	Always Investigational
	Prescription drug monitoring, one or more oral oncology drug(s) and	
	substances, definitive tandem mass spectrometry with chromatography,	
	serum or plasma from capillary blood or venous blood, quantitative report	
0110U	with steady-state range for the prescribed drug(s) when detected	Always Investigational
	Oncology (colon cancer), targeted KRAS (codons 12, 13, and 61) and NRAS	
	(codons 12, 13, and 61) gene analysis utilizing formalin-fixed paraffin-	
0111U	embedded tissue	Always Investigational
	Infectious agent detection and identification, targeted sequence analysis	
0112U	(16S and 18S rRNA genes) with drug-resistance gene	Always Investigational
	Oncology (prostate), measurement of PCA3 and TMPRSS2-ERG in urine	
	and PSA in serum following prostatic massage, by RNA amplification and	
0113U	fluorescence-based detection, algorithm reported as risk score	Always Investigational
	Gastroenterology (Barrett's esophagus), VIM and CCNA1 methylation	
	analysis, esophageal cells, algorithm reported as likelihood for Barrett's	
0114U	esophagus	Always Investigational
	Respiratory infectious agent detection by nucleic acid (DNA and RNA), 18	
	viral types and subtypes and 2 bacterial targets, amplified probe	
	technique, including multiplex reverse transcription for RNA targets, each	
0115U	analyte reported as detected or not detected	Always Investigational
	Prescription drug monitoring, enzyme immunoassay of 35 or more drugs	
	confirmed with LC-MS/MS, oral fluid, algorithm results reported as a	
	patient-compliance measurement with risk of drug to drug interactions	
0116U	for prescribed medications	Always Investigational
	Pain management, analysis of 11 endogenous analytes (methylmalonic	
	acid, xanthurenic acid, homocysteine, pyroglutamic acid, vanilmandelate,	
	5-hydroxyindoleacetic acid, hydroxymethylglutarate, ethylmalonate, 3-	
	hydroxypropyl mercapturic acid (3-HPMA), quinolinic acid, kynurenic	
	acid), LC-MS/MS, urine, algorithm reported as a pain-index score with	
0117U	likelihood of atypical biochemical function associated with pain	Always Investigational
	Transplantation medicine, quantification of donor-derived cell-free DNA	
	using whole genome next-generation sequencing, plasma, reported as	
0118U	percentage of donor-derived cell-free DNA in the total cell-free DNA	Always Investigational
	Cardiology, ceramides by liquid chromatography tandem mass	
	spectrometry, plasma, quantitative report with risk score for major	
0119U	cardiovascular events	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Oncology (B-cell lymphoma classification), mRNA, gene expression	
	profiling by fluorescent probe hybridization of 58 genes (45 content and	
	13 housekeeping genes), formalin-fixed paraffin-embedded tissue,	
	algorithm reported as likelihood for primary mediastinal B-cell lymphoma	
	(PMBCL) and diffuse large B-cell lymphoma (DLBCL) with cell of origin	
0120U	subtyping in the latter	Always Investigational
	<i>n</i> 0	, ,
0121U	Sickle cell disease, microfluidic flow adhesion (VCAM-1), whole blood	Always Investigational
0122U	Sickle cell disease, microfluidic flow adhesion (P-Selectin), whole blood	Always Investigational
0123U	Mechanical fragility, RBC, shear stress and spectral analysis profiling	Always Investigational
	Hereditary breast cancer related disorders (eg, hereditary breast cancer,	
	hereditary ovarian cancer, hereditary endometrial cancer), genomic	
	sequence analysis and deletion/duplication analysis panel (ATM, BRCA1,	
0129U	BRCA2, CDH1, CHEK2, PALB2, PTEN, and TP53)	Always Investigational
	Hereditary colon cancer disorders (eg, Lynch syndrome, PTEN hamartoma	
	syndrome, Cowden syndrome, familial adenomatosis polyposis), targeted	
	mRNA sequence analysis panel (APC, CDH1, CHEK2, MLH1, MSH2, MSH6,	
	MUTYH, PMS2, PTEN, and TP53) (List separately in addition to code for	
0130U	primary procedure)	Always Investigational
	Hereditary breast cancer related disorders (eg, hereditary breast cancer,	
	hereditary ovarian cancer, hereditary endometrial cancer), targeted	
	mRNA sequence analysis panel (13 genes) (List separately in addition to	
0131U	code for primary procedure)	Always Investigational
	Hereditary ovarian cancer related disorders (eg, hereditary breast cancer,	
	hereditary ovarian cancer, hereditary endometrial cancer), targeted	
	mRNA sequence analysis panel (17 genes) (List separately in addition to	
0132U	code for primary procedure)	Always Investigational
	Hereditary prostate cancer related disorders, targeted mRNA sequence	
	analysis panel (11 genes) (List separately in addition to code for primary	
0133U	procedure)	Always Investigational
	Hereditary pan cancer (eg, hereditary breast and ovarian cancer,	
	hereditary endometrial cancer, hereditary colorectal cancer), targeted	
	mRNA sequence analysis panel (18 genes) (List separately in addition to	
0134U	code for primary procedure)	Always Investigational
	Hereditary gynecological cancer (eg, hereditary breast and ovarian cancer,	
	hereditary endometrial cancer, hereditary colorectal cancer), targeted	
	mRNA sequence analysis panel (12 genes) (List separately in addition to	
0135U	code for primary procedure)	Always Investigational
	ATM (ataxia telangiectasia mutated) (eg, ataxia telangiectasia) mRNA	
	sequence analysis (List separately in addition to code for primary	
0136U	procedure)	Always Investigational
		-

Codes	ServiceDescription	ExceptionsNotes
	PALB2 (partner and localizer of BRCA2)(eg, breast and pancreatic cancer)	·
	mRNA sequence analysis (List separately in addition to code for primary	
0137U	procedure)	Always Investigational
		, ,
	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair	
	associated) (eg, hereditary breast and ovarian cancer) mRNA sequence	
0138U	analysis (List separately in addition to code for primary procedure)	Always Investigational
		,
	Neurology (autism spectrum disorder [ASD]), quantitative measurements	
	of 6 central carbon metabolites (ie, α-ketoglutarate, alanine, lactate,	
	phenylalanine, pyruvate, and succinate), LC-MS/MS, plasma, algorithmic	
	analysis with result reported as negative or positive (with metabolic	
0139U	subtypes of ASD)	Always Investigational
	Infectious disease (fungi), fungal pathogen identification, DNA (15 fungal	, ,
	targets), blood culture, amplified probe technique, each target reported	
0140U	as detected or not detected	Always Investigational
	Infectious disease (bacteria and fungi), gram-positive organism	
	identification and drug resistance element detection, DNA (20 gram-	
	positive bacterial targets, 4 resistance genes, 1 pan gram-negative	
	bacterial target, 1 pan Candida target), blood culture, amplified probe	
0141U	technique, each target reported as detected or not detected	Always Investigational
	Infectious disease (bacteria and fungi), gram-negative bacterial	
	identification and drug resistance element detection, DNA (21 gram-	
	negative bacterial targets, 6 resistance genes, 1 pan gram-positive	
	bacterial target, 1 pan Candida target), amplified probe technique, each	
0142U	target reported as detected or not detected	Always Investigational
	Drug assay, definitive, 120 or more drugs or metabolites, urine,	
	quantitative liquid chromatography with tandem mass spectrometry (LC-	
	MS/MS) using multiple reaction monitoring (MRM), with drug or	
	metabolite description, comments including sample validation, per date	
0143U	of service	Always Investigational
	Drug assay, definitive, 160 or more drugs or metabolites, urine,	
	quantitative liquid chromatography with tandem mass spectrometry (LC-	
	MS/MS) using multiple reaction monitoring (MRM), with drug or	
	metabolite description, comments including sample validation, per date	
0144U	of service	Always Investigational
	Drug assay, definitive, 65 or more drugs or metabolites, urine,	
	quantitative liquid chromatography with tandem mass spectrometry (LC-	
	MS/MS) using multiple reaction monitoring (MRM), with drug or	
04.45	metabolite description, comments including sample validation, per date	
0145U	of service	Always Investigational
	Drug assay, definitive, 80 or more drugs or metabolites, urine, by	
	quantitative liquid chromatography with tandem mass spectrometry (LC-	
	MS/MS) using multiple reaction monitoring (MRM), with drug or	
014611	metabolite description, comments including sample validation, per date	Always Investigational
0146U	of service	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Drug assay, definitive, 85 or more drugs or metabolites, urine,	
	quantitative liquid chromatography with tandem mass spectrometry (LC-	
	MS/MS) using multiple reaction monitoring (MRM), with drug or	
	metabolite description, comments including sample validation, per date	
0147U	of service	Always Investigational
	Drug assay, definitive, 100 or more drugs or metabolites, urine,	
	quantitative liquid chromatography with tandem mass spectrometry (LC-	
	MS/MS) using multiple reaction monitoring (MRM), with drug or	
	metabolite description, comments including sample validation, per date	
0148U	of service	Always Investigational
	Drug assay, definitive, 60 or more drugs or metabolites, urine,	
	quantitative liquid chromatography with tandem mass spectrometry (LC-	
	MS/MS) using multiple reaction monitoring (MRM), with drug or	
0149U	metabolite description, comments including sample validation, per date of service	Always Investigational
01490	Drug assay, definitive, 120 or more drugs or metabolites, urine,	Always Investigational
	quantitative liquid chromatography with tandem mass spectrometry (LC-	
	MS/MS) using multiple reaction monitoring (MRM), with drug or	
	metabolite description, comments including sample validation, per date	
0150U	of service	Always Investigational
	Infectious disease (bacterial or viral respiratory tract infection), pathogen	
	specific nucleic acid (DNA or RNA), 33 targets, real-time semi-quantitative	
	PCR, bronchoalveolar lavage, sputum, or endotracheal aspirate, detection	
	of 33 organismal and antibiotic resistance genes with limited semi-	
0151U	quantitative results	Always Investigational
	Infectious disease (bacteria, fungi, parasites, and DNA viruses), DNA, PCR	
	and next-generation sequencing, plasma, detection of >1,000 potential	
0152U	microbial organisms for significant positive pathogens	Always Investigational
	Oncology (breast), mRNA, gene expression profiling by next-generation	
	sequencing of 101 genes, utilizing formalin-fixed paraffin-embedded	
	tissue, algorithm reported as a triple negative breast cancer clinical	
0153U	subtype(s) with information on immune cell involvement	Always Investigational
	FGFR3 (fibroblast growth factor receptor 3) gene analysis (ie, p.R248C	
015411	[c.742C>T], p.S249C [c.746C>G], p.G370C [c.1108G>T], p.Y373C	Alwaya lawatiantianal
0154U	[c.1118A>G], FGFR3-TACC3v1, and FGFR3-TACC3v3)	Always Investigational
	PIK3CA (phosphatidylinositol-4,5-bisphosphate 3-kinase, catalytic subunit alpha) (eg, breast cancer) gene analysis (ie, p.C420R, p.E542K, p.E545A,	
	p.E545D [g.1635G>T only], p.E545G, p.E545K, p.Q546E, p.Q546R,	
0155U	p.H1047L, p.H1047R, p.H1047Y)	Always Investigational
	Copy number (eg, intellectual disability, dysmorphology), sequence	,
0156U	analysis	Always Investigational
	APC (APC regulator of WNT signaling pathway) (eg, familial adenomatosis	a,o conganonai
	polyposis [FAP]) mRNA sequence analysis (List separately in addition to	
0157U	code for primary procedure)	Always Investigational
-	1 /1	,

Codes	ServiceDescription	ExceptionsNotes
	MLH1 (mutL homolog 1) (eg, hereditary non-polyposis colorectal cancer,	
	Lynch syndrome) mRNA sequence analysis (List separately in addition to	
0158U	code for primary procedure)	Always Investigational
	Computer-aided detection, including computer algorithm analysis of MRI	
	image data for lesion detection/characterization, pharmacokinetic	
	analysis, with further physician review for interpretation, breast MRI (List	
0159T	separately in addition to code for primary procedure)	Always Investigational
	MSH2 (mutS homolog 2) (eg, hereditary colon cancer, Lynch syndrome)	
	mRNA sequence analysis (List separately in addition to code for primary	
0159U	procedure)	Always Investigational
	MSH6 (mutS homolog 6) (eg, hereditary colon cancer, Lynch syndrome)	
	mRNA sequence analysis (List separately in addition to code for primary	
0160U	procedure)	Always Investigational
	PMS2 (PMS1 homolog 2, mismatch repair system component) (eg,	
	hereditary non-polyposis colorectal cancer, Lynch syndrome) mRNA	
	sequence analysis (List separately in addition to code for primary	
0161U	procedure)	Always Investigational
	Hereditary colon cancer (Lynch syndrome), targeted mRNA sequence	
	analysis panel (MLH1, MSH2, MSH6, PMS2) (List separately in addition to	
0162U	code for primary procedure)	Always Investigational
	Computer-aided detection (CAD) (computer algorithm analysis of digital	
	image data for lesion detection) with further physician review for	
	interpretation and report, with or without digitization of film radiographic	
01747	images, chest radiograph(s), performed concurrent with primary	Alversa Investigational
0174T	interpretation (List separately in addition to code for primary procedure	Always Investigational
	Computer-aided detection (CAD) (computer algorithm analysis of digital	
	image data for lesion detection) with further physician review for	
	interpretation and report, with or without digitization of film radiographic images, chest radiograph(s), performed remote from primary	
0175T	interpretation	Always Investigational
01/31	interpretation	Always investigational
	Excision of rectal tumor, transanal endoscopic microsurgical approach (ie,	
0184T	TEMS), including muscularis propria (ie, full thickness)	Always Investigational
01041	Measurement of ocular blood flow by repetitive intraocular pressure	Aways mvestigational
0198T	sampling, with interpretation and report	Always Investigational
	Percutaneous sacral augmentation (sacroplasty), unilateral injection(s),	
0200T	including the use of a balloon or mechanical de	Always Investigational
	Percutaneous sacral augmentation (sacroplasty), bilateral injection(s),	,
0201T	including the use of a balloon or mechanical dev	Always Investigational
	Algorithmic analysis, remote, of electrocardiographic-derived data with	,
0206T	computer probability assessment, including repor	Always Investigational
	Evacuation of meibomian glands, automated, using heat and intermittent	, 5.2.2.2
0207T	pressure, unilateral	Always Investigational
	Pure tone audiometry (threshold), automated (includes use of computer-	, ,
0208T	assisted device); air only	Always Investigational
		

Codes	ServiceDescription	ExceptionsNotes
	Pure tone audiometry (threshold), automated (includes use of computer-	
0209T	assisted device); air and bone	Always Investigational
	Speech audiometry threshold, automated (includes use of computer-	
0210T	assisted device);	Always Investigational
	Speech audiometry threshold, automated (includes use of computer-	
0211T	assisted device); with speech recognition	Always Investigational
	Comprehensive audiometry threshold evaluation and speech recognition	
0212T	(0209T, 0211T combined), automated (includes use of	Always Investigational
	Placement of a posterior intrafacet implant(s), unilateral or bilateral,	
0219T	including imaging and placement of bone graft(s	Always Investigational
	Placement of a posterior intrafacet implant(s), unilateral or bilateral,	
0220T	including imaging and placement of bone graft(s	Always Investigational
	Placement of a posterior intrafacet implant(s), unilateral or bilateral,	
0221T	including imaging and placement of bone graft(s	Always Investigational
	Placement of a posterior intrafacet implant(s), unilateral or bilateral,	
0222T	including imaging and placement of bone graft(s	Always Investigational
	Injection(s), platelet rich plasma, any tissue, including image guidance,	
0232T	harvesting and preparation when performed	Always Investigational
	Skin advanced glycation endproducts measurement by multi-wavelength	
0233T	fluorescent spectroscopy	Always Investigational
	Transluminal peripheral atherectomy, open or percutaneous, including	
0234T	radiological supervision and interpretation; renal artery	Always Investigational
	Transluminal peripheral atherectomy, open or percutaneous, including	
	radiological supervision and interpretation; visceral artery (except renal),	
0235T	each vessel	Always Investigational
	Transluminal peripheral atherectomy, open or percutaneous, including	
0236T	radiological supervision and interpretation; abdominal aorta	Always Investigational
	Transluminal peripheral atherectomy, open or percutaneous, including	
	radiological supervision and interpretation; brachiocephalic trunk and	
0237T	branches, each vessel	Always Investigational
	T	
0000	Transluminal peripheral atherectomy, open or percutaneous, including	
0238T	radiological supervision and interpretation; iliac artery, each vessel	Always Investigational
	Insertion of anterior comment aqueous drainage device, without	
02527	Insertion of anterior segment aqueous drainage device, without	Always Investigational
0253T	extraocular reservoir; internal approach, into the suprachoroidal space	Always Investigational
	Endovascular repair of iliac artery bifurcation using bifurcated	
02547	endoprosthesis from the common iliac artery into both the external and	Always Investigational
0254T	internal iliac artery, unilateral;	Always Investigational
	Intramuscular autologous bone marrow cell therapy, with preparation of	
0262T	harvested cells, multiple injections, one leg, including ultrasound	Always Investigational
0263T	guidance, if performed; complete	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Intramuscular autologous bone marrow cell therapy, with preparation of	
	harvested cells, multiple injections, one leg, including ultrasound	
0264T	guidance, if performed; complete	Always Investigational
	Intramuscular autologous bone marrow cell therapy, with preparation of	
	harvested cells, multiple injections, one leg, including ultrasound	
0265T	guidance, if performed; unilateral	Always Investigational
	Implantation or replacement of carotid sinus baroreflex activation device;	
	total system (includes generator placement, unilateral or bilateral lead	
0266T	placement, intraoperative	Always Investigational
	Implantation or replacement of carotid sinus baroreflex activation device;	
	lead only, unilater (includes intra-operative interrogation, programming,	
0267T	and repositioning, when pe	Always Investigational
	Implantation or replacement of carotid sinus baroreflex activation device;	
	pulse generator only (includes intra-operative interrogation,	
0268T	programming, and repositioning, when	Always Investigational
	Revision or removal of carotid sinus baroreflex activation device; total	
	system (includes generator placement, unilateral or bilateral lead	
0269T	placement, inra-operative interrorg	Always Investigational
	Revision or removal of carotid sinus baroreflex activation device; lead	
	only, unilateral (includes intra-operative interrogation, programming, and	
0270T	repositioning, when performe	Always Investigational
	Revision or removal of carotid sinus baroreflex activation device; pulse	
	generator only (includes intra-operative interrogation, programming, and	
0271T	repositioning, when performe	Always Investigational
	Interrogation device evaluation (in person), carotid sinus varoreflex	
	activation system, including telemetric iterative communication with the	l.,
0272T	implantable device to monitor	Always Investigational
	Interrogation device evaluation (in person), carotid sinus varoreflex	
	activation system, including telemetric iterative communication with the	l.,, ., .
0273T	implantable device to monitor	Always Investigational
	Devente and the second	
	Percutaneous laminotomy/laminectomy (intralaminar approach) for	
0274T	decompression of neural elements, (with or without ligamentous resection, discectomy, facetectomy and/or forami	Always Investigational
02741	resection, discectority, facetectority and/or forami	Always investigational
	Percutaneous laminotomy/laminectomy (intralaminar approach) for	
	decompression of neural elements, (with or without ligamentous	
0275T	resection, discectomy, facetectomy and/or forami	Always Investigational
	Transcutaneous Electrical Modulation Pain Reprocessing, Each Treatment	, aways mivestigational
0278T	Session (Includes Placement Of Electrodes)	Always Investigational
	Corneal incisions in the recipient cornea created using a laser, in	
	preparation for penetrating or lamellar keratoplasty (List separately in	
0290T	addition to code for primary procedure)	Always Investigational
	processor printer, processor,	
	Vagus Nerve Blocking; Laparoscopic Implant Neurostim Electrode Array,	
0312T	Vagal Trunks, W Implantation Of Pulse Generator	Always Investigational
	1 0	,

Codes	ServiceDescription	ExceptionsNotes
	Vagus Nerve Blocking Therapy; Laparoscopic Revision Or Replacement Of	·
0313T	Vagal Trunk Neurostimulator Electrode Array	Always Investigational
	Vagus Nerve Blocking Therapy; Laparoscopic Removal Of Vagal Trunk	, ,
0314T	Neurostimulator Electrode Array And Pulse Generator	Always Investigational
	Vagus Nerve Blocking Therapy (Morbid Obesity); Removal Of Pulse	.,
0315T	Generator	Always Investigational
	Vagus Nerve Blocking Therapy (Morbid Obesity); Replacement Of Pulse	- mayo mreedigadiona.
0316T	Generator	Always Investigational
		- mayo mreedigadiona.
	Vagus Nerve Blocking Therapy; Neurostimulator Pulse Generator	
0317T	Electronic Analysis, Includes Reprogramming When Performed	Always Investigational
03171	Insertion or replacement of subcutaneous implantable defibrillator	7 iiways iiivestigationai
0319T	system with subcutaneous electrode	Always Investigational
0320T	Insertion of subcutaneous defibrillator electrode	Always Investigational
03201	Monitoring of intraocular pressure for 24 hours or longer, unilateral or	7 iways investigational
0329T	bilateral, with interpretation and report	Always Investigational
03231	bilateral, with interpretation and report	Aiways investigational
0330T	Tear film imaging, unilateral or bilateral, with interpretation and report	Always Investigational
03301	Myocardial sympathetic innervation imaging, planar qualitative and	Aiways investigational
0331T	quantitative assessment;	Always Investigational
03311	Myocardial sympathetic innervation imaging, planar qualitative and	Always investigational
0332T	quantitative assessment; with tomographic SPECT	Always Investigational
03321	Visual evoked potential, screening of visual acuity, automated, with	Always investigational
0333T		Always Investigational
0335T	report Extra-Osseous Subtalar Joint Implant For Talotarsal Stabilization	Always Investigational Always Investigational
03331	Endothelial Function Assessment, Using Peripheral Vascular Response To	Always ilivestigational
0337T	Reactive Hyperemia, Non-Invasive, Uni/Bilat	Always Investigational
03371		Always Investigational
0338T	Transcatheter Renal Sympathetic Denervation, Percutaneous Approach; Unilateral	Always Investigational
03361	Transcatheter Renal Sympathetic Denervation, Percutaneous Approach;	Always Investigational
0220T		Alwaya Inya atia atia a a l
0339T	Bilateral	Always Investigational
0242T	therapeutic Apheresis with Selective Hdl Delipidation and Plasma	Almanatantiant
0342T	Reinfusion	Always Investigational
02457	Transcatheter mitral valve repair percutaneous approach via the coronary	Almanatantiant
0345T	Sinus	Always Investigational
0247T	Placement of interstitial device(s) in bone for radiostereometric analysis	Almanatantiant
0347T	(RSA)	Always Investigational
02407	Radiologic examination, radiostereometric analysis (RSA); spine, (includes,	
0348T	cervical, thoracic and lumbosacral, when performed)	Always Investigational
	Dedictorie construction on Protection and Lat. (DCA)	
02.467	Radiologic examination, radiostereometric analysis (RSA); upper	Al a sila sila sila si
0349T	extremity(ies), (includes shoulder, elbow and wrist, when performed)	Always Investigational
	Radiologic examination, radiostereometric analysis (RSA); lower	
00505	extremity(ies), (includes hip, proximal femur, knee and ankle, when	
0350T	performed)	Always Investigational
00515	Optical coherence tomography of breast or axillary lymph node, excised	
0351T	tissue, each specimen; real time intraoperative	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Optical coherence tomography of breast or axillary lymph node, excised	
0352T	tissue, each specimen; interpretation and report, real time or referred	Always Investigational
	Optical coherence tomography of breast, surgical cavity; real time	
0353T	intraoperative	Always Investigational
	Optical coherence tomography of breast, surgical cavity; interpretation	
0354T	and report, real time or referred	Always Investigational
	Insertion of drug-eluting implant (including punctal dilation and implant	
0356T	removal when performed) into lacrimal canaliculus, each	Always Investigational
	Bioelectrical impedance analysis whole body composition assessment,	
0358T	supine position, with interpretation and report	Always Investigational
	Anoscopy with directed submucosal injection of bulking agent for fecal	
0377T	incontinence	Always Investigational
	Visual field assessment, with concurrent real time data analysis and	
	accessible data storage with patient initiated data transmitted to a	
0378T	remote surveillance center for up to	Always Investigational
	Visual field assessment, with concurrent real time data analysis and	, ,
	accessible data storage with patient initiated data transmitted to a	
0379T	remote surveillance enter for up to 3	Always Investigational
	Transcatheter insertion or replacement of permanent leadless	, 0
0387T	pacemaker, ventricular	Always Investigational
	passinansi, isinansi	, and ye are congaineria.
0388T	Transcatheter removal of permanent leadless pacemaker, ventricular	Always Investigational
	Programming device evaluation (in person) with iterative adjustment of	, ,
	the implantable device to test the function of the device and select	
0389T	optimal permanent programmed values	Always Investigational
	Peri-procedural device evaluation (in person) and programming of device	, ,
	system parameters before or after a surgery, procedure or test with	
0390T	analysis, review and report, leadle	Always Investigational
		, and ye are congaineria.
	Interrogation device evaluation (in person) with analysis, review and	
	report, includes connection, recording and disconnection per patient	
0391T	encounter, leadless pacemaker system	Always Investigational
03311	Insertion or replacement of permanent cardiac contractility modulation	7 iivays iiivestigationai
	system, including contractility evaluation when performed, and	
	programming of sensing and therapeutic parameters; pulse generator	
0408T	with transvenous electrodes	Always Investigational
U 1 U01	Insertion or replacement of permanent cardiac contractility modulation	Aiways ilivestigational
	·	
	system, including contractility evaluation when performed, and	
04007	programming of sensing and therapeutic parameters; pulse generator	Almana Immadii edile edi
0409T	only	Always Investigational
	Insertion or replacement of permanent cardiac contractility modulation	
0440=	system, including contractility evaluation when performed, and	
0410T	programming of sensing and therapeutic parameters; atrial electrode only	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Insertion or replacement of permanent cardiac contractility modulation	
	system, including contractility evaluation when performed, and	
	programming of sensing and therapeutic parameters; ventricular	
0411T	electrode only	Always Investigational
	Removal and replacement of permanent cardiac contractility modulation	
0414T	system pulse generator only	Always Investigational
	Repositioning of previously implanted cardiac contractility modulation	
0415T	transvenous electrode, (atrial or ventricular lead)	Always Investigational
	Relocation of skin pocket for implanted cardiac contractility modulation	
0416T	pulse generator	Always Investigational
	Programming device evaluation (in person) with iterative adjustment of	
	the implantable device to test the function of the device and select	
	optimal permanent programmed values with analysis, including review	
0417T		Always Investigational
04171	and report, implantable cardiac contractility modulation system	Always Investigational
	Interrogation device evaluation (in person) with analysis, review and	
	report, includes connection, recording and disconnection per patient	
0418T		Always Investigational
04181	encounter; implantable cardiac contractility modulation system	Always Investigational
	Destruction neurofibromata, extensive, (cutaneous, dermal extending	
0419T	into subcutaneous); face, head and neck, greater than 50 neurofibromata	Always Investigational
04191	Destruction neurofibromata, extensive, (cutaneous, dermal extending	Always investigational
	into subcutaneous); trunk and extremities, extensive, greater than 100	
0420T	neurofibromata	Always Investigational
04201	Tactile breast imaging by computer-aided tactile sensors, unilateral or	Always investigational
0422T	bilateral	Always Investigational
0423T	Secretory type II phospholipase A2 (sPLA2-IIA)	Always Investigational
04231	Secretory type ii phospholipase A2 (sr LA2-IIA)	Aiways investigational
	Insertion or replacement of neurostimulator system for treatment of	
	central sleep apnea; complete system (transvenous placement of right or	
0424T	left stimulation lead, sensing lead, implantable pulse generator)	Always Investigational
0.2	Insertion or replacement of neurostimulator system for treatment of	7 iii ays iii estigationai
0425T	central sleep apnea; sensing lead only	Always Investigational
0.20.	Insertion or replacement of neurostimulator system for treatment of	/ayocomgamona.
0426T	central sleep apnea; stimulation lead only	Always Investigational
	Insertion or replacement of neurostimulator system for treatment of	, and provide the second of th
0427T	central sleep apnea; pulse generator only	Always Investigational
	Removal of neurostimulator system for treatment of central sleep apnea;	2,5 230.000.000
0428T	pulse generator only	Always Investigational
	Removal of neurostimulator system for treatment of central sleep apnea;	. ,
0429T	sensing lead only	Always Investigational
	Removal of neurostimulator system for treatment of central sleep apnea;	. ,
0430T	stimulation lead only	Always Investigational
	Removal and replacement of neurostimulator system for treatment of	2,5 230.000.000
0431T	central sleep apnea, pulse generator only	Always Investigational
	Transport of the second particles of the second sec	1

Codes	ServiceDescription	ExceptionsNotes
	Repositioning of neurostimulator system for treatment of central sleep	
0432T	apnea; stimulation lead only	Always Investigational
	Repositioning of neurostimulator system for treatment of central sleep	
0433T	apnea; sensing lead only	Always Investigational
	Interrogation device evaluation implanted neurostimulator pulse	
0434T	generator system for central sleep apnea	Always Investigational
	Programming device evaluation of implanted neurostimulator pulse	
0435T	generator system for central sleep apnea; single session	Always Investigational
	Programming device evaluation of implanted neurostimulator pulse	
0436T	generator system for central sleep apnea; during sleep study	Always Investigational
	Ablation, percutaneous, cryoablation, includes imaging guidance; upper	
0440T	extremity distal/peripheral nerve	Always Investigational
	Ablation, percutaneous, cryoablation, includes imaging guidance; lower	
0441T	extremity distal/peripheral nerve	Always Investigational
	Real time spectral analysis of prostate tissue by fluorescence	
	spectroscopy (Use 0443T in conjunction with 55700) (Report 0443T only	
0443T	once per session)	Always Investigational
	Initial placement of a drug-eluting ocular insert under one or more	
0444T	eyelids, including fitting, training, and insertion, unilateral or bilateral	Always Investigational
	Subsequent placement of a drug-eluting ocular insert under one or more	
	eyelids, including re-training, and removal of existing insert, unilateral or	
	bilateral (For insertion and removal of drug-eluting implant into lacrimal	
0445T	canaliculus, use 0356T)	Always Investigational
	Creation of subcutaneous pocket with insertion of implantable interstitial	
0446T	glucose sensor, including system activation and patient training	Always Investigational
	Removal of implantable interstitial glucose sensor from subcutaneous	
0447T	pocket via incision	Always Investigational
	Removal of implantable interstitial glucose sensor with creation of	
	subcutaneous pocket at different anatomic site and insertion of new	
0448T	implantable sensor, including system activation	Always Investigational
	Insertion of aqueous drainage device, without extraogular reservoir	
0449T	Insertion of aqueous drainage device, without extraocular reservoir, internal approach, into the subconjunctival space; initial device	Always Investigational
04491	internal approach, into the subconjunctival space; initial device	Always Investigational
	Insertion of aqueous drainage device, without extraocular reservoir,	
	internal approach, into the subconjunctival space; each additional device	
0450T	(List separately in addition to code for primary procedure)	Always Investigational
	Insertion or replacement of a permanently implantable aortic	
	counterpulsation ventricular assist system, endovascular approach, and	
0451T	programming of sensing and therapeutic parameters; complete system	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	nsertion or replacement of a permanently implantable aortic	
	counterpulsation ventricular assist system, endovascular approach, and	
	programming of sensing and therapeutic parameters; aortic	
0452T	counterpulsation device and vascular hemostatic seal	Always Investigational
	Insertion or replacement of a permanently implantable aortic	
	counterpulsation ventricular assist system, endovascular approach, and	
	programming of sensing and therapeutic parameters; mechano-electrical	
0453T	skin interface	Always Investigational
	Insertion or replacement of a permanently implantable aortic	
	counterpulsation ventricular assist system, endovascular approach, and	
	programming of sensing and therapeutic parameters; subcutaneous	
0454T	electrode	Always Investigational
	Removal of permanently implantable aortic counterpulsation ventricular	
	assist system; complete system (aortic counterpulsation device, vascular	
0455T	hemostatic seal, mechano-electrical skin interface and electrodes)	Always Investigational
	Removal of permanently implantable aortic counterpulsation ventricular	
0456T	assist system; aortic counterpulsation device and vascular hemostatic seal	Always Investigational
	Removal of permanently implantable aortic counterpulsation ventricular	
0457T	assist system; mechano-electrical skin interface	Always Investigational
	Removal of permanently implantable aortic counterpulsation ventricular	
0458T	assist system; subcutaneous electrode	Always Investigational
	Relocation of skin pocket with replacement of implanted aortic	
	counterpulsation ventricular assist device, mechano-electrical skin	
0459T	interface and electrodes	Always Investigational
	Repositioning of previously implanted aortic counterpulsation ventricular	
0460T	assist device; subcutaneous electrode	Always Investigational
	Repositioning of previously implanted aortic counterpulsation ventricular	
0461T	assist device; aortic counterpulsation device	Always Investigational
	Programming device evaluation (in person) with iterative adjustment of	
	the implantable mechano-electrical skin interface and/or external driver	
	to test the function of the device and select optimal permanent	
04627	programmed values with analysis, including review and report,	Alvana Investigational
0462T	implantable aortic counterpulsation ventricular assist system, per day	Always Investigational
	Interrogation device evaluation (in person) with analysis, review and	
	report, includes connection, recording and disconnection per patient	
0463T	encounter, implantable aortic counterpulsation ventricular assist system, per day	Always Investigational
04031	Visual evoked potential, testing for glaucoma, with interpretation and	Always Investigational
0464T	report	Always Investigational
04041	Suprachoroidal injection of a pharmacologic agent (does not include	Aiways ilivestigational
0465T	supply of medication)	Always Investigational
04031	Jupply of medication)	Aiways ilivestigational

Codes	ServiceDescription	ExceptionsNotes
	Insertion of chest wall respiratory sensor electrode or electrode array,	
	including connection to pulse generator (List separately in addition to	
	code for primary procedure) This code is designated as an Add-on code by	
0466T	the AMA. List separately in addition to the primary procedure.	Always Investigational
	Revision or replacement of chest wall respiratory sensor electrode or	
0467T	electrode array, including connection to existing pulse generator	Always Investigational
0468T	Removal of chest wall respiratory sensor electrode or electrode array	Always Investigational
	Retinal polarization scan, ocular screening with on-site automated results,	
0469T	bilateral	Always Investigational
	Optical coherence tomography (OCT) for microstructural and	
	morphological imaging of skin, image acquisition, interpretation, and	
0470T	report; first lesion	Always Investigational
	Optical coherence tomography (OCT) for microstructural and	
	morphological imaging of skin, image acquisition, interpretation, and	
0471T	report; first lesion	Always Investigational
	Device evaluation, interrogation, and initial programming of intraocular	
	retinal electrode array (eg, retinal prosthesis), in person, with iterative	
	adjustment of the implantable device to test functionality, select optimal	
	permanent programmed values with analysis, including visual training,	
0472T	with review and report by a qualified health care professional	Always Investigational
	Device evaluation and interrogation of intraocular retinal electrode array	
	(eg, retinal prosthesis), in person, including reprogramming and visual	
	training, when performed, with review and report by a qualified health	
0473T	care professional	Always Investigational
	Insertion of anterior segment aqueous drainage device, with creation of	
0474T	intraocular reservoir, internal approach, into the supraciliary space	Always Investigational
	Recording of fetal magnetic cardiac signal using at least 3 channels;	
	patient recording and storage, data scanning with signal extraction,	
	technical analysis and result, as well as supervision, review, and	
	interpretation of report by a physician or other qualified health care	
0475T	professional	Always Investigational
	Recording of fetal magnetic cardiac signal using at least 3 channels;	
	patient recording, data scanning, with raw electronic signal transfer of	
0476T	data and storage	Always Investigational
	Recording of fetal magnetic cardiac signal using at least 3 channels; signal	
0477T	extraction, technical analysis, and result	Always Investigational
	Recording of fetal magnetic cardiac signal using at least 3 channels;	
	review, interpretation, report by physician or other qualified health care	
0478T	professional	Always Investigational
	Fractional ablative laser fenestration of burn and traumatic scars for	
	functional improvement; each additional 100 cm2, or each additional 1%	
0479T	of body surface area of infants and children	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Fractional ablative laser fenestration of burn and traumatic scars for	
	functional improvement; each additional 100 cm2, or each additional 1%	
0480T	of body surface area of infants and children, or part thereof	Always Investigational
	Injection(s), autologous white blood cell concentrate (autologous protein	
	solution), any site, including image guidance, harvesting and preparation,	
0481T	when performed	Always Investigational
	Transcatheter mitral valve implantation/replacement (TMVI) with	
	prosthetic valve; percutaneous approach, including transseptal puncture,	
0483T	when performed	Always Investigational
	Transcatheter mitral valve implantation/replacement (TMVI) with	
0484T	prosthetic valve; transthoracic exposure (eg, thoracotomy, transapical)	Always Investigational
	Optical coherence tomography (OCT) of middle ear, with interpretation	
0485T	and report; unilateral	Always Investigational
	Optical coherence tomography (OCT) of middle ear, with interpretation	
0486T	and report; bilateral	Always Investigational
0487T	Biomechanical mapping, transvaginal, with report	Always Investigational
	Autologous adipose-derived regenerative cell therapy for scleroderma in	
	the hands; adipose tissue harvesting, isolation and preparation of	
	harvested cells including incubation with cell dissociation enzymes,	
	removal of non-viable cells and debris, determination of concentration	
0489T	and dilution of regenerative cells	Always Investigational
	Autologous adipose-derived regenerative cell therapy for scleroderma in	
0490T	the hands; multiple injections in one or both hands	Always Investigational
	Ablative laser treatment, non-contact, full field and fractional ablation,	
0491T	open wound, per day, total treatment surface area; first 20 sq cm or less	Always Investigational
	Ablative laser treatment, non-contact, full field and fractional ablation,	
	open wound, per day, total treatment surface area; each additional 20 sq	
	cm, or part thereof (List separately in addition to code for primary	
0492T	procedure)	Always Investigational
	Near-infrared spectroscopy studies of lower extremity wounds (eg, for	, ,
0493T	oxyhemoglobin measurement)	Always Investigational
		, ,
	Surgical preparation and cannulation of marginal (extended) cadaver	
	donor lung(s) to ex vivo organ perfusion system, including decannulation,	
	separation from the perfusion system, and cold preservation of the	
0494T	allograft prior to implantation, when performed	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0495T	Initiation and monitoring marginal (extended) cadaver donor lung(s) organ perfusion system by physician or qualified health care professional, including physiological and laboratory assessment (eg, pulmonary artery flow, pulmonary artery pressure, left atrial pressure, pulmonary vascular resistance, mean/peak and plateau airway pressure, dynamic compliance and perfusate gas analysis), including bronchoscopy and X ray when performed; first two hours in sterile field	Always Investigational
0496T	Initiation and monitoring marginal (extended) cadaver donor lung(s) organ perfusion system by physician or qualified health care professional, including physiological and laboratory assessment (eg, pulmonary artery flow, pulmonary artery pressure, left atrial pressure, pulmonary vascular resistance, mean/peak and plateau airway pressure, dynamic compliance and perfusate gas analysis), including bronchoscopy and X ray when performed; each additional hour (List separately in addition to code for primary procedure)	Always Investigational
	primary processing,	, and a few cools and the
0506T	Macular pigment optical density measurement by heterochromatic flicker photometry, unilateral or bilateral, with interpretation and report	Always Investigational
0507T	Near-infrared dual imaging (ie, simultaneous reflective and trans- illuminated light) of meibomian glands, unilateral or bilateral, with interpretation and report	Always Investigational
0508T	Pulse-echo ultrasound bone density measurement resulting in indicator of axial bone mineral density, tibia	Always Investigational
0509T	Electroretinography (ERG) with interpretation and report, pattern (PERG)	Always Investigational
0510T	Removal of sinus tarsi implant	Always Investigational
0511T	Removal and reinsertion of sinus tarsi implant	Always Investigational
0512T	Extracorporeal shock wave for integumentary wound healing	Always Investigational
0513T		Always Investigational
0514T	Intraoperative visual axis identification using patient fixation (List separately in addition to code for primary procedure)	Always Investigational
0518T	Removal of only pulse generator component(s) (battery and/or transmitter) of wireless cardiac stimulator for left ventricular pacing Interrogation device evaluation (in person) with analysis, review and	Always Investigational
0521T	report	Always Investigational
0522T	Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device	Always Investigational
0523T	Intraprocedural coronary fractional flow reserve (FFR) with 3D functional mapping	Always Investigational
	Endovenous catheter directed chemical ablation with balloon isolation of	, 0
0524T	incompetent extremity vein, open or percutaneous	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
)525T	Insertion or replacement of intracardiac ischemia monitoring system	Always Investigational
)526T	Insertion or replacement of intracardiac ischemia monitoring system	Always Investigational
)527T	Insertion or replacement of intracardiac ischemia monitoring system	Always Investigational
,,,,	Programming device evaluation (in person) of intracardiac ischemia	7 iii ays iii estigationai
0528T	monitoring system	Always Investigational
	Interrogation device evaluation (in person) of intracardiac ischemia	, ,
)529T	monitoring system with analysis, review, and report	Always Investigational
)530T	Removal of intracardiac ischemia monitoring system	Always Investigational
)531T	Removal of intracardiac ischemia monitoring system	Always Investigational
532T	Removal of intracardiac ischemia monitoring system	Always Investigational
	Continuous recording of movement disorder symptoms, including	
)533T -	bradykinesia, dyskinesia, and tremor for 6 days up to 10 days;	Always Investigational
)534T	Continuous recording of movement disorder symptoms	Always Investigational
)535T	Continuous recording of movement disorder symptoms,	Always Investigational
)536T	Continuous recording of movement disorder symptoms	Always Investigational
	Myocardial imaging by magnetocardiography (MCG) for detection of	
)541T	cardiac ischemia, by signal acquisition using minimum 36 channel grid,	Always Investigational
73411	cardiac iscrientia, by signal acquisition using minimum 50 chainer griu,	Always investigational
	Myocardial imaging by magnetocardiography (MCG) for detection of	
)542T	cardiac ischemia, by signal acquisition using minimum 36 channel grid,	Always Investigational
	and the second of the second o	l may magazina
	Evacuation of meibomian glands, using heat delivered through wearable,	
)563T	open-eye eyelid treatment devices and manual gland expression, bilateral	Always Investigational
	Oncology, chemotherapeutic drug cytotoxicity assay of cancer stem cells	
	(CSCs), from cultured CSCs and primary tumor cells, categorical drug	
	response reported based on percent of cytotoxicity observed, a minimum	
)564T	of 14 drugs or drug combinations	Always Investigational
	Autologous cellular implant derived from adipose tissue for the treatment	
	of osteoarthritis of the knees; tissue harvesting and cellular implant	
)565T	creation	Always Investigational
	Autologous cellular implant derived from adipose tissue for the treatment	
	of osteoarthritis of the knees; injection of cellular implant into knee joint	
)566T	including ultrasound guidance, unilateral	Always Investigational
)	Permanent fallopian tube occlusion with degradable biopolymer implant,	Al a sila said di la
)567T	transcervical approach, including transvaginal ultrasound	Always Investigational
	Introduction of mixture of saline and air for sonosalpingography to	
DE COT	confirm occlusion of fallopian tubes, transcervical approach, including	Abore level Control
)568T	transvaginal ultrasound and pelvic ultrasound	Always Investigational
DECOT	Transcatheter tricuspid valve repair, percutaneous approach; initial	Always Investigational
0569T	prosthesis	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Transcatheter tricuspid valve repair, percutaneous approach; each	
	additional prosthesis during same session (List separately in addition to	
0570T	code for primary procedure)	Always Investigational
	Insertion or replacement of implantable cardioverter-defibrillator system	
	with substernal electrode(s), including all imaging guidance and	
	electrophysiological evaluation (includes defibrillation threshold	
	evaluation, induction of arrhythmia, evaluation of sensing for arrhythmia	
	termination, and programming or reprogramming of sensing or	
0571T	therapeutic parameters), when performed	Always Investigational
0572T	Insertion of substernal implantable defibrillator electrode	Always Investigational
0573T	Removal of substernal implantable defibrillator electrode	Always Investigational
	Repositioning of previously implanted substernal implantable defibrillator-	
0574T	pacing electrode	Always Investigational
	Decree as a second of the seco	
	Programming device evaluation (in person) of implantable cardioverter-	
	defibrillator system with substernal electrode, with iterative adjustment of the implantable device to test the function of the device and select	
	optimal permanent programmed values with analysis, review and report	
0575T	by a physician or other qualified health care professional	Always Investigational
03731	by a physician of other qualified fleath care professional	Always Investigational
	Interrogation device evaluation (in person) of implantable cardioverter-	
	defibrillator system with substernal electrode, with analysis, review and	
	report by a physician or other qualified health care professional, includes	
0576T	connection, recording and disconnection per patient encounter	Always Investigational
	Electrophysiological evaluation of implantable cardioverter-defibrillator	
	system with substernal electrode (includes defibrillation threshold	
	evaluation, induction of arrhythmia, evaluation of sensing for arrhythmia	
	termination, and programming or reprogramming of sensing or	
0577T	therapeutic parameters)	Always Investigational
	Interrogation device evaluation(s) (remote), up to 90 days, substernal lead	
	implantable cardioverter-defibrillator system with interim analysis,	
	review(s) and report(s) by a physician or other qualified health care	
0578T	professional	Always Investigational
	Interrogation device evaluation(s) (remote), up to 90 days, substernal lead	
	implantable cardioverter-defibrillator system, remote data acquisition(s),	
0579T	receipt of transmissions and technician review, technical support and distribution of results	Always Investigational
03/31	uistribution of results	Always Investigational
0580T	Removal of substernal implantable defibrillator pulse generator only	Always Investigational
	Ablation, malignant breast tumor(s), percutaneous, cryotherapy, including	
0581T	imaging guidance when performed, unilateral	Always Investigational
	Transurethral ablation of malignant prostate tissue by high-energy water	
	vapor thermotherapy, including intraoperative imaging and needle	
0582T	guidance	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Tympanostomy (requiring insertion of ventilating tube), using an	
0583T	automated tube delivery system, iontophoresis local anesthesia	Always Investigational
	Islet cell transplant, includes portal vein catheterization and infusion,	
	including all imaging, including guidance, and radiological supervision and	
0584T	interpretation, when performed; percutaneous	Always Investigational
	Islet cell transplant, includes portal vein catheterization and infusion,	
OFOFT	including all imaging, including guidance, and radiological supervision and	Alversa Investigational
0585T	interpretation, when performed; laparoscopic	Always Investigational
	Islet cell transplant, includes portal vein catheterization and infusion,	
	including all imaging, including guidance, and radiological supervision and	
0586T	interpretation, when performed; open	Always Investigational
03801	Percutaneous implantation or replacement of integrated single device	Aiways investigational
	neurostimulation system including electrode array and receiver or pulse	
	generator, including analysis, programming, and imaging guidance when	
0587T	performed, posterior tibial nerve	Always Investigational
	Revision or removal of integrated single device neurostimulation system	171 2216111
	including electrode array and receiver or pulse generator, including	
	analysis, programming, and imaging guidance when performed, posterior	
0588T	tibial nerve	Always Investigational
	Electronic analysis with simple programming of implanted integrated	
	neurostimulation system (eg, electrode array and receiver), including	
	contact group(s), amplitude, pulse width, frequency (Hz), on/off cycling,	
	burst, dose lockout, patient-selectable parameters, responsive	
	neurostimulation, detection algorithms, closed-loop parameters, and	
	passive parameters, when performed by physician or other qualified	
0589T	health care professional, posterior tibial nerve, 1-3 parameters	Always Investigational
	Electronic analysis with complex programming of implanted integrated	
	neurostimulation system (eg, electrode array and receiver), including contact group(s), amplitude, pulse width, frequency (Hz), on/off cycling,	
	burst, dose lockout, patient-selectable parameters, responsive	
	neurostimulation, detection algorithms, closed-loop parameters, and	
	passive parameters, when performed by physician or other qualified	
0590T	health care professional, posterior tibial nerve, 4 or more parameters	Always Investigational
15781	Dermabrasion; Segmental, Face	Always Cosmetic
15782	Dermabrasion; Regional, Other Than Face	Always Cosmetic
15783	Dermabrasion; Superficial, Any Site	Always Cosmetic
15786	Abrasion; Single Lesion	Always Cosmetic
15787	Abrasion; Add'l 4 Lesions	Always Cosmetic
15788	Chemical Peel, Facial; Epidermal	Always Cosmetic
15789	Chemical Peel, Facial; Dermal	Always Cosmetic
15792	Chemical Peel, Nonfacial; Epidermal	Always Cosmetic

Codes	ServiceDescription	ExceptionsNotes
15793	Chemical Peel, Nonfacial; Dermal	Always Cosmetic
15820	Blepharoplasty, Lower Eyelid	Always Cosmetic
15821	Blepharoplasty, Lower Eyelid; W/Extensive Herniated Fat Pad	Always Cosmetic
15824	Rhytidectomy; Forehead	Always Cosmetic
15826	Rhytidectomy; Glabellar Frown Lines	Always Cosmetic
	Excision, Excessive Skin and Subcutaneous Tissue (Includes Lipectomy),	
15847	Abdomen	Always Cosmetic
15876	Suction assisted lipectomy	Always Cosmetic
15877	Suction assisted lipectomy	Always Cosmetic
15878	suction assisted lipectomy	Always Cosmetic
17360	Chemical Exfoliation, Acne	Always Cosmetic
	Ablation, Cryosurgical, of Fibroadenoma, including Ultrasound Guidance,	
19105	Each Fibroadenoma	Always Investigational
19300	Gynecomastia surgery	Always Cosmetic
	Ablation therapy for reduction or eradication of 1 or more bone tumors	
	(eg. Metastasis) including adjacent soft tissue when involved by tumor	
	extension, percutaneous, including imaging guidance when performed;	
20983	cryoablation	Always Investigational
	Computer-Assisted Surgical Navigational Procedure for Musculoskeletal	, ,
20985	Procedures; Image-Less (List Sep)	Always Investigational
22505	Manipulation of spine requiring anesthesia, any region	Always Investigational
22867	Insertion of interlaminar/interspinous process stabilization/distraction device, without fusion, including image guidance when performed, with open decompression, lumbar; single level	Always Investigational
22868	Insertion of interlaminar/interspinous process stabilization/distraction device, without fusion, including image guidance when performed, with open decompression, lumbar; second level (List separately in addition to code for primary procedure)	Always Investigational
22869	Insertion of interlaminar/interspinous process stabilization/distraction device, without open decompression or fusion, including image guidance when performed, lumbar; single level	Always Investigational
22870	Insertion of interlaminar/interspinous process stabilization/distraction device, without open decompression or fusion, including image guidance when performed, lumbar; second level (List separately in addition to code for primary procedure)	Always Investigational
	Extracorporeal shock wave, high energy, performed by a physician,	
28890	requiring anesthesia other than local, plantar fascia	Always Investigational
	Rhinoplasty, Nasal Deform Sec To Cong Cleft Lip/Palat, W/Columellar	
30462	Lengthen; Tip/Septum/Osteotomies	Always Cosmetic
	Bronchoscopy; W Balloon Occlusn, Assessmt Of Air Leak, Airway Sizing,	
31647	And Insertion Of Bronchial Valve(s), Initial Lobe	Always Investigational
31648	Bronchoscopy; With Removal Of Bronchial Valve(s), Initial Lobe	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
21640	Pronchassany: With Pamayal Of Pranchial Valuata Fach Additional Laboration	Always Investigational
31649	Bronchoscopy; With Removal Of Bronchial Valve(s), Each Additional Lobe	Always Investigational
21651	Bronchoscopy; W Balloon Occlusn, Assessmt Of Air Leak, Airway Sizing,	Alumana lamashi sahi sasl
31651	And Insertion Of Bronchial Valve(s), Each Addl Lobe	Always Investigational
31660	Bronchoscopy; With Bronchial Thermoplasty, 1 Lobe	Always Investigational
31661	Bronchoscopy; With Bronchial Thermoplasty, 2 Or More Lobes	Always Investigational
33289	Transcatheter implantation of wireless pulmonary artery pressure sensor	Always Investigational
43206	Esophagoscopy, Rigid Or Flexible; With Optical Endomicroscopy	Always Investigational
43252	Upper Gastrointestinal Endoscopy; With Optical Endomicroscopy	Always Investigational
	Ugi Endoscopy; With Delivery Of Thermal Energy To The Muscle Of Lower	, ,
43257	Esophageal Sphincter And/Or Gastric Cardia	Always Investigational
	Laparoscopy, surgical, esophageal sphincter augmentation procedure,	, ,
	placement of sphincter augmentation device (ie, magnetic band),	
43284	including cruroplasty when performed	Always Investigational
	Laparoscopy, Surgical; Implantation or Replacement of Gastric	, 0
43647	Neurostimulator Electrodes, Antrum	Always Investigational
	Laparoscopy, Surgical; Revision or Removal of Gastric Neurostimulator	, ,
43648	Electrodes, Antrum	Always Investigational
	Implantation or Replacement of Gastric Neurostimulator Electrodes,	.,.
43881	Antrum, Open	Always Investigational
		, ,
43882	Revision or Removal of Gastric Neurostimulator Electrodes, Antrum, Open	Always Investigational
46948	Ligation, hemorrhoidal vascular bundle(s), including ultrasound guidance	Always Investigational
	Aspiration/Decompression, Percutaneous, Nucleus Pulposus, Any Meth,	
62287	Single/Multiple Levels, Lumbar	Always Investigational
c2202	Injection procedure for chemonucleolysis, including discography,	Almana
62292	intervertebral disc, single or multiple levels, lumbar	Always Investigational
80184	Assay Of Phenobarbital	Always Investigational
80299	Quantitation, Drug, Not Elsewhere Specified	Always Investigational
	ASXL1 (additional sex combs like 1, transcriptional regulator) (eg,	
	myelodysplastic syndrome, myeloproliferative neoplasms, chronic	
81175	myelomonocytic leukemia), gene analysis; full gene sequence	Always Investigational
	ASXL1 (additional sex combs like 1, transcriptional regulator) (eg,	, ,
	myelodysplastic syndrome, myeloproliferative neoplasms, chronic	
	myelomonocytic leukemia), gene analysis; targeted sequence analysis (eg,	
81176	exon 12)	Always Investigational
<u> </u>	Cyp2C19 (Cytochrome P450, Family 2, Subfamily C, Polypeptide 19), Gene	, === Garanan
81225	Analysis, Common Variants	Always Investigational
	Cyp2D6 (Cytochrome P450, Family 2, Subfamily D, Polypeptide 6), Gene	7, 11 22 1.6 2 1.0 1.0 1
81226	Analysis, Common Variants	Always Investigational
		. ,
	Cyp2C9 (Cytochrome P450, Family 2, Subfamily C, Polypeptide 9), Gene	

Codes	ServiceDescription	ExceptionsNotes
	CYP3A4 (cytochrome P450 famiy 3 subfamiy A member 4 (eg, drug	
81230	metabolism), gene analysis, common variant(s) (eg, *2, *22)	Always Investigational
	CYP3A5 (cytochrome P450 family 3 subfamily A member 5) (eg, drug	
81231	metabolism), gene analysis, common variants (eg, *2, *3, *4, *5, *6, *7)	Always Investigational
01231	DPYD (dihydropyrimidine dehydrogenase) (eg, 5-fluorouracil/5-FU and	Always ilivestigational
	capecitabine drug metabolism), gene analysis, common variant(s) (eg,	
81232	*2A, *4, *5, *6)	Always Investigational
	IFNL3 (interferon, lambda 3) (eg, drug response), gene analysis,	
81283	rs12979860 variant	Always Investigational
	Mthfr (5,10-Methylenetetrahydrofolate Reductase) (Eg, Hereditary	, ,
81291	Hypercoagulability) Gene Analysis, Common Variants	Always Investigational
		, ,
	PCA3/KLK3 (prostate cancer antigen 3 [non-protein coding]/kallikrein-	
81313	related peptidase 3 [prostate specific antigen]) ratio (eg, prostate cancer)	Always Investigational
	SLCO1B1 (solute carrier organic anion transporter family, member 1B1)	
81328	(eg, adverse drug reaction), gene analysis, common variant(s) (eg, *5)	Always Investigational
	RUNX1 (runt related transcription factor 1) (eg, acute myeloid leukemia,	
	familial platelet disorder with associated myeloid malignancy), gene	
81334	analysis, targeted sequence analysis (eg, exons 3-8)	Always Investigational
	TVA 46 (the social later and halos a) (see Fig. 1) and social later a)	
04246	TYMS (thymidylate synthetase) (eg, 5-fluorouracil/5-FU drug metabolism),	
81346	gene analysis, common variant(s) (eg, tandem repeat variant)	Always investigational
01250	Ugt1A1 (Udp Glucuronosyltransferase 1 Family, Polypeptide A1) (Eg,	Alvana Investigational
81350	Irinotecan Metabolism), Gene Analysis, Common Variants	Always Investigational
81355	Vkorc1 (Vitamin K Epoxide Reductase Complex, Subunit 1) (Eg, Warfarin	Always Investigational
81333	Metabolism), Gene Analysis, Common Variants Autoimmune (rheumatoid arthritis), analysis of 12 biomarkers using	Always Investigational
	immunoassays, utilizing serum, prognostic algorithm reported as a	
81490	disease activity score	Always Investigational
01430	Coronary artery disease, mRNA, gene expression profiling by real-time RT-	Always investigational
	PCR of 23 genes, utilizing whole peripheral blood, algorithm reported as a	
81493	risk score	Always Investigational
	Oncology (Ovarian), Biochemical Assays Of Two Proteins, Serum, W	, mayo mreedigadiena.
81500	Menopausal Status, Algorithm Reported As A Risk Score	Always Investigational
	Oncology (Ovarian), Biochemical Assays Of Five Proteins, Utilizing Serum,	, ,
81503	Algorithm Reported As A Risk Score	Always Investigational
81504	Oncology Tissue of Origin	Always Investigational
		-
	Oncology (colon), mRNA, gene expression profiling by real-time RT-PCR of	
	12 genes (7 content and 5 housekeeping), utilizing formalin-fixed paraffin-	
81525	embedded tissue, algorithm reported as a recurrence score	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Oncology (Prostate), promoter methylation profiling by real-time PCR of 3	
	genes (GSTP1, APC, RASSF1), utilizing formalin-fixed paraffin-embedded	
	tissue, algorithm reported as a likelihood of prostate cancer detection on	
31551	repeat biopsy	Always Investigational
32163	Angiotensin II	Always Investigational
32726	Very Long Chain Fatty Acids	Always Investigational
32777	Galectin-3	Always Investigational
33698	Lipoprotein-Associated Phospholipase A2, (Lp-Pla2)	Always Investigational
33700	Lipoprotein, blood; electrophoretic separation and quantitation	Always Investigational
	Lipoprotein, blood; high resolution fractionation and quantitation, w/wo	·
33701	lipoprotein subclasses	Always Investigational
	Lipoprotein, blood; quantitation of lipoprotein particle numbers and	, ,
33704	lipoprotein particle subclasses	Always Investigational
	I Poprotein particle state access	7 40 600.800.0110.
33719	Lipoprotein, Direct Measurement; Direct Measurement, Vldl Cholesterol	Always Investigational
33992	Phencyclidine (Pcp)	Always Investigational
	i memoyename (i opy	7 40 600.800.01.01
86001	Allergen specific IgG quantitative or semiquantitative, each allergen	Always Investigational
30001	/ mergen speame igo quantitative or semiquantitative) each anergen	7 iii aya iii caagaaanana
	Cell enumeration using immunologic selection and identification in fluid	
86152	specimen (eg, circulating tumor cells in blood);	Always Investigational
30132	specimen (eg, circulating tamor cens in blood),	/ iways investigational
	Cell enumeration using immunologic selection and identification in fluid	
86153	specimen (eg, circulating tumor cells in blood); interpretation and report	Always Investigational
36332	Immune Complex Assay	Always Investigational
30332	Initialite Complex Assay	Always investigational
86910	Blood typing, for paternity testing, per individual; ABO, Rh and MN	Always Non-covered
30310	Blood typing, for paternity testing, per individual; each additional antigen	Always Non-covered
36911	system	Always Non-covered
36999	· ·	· · · · · · · · · · · · · · · · · · ·
30999	Unlisted Transfusion Medicine Proc	Always Investigational
22065	Orthoptic &/Or Pleoptic Training, W/Continuing Medical Direction &	Alvana Investigational
92065	Evaluation	Always Investigational
22445	Corneal hysteresis determination, by air impulse stimulation, unilateral or	Al a standard stand
92145	bilateral, with interpretation and report	Always Investigational
92512	Nasal function studies (eg, rhinomanometry)	Always Investigational
	Arterial pressure waveform analysis for assessment of central arterial	
	pressures, includes obtaining waveform(s), digitization and application of	
	nonlinear mathematical transformations to determine central arterial	
	pressures and augmentation index, with interpretation and report, upper	
93050	extremity artery, non-invasive	Always Investigational
93740	Thermal imaging/ Thermography	Always Investigational
93740	Thermal imaging	Always Investigational
	Quantitative carotid intima media thickness and carotid atheroma	
93895	evaluation, bilateral	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Simultaneous, independent, quantitative measures of both	
	parasympathetic function and sympathetic function, based on time-	
	frequency analysis of heart rate variability concurrent with time-	
	frequency analysis of continuous respiratory activity, with mean heart	
	rate and blood pressure measures, during rest, paced (deep) breathing,	
95943	Valsalva maneuvers, and head-up postural change	Always Investigational
	Electronic Analysis of Implanted Gastric Neurostimulator Pulse	
95980	Generator/Transmitter; Intraoperative, with Programming	Always Investigational
	Electronic Analysis of Implanted Gastric Neurostimulator Pulse	
95981	Generator/Transmitter; Subsequent, Without Reprogramming	Always Investigational
	Electronic Analysis of Implanted Gastric Neurostimulator Pulse	
95982	Generator/Transmitter; Subsequent, with Reprogramming	Always Investigational
	Reflectance confocal microscopy (RCM) for cellular and sub-cellular	·
	imaging of skin; image acquisition and interpretation and report, first	
96931	lesion	Always Investigational
	Reflectance confocal microscopy (RCM) for cellular and sub-cellular	.,
96932	imaging of skin; image acquisition only, first lesion	Always Investigational
	, , , , , , , , , , , , , , , , , , , ,	
	Reflectance confocal microscopy (RCM) for cellular and sub-cellular	
96933	imaging of skin; interpretation and report only, first lesion	Always Investigational
30333	Reflectance confocal microscopy (RCM) for cellular and sub-cellular	7 iii aya iii caagaaanana
	imaging of skin; image acquisition and interpretation and report, each	
	additional lesion (List separately in addition to code for primary	
96934	procedure)	Always Investigational
30334	Reflectance confocal microscopy (RCM) for cellular and sub-cellular	Always ilivestigational
	imaging of skin; image acquisition only, each additional lesion (List	
96935	separately in addition to code for primary procedure)	Always Investigational
30333	separately in addition to code for primary procedure)	Always ilivestigational
	Reflectance confocal microscopy (RCM) for cellular and sub-cellular	
	imaging of skin; interpretation and report only, each additional lesion (List	
96936	separately in addition to code for primary procedure)	Always Investigational
		, ,
A4575	Topical Ox Deliver sys, nos	Always Investigational
A9285	Inversion/eversion correction device	Always Investigational
C1821	Interspinous process distraction device (implantable)	Always Investigational
61000	No brondentable (Consentable design and 1916 design and 1916 design)	Alicens Incomplete at the coll
C1890	No Implantable /insertable device used with device-intensive procedure	Always Investigational
60637	Computer-aided detection, including computer algorithm analysis of	A1 1
C8937	breast mri image data for lesion detection/characterization	Always Investigational
	Microporous collagen implantable tube (NeuraGen Nerve Guide), per cm	
C9352	length	Always Investigational
	Microporous collagen implantable slit tube (NeuraWrap Nerve Protector),	
C9353	per cm length	Always Investigational
C9354		Always Investigational
C9355	Collagen nerve cuff (NeuroMatrix), per 0.5 cm length	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Tendon, porous matrix of cross-linked collagen and glycosaminoglycan	
C9356	matrix (TenoGlide Tendon Protector Sheet), per sq cm	Always Investigational
C9358	SurgiMend, 0.5cm2	Always Investigational
	Dermal substitute, native, non-denatured collagen, neonatal bovine origin	
C9360	(SurgiMend Collagen Matrix), per 0.5 square ce	Always Investigational
	Collagen matrix nerve wrap (NeuroMend Collagen Nerve Wrap), per 0.5	
C9361	centimeter length	Always Investigational
C9364	Porcine implant, Permacol, per square centimeter	Always Investigational
	Ablation of prostate, transrectal, high intensity focused ultrasound (hifu),	
C9747	including imaging guidance	Always Investigational
	Bronchoscopy, rigid or flexible, transbronchial ablation of lesion(s) by	
C9751	microwave energy	Always Investigational
	Destruction of intraosseous basivertebral nerve, first two vertebral	
C9752	bodies, including imaging guidance (e.g., fluoroscopy), lumbar/sacrum	Always Investigational
	Destruction of intraosseous basivertebral nerve, each additional vertebral	
	body, including imaging guidance (e.g., fluoroscopy), lumbar/sacrum (list	
C9753	separately in addition to code for primary procedure)	Always Investigational
C9733	separately in addition to code for primary procedure)	Always Investigational
	Blinded procedure for nyha class iii/iv heart failure; transcatheter	
	implantation of interatrial shunt or placebo control, including right heart	
	catheterization, trans-esophageal echocardiography (tee)/intracardiac	
	echocardiography (ice), and all imaging with or without guidance (e.g.,	
C9758	ultrasound, fluoroscopy), performed in an approved investigational device exemption (ide) study	Always Investigational
E0446	Topical Ox Deliver sys, nos, includes all supplies and accessories	, <u> </u>
EU440		Always Investigational
F0740	Incontinence treatment system, pelvic floor stimulator, monitor, sensor,	Always Investigational
E0740	and/or trainer	Always Investigational
E0765	Nerve Stimulator For Tx N&V	Always Investigational
54045	Dynamic adjustable ankle extension/flexion device, includes soft interface	A
E1815	material Stationary and the state of the sta	Always Investigational
	Static progressive stretch ankle device, flexion and/or extension, with or	
F4046	without range of motion adjustment, includes all components and	Al a standard series
E1816	accessories	Always Investigational
F4000	Dynamic, adjustable toe extension/flexion device, includes soft tissue	
E1830	interface material	Always Investigational
E4040	Dynamic adjustable shoulder flexion/abduction/rotation device, includes	A1
E1840	soft interface material	Always Investigational
E40.4	Static progressive stretch shoulder device, with or without range of	
E1841	motion adjustment, includes all components	Always Investigational
	Collagen meniscus implant procedure for filling meniscal defects (eg, CMI,	
G0428	collagen scaffold, Menaflex)	Always Investigational
	Low frequency ultrasonic diathermy treatment device for home use,	
K1004	includes all components and accessories	Always Investigational
M0076	Prolotherapy	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
P9020	Platelet Rich Plasma Unit	Always Investigational
Q2026	Injection, radiesse, 0.1 ml	Always Cosmetic
Q2027	Injection, sculptra, 0.1 ml	Always Cosmetic
Q4103	Oasis burn matrix, per sq cm	Always Investigational
Q4108	Integra matrix, per sq cm	Always Investigational
Q4110	PriMatrix, per sq cm	Always Investigational
Q4111	GammaGraft, per sq cm	Always Investigational
Q4112	Cymetra, injectable, 1 cc	Always Investigational
Q4113	GRAFTJACKET XPRESS, injectable, 1cc	Always Investigational
Q4114	Integra flowable wound matrix, injectable, 1 cc	Always Investigational
Q4115	AlloSkin, per sq cm	Always Investigational
Q4117	Hyalomatrix	Always Investigational
Q4118	Matristem micromatrix	Always Investigational
Q4121	Theraskin	Always Investigational
Q4123	Alloskin Rt, Per Square Centimeter	Always Investigational
Q4124	Oasis Ultra Tri-Layer Matrix, per square centimeter	Always Investigational
Q4125	Arthroflex, Per Square Centimeter	Always Investigational
Q4126	Memoderm, Per Square Centimeter	Always Investigational
Q4127	Talymed, Per Square Centimeter	Always Investigational
Q4134	hMatrix	Always Investigational
Q4135	Mediskin	Always Investigational
Q4136	EZderm	Always Investigational
Q4137	Amnioexcel or biodexcel, per sq cm	Always Investigational
Q4138	Biodfence dryflex, per sq cm	Always Investigational
Q4139	Amniomatrix or biodmatrix, injectable, 1 cc	Always Investigational
Q4140	Biodfence, per sq cm	Always Investigational
Q4141	Alloskin AC, per sq cm	Always Investigational
Q4142	XCM biologic tissue matrix, per sq cm	Always Investigational
Q4143	Repriza, per sq cm	Always Investigational
Q4146	Tensix, per sq cm	Always Investigational
Q4147	Architect, architect PX, or architect FX, extracellular matrix, per sq cm	Always Investigational
Q4148	Neox 1k, per sq cm	Always Investigational
Q4149	Excellagen, 0.1 cc	Always Investigational
Q4150	Allowrap DS or dry, per sq cm	Always Investigational
Q4151	Amnioband or guardian, per sq cm	Always Investigational
Q4152	Dermapure, per sq cm	Always Investigational
Q4153	Dermayest, per sq cm	Always Investigational
Q4154	Biovance, per sq cm	Always Investigational
Q4155	Neoxflo or clarixflo 1 mg	Always Investigational
Q4156	Neox 100, per sq cm	Always Investigational
Q4157	Revitalon, per sq cm	Always Investigational
Q4158	Marigen, per sq cm	Always Investigational
Q4159	Affinity, per sq cm	Always Investigational
Q4160	Nushield, per square centimeter	Always Investigational
Q4161	Bio-connekt wound matrix, per square centimeter	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Amniopro flow, bioskin flow, biorenew flow, woundex flow, amniogen-a,	
Q4162	amniogen-c, 0.5 cc	Always Investigational
	Amniopro, bioskin, biorenew, woundex, amniogen-45, amniogen-200, per	
Q4163	square centimeter	Always Investigational
24164	Helicoll, per square centimeter	Always Investigational
Q4165	Keramatrix or kerasorb, per square centimeter	Always Investigational
	Cytal, per square centimeter (Acell - full thickness diabetic ulcers, venous	
Q4166	ulcers, etc)	Always Investigational
Q4167	Truskin, per square centimeter	Always Investigational
Q4168	Amnioband, 1 mg	Always Investigational
Q4169	Artacent wound, per square centimeter	Always Investigational
Q4170	Cygnus, per square centimeter	Always Investigational
Q4171	Interfyl, 1 mg	Always Investigational
Q4172	Puraply or puraply am, per square centimeter	Always Investigational
Q4173	Palingen or palingen xplus, per square centimeter	Always Investigational
Q4174	Palingen or promatrx, 0.36 mg per 0.25 cc	Always Investigational
Q4175	Miroderm, per square centimeter	Always Investigational
Q4176	NeoPatch	Always Investigational
Q4177	FlowerAmnioFlo	Always Investigational
Q4178	FlowerAmnioPatch	Always Investigational
Q4179	FlowerDerm	Always Investigational
Q4180	ReVita	Always Investigational
Q4181	Amnio Wound	Always Investigational
Q4182	Transcyte	Always Investigational
Q4183	Surgigraft, per square centimeter	Always Investigational
Q4184	Cellesta or cellesta duo, per square centimeter	Always Investigational
Q4185	Cellesta flowable amnion (25 mg per cc); per 0.5 cc	Always Investigational
Q4188	Amnioarmor, per square centimeter	Always Investigational
Q4189	Artacent ac, 1 mg	Always Investigational
Q4190	Artacent ac, per square centimeter	Always Investigational
Q4191	Restorigin, per square centimeter	Always Investigational
Q4192	Restorigin, 1 cc	Always Investigational
Q4193	Coll-e-derm, per square centimeter	Always Investigational
Q4194	Novachor, per square centimeter	Always Investigational
Q4195	Puraply, per square centimeter	Always Investigational
Q4196	Puraply am, per square centimeter	Always Investigational
Ղ4197	Puraply xt, per square centimeter	Always Investigational
Q4198	Genesis amniotic membrane, per square centimeter	Always Investigational
Q4200	Skin te, per square centimeter	Always Investigational
Q4201	Matrion, per square centimeter	Always Investigational
Q4202	Keroxx (2.5g/cc), 1cc	Always Investigational
Q4203	Derma-gide, per square centimeter	Always Investigational
Q4204	Xwrap, per square centimeter	Always Investigational
Q4205	Membrane graft or membrane wrap, per square centimeter	Always Investigational
Q4206	Fluid flow or fluid GF, 1 cc	Always Investigational
Q4208	Novafix, per square centimeter	Always Investigational
Q4209	Surgraft, per square centimeter	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
Q4210	Axolotl graft or axolotl dualgraft, per square centimeter	Always Investigational
Q4211	Amnion bio or Axobiomembrane, per square centimeter	Always Investigational
Q4212	Allogen, per cc	Always Investigational
Q4213	Ascent, 0.5 mg	Always Investigational
Q4214	Cellesta cord, per square centimeter	Always Investigational
Q4215	Axolotl ambient or axolotl cryo, 0.1 mg	Always Investigational
Q4216	Artacent cord, per square centimeter	Always Investigational
	Woundfix, BioWound, Woundfix Plus, BioWound Plus, Woundfix Xplus or	
Q4217	BioWound Xplus, per square centimeter	Always Investigational
Q4218	Surgicord, per square centimeter	Always Investigational
Q4219	Surgigraft-dual, per square centimeter	Always Investigational
Q4220	BellaCell HD or Surederm, per square centimeter	Always Investigational
Q4221	Amniowrap2, per square centimeter	Always Investigational
Q4222	Progenamatrix, per square centimeter	Always Investigational
	MyOwn skin, includes harvesting and preparation procedures, per square	, ,
Q4226	centimeter	Always Investigational
	Decompression procedure, percutaneous, of nucleus pulposus of	1,1 111,011
	intervertebral disc, using radiofrequency energy, single or multiple levels,	
S2348	lumbar	Always Investigational
S2348	Decompress disc RF lumbar	Always Investigational
	- Coordinate of the Coordinate	7 40 600.60
	Diskectomy, anterior, with decompression of spinal cord and/or nerve	
S2350	root(s), including osteophytectomy; lumbar, single interspace	Always Investigational
02000		7 arrays investigational
	Diskectomy, anterior, with decompression of spinal cord and/or nerve	
	root(s), including osteophytectomy; lumbar, each additional interspace	
S2351	(list separately in addition to code for primary procedure)	Always Investigational
S3650	Saliva test, hormone level; during menopause	Always Investigational
S3652	Saliva test, hormone level; to assess preterm labor risk	Always Investigational
33032	Dose Optimization By Area Under The Curve (Auc) Analysis, For Infusional	Aiways investigational
S3722	5-Fluorouracil	Always Investigational
S8040	Topographic Brain Mapping	Always Investigational
		· · ·
S8130	Interferential current stimulator, 2 channel	Always Investigational
S8131	Interferential current stimulator, 4 channel	Always Investigational
S8930	Auricular electrostimulation	Always Investigational
	Application of a modality (requiring constant provider attendance) to one	[
S8948	or more areas; low-level laser; each 15 minutes	Always Investigational
S9090	Vertebral Axial Decompression	Always Investigational