

Procedures and services considered always investigational or cosmetic

Moda Health Commercial Group and Individual Members

Updated 08/02/2023

Codes	ServiceDescription	ExceptionsNotes
	Temporary female intraurethral valve-pump (ie, voiding prosthesis); initial	
	insertion, including urethral measurement	
0596T		Always Investigational
	Glomerular filtration rate (GFR) monitoring, transdermal, including sensor	
	placement and administration of more than one dose of fluorescent	
0603T	pyrazine agent, each 24 hours	Always Investigational
00031		Always Investigational
	Osteotomy, humerus, with insertion of an externally controlled	
	intramedullary lengthening device, including intraoperative imaging, initial	
	and subsequent alignment assessments, computations of adjustment	
	schedules, and management of the intramedullary lengthening device	
0594T		Always Investigational
	Noncontact real-time fluorescence wound imaging, for bacterial presence,	
0598T	location, and load, per session; first anatomic site (eg, lower extremity)	Always Investigational
05981		Always Investigational
	Temporary female intraurethral valve-pump (ie, voiding prosthesis); initial	
	insertion, including urethral measurement replacement	
0597T		Always Investigational
	Optical coherence tomography (OCT) of retina, remote, patientinitiated	
	image capture and transmission to a remote surveillance center unilateral	
	or bilateral; remote surveillance center technical support, data analyses and reports, with a minimum of 8 daily recordings, each 30 days	Always Investigational
0605T	analyses and reports, with a minimum of 8 daily recordings, each 50 days	Always Investigational
30031	Glomerular filtration rate (GFR) measurement(s), transdermal, including	
	sensor placement and administration of a single dose of fluorescent	
	pyrazine agent	
0602T		Always Investigational
	Magnetic resonance spectroscopy, determination and localization of	
	discogenic pain (cervical, thoracic, or lumbar); postprocessing for	
	algorithmic analysis of biomarker data for determination of relative	
	chemical differences between discs	
0611T		Always Investigational

ServiceDescription	ExceptionsNotes
Ablation, irreversible electroporation; 1 or more tumors per organ, including imaging guidance, when performed, percutaneous	Always Investigational
	Always Ilivestigational
"Magnetic resonance spectroscopy, determination and localization of discogenic pain (cervical, thoracic, or lumbar); acquisition of single voxel data, per disc, on biomarkers (ie, lactic acid, carbohydrate, alanine, laal, propionic acid, proteoglycan, and collagen) in at least 3 discs	Always Investigational
Noncontact real-time fluorescence wound imaging for hacterial presence	Always Investigational
location, and load, per session; each additional anatomic site (eg, upper extremity) (List	
separately in addition to code for primary procedure)	
	Always Investigational
fluoroscopic and ultrasound	
guidance, when performed, open	Always Investigational
	Always ilivestigational
Remote monitoring of an external continuous pulmonary fluid monitoring system, including measurement of radiofrequencyderived pulmonary fluid levels, heart rate, respiration rate, activity, posture, and cardiovascular rhythm (eg, ECG data), transmitted to a remote 24-hour attended surveillance center; analysis of data received and transmission of reports to the physician or other qualified health care professional	
	Always Investigational
Magnetic resonance spectroscopy, determination and localization of discogenic pain (cervical, thoracic, or lumbar); interpretation and report	Always Investigational
Magnetic resonance spectroscopy, determination and localization of discogenic pain (cervical, thoracic, or lumbar); transmission of biomarker data for software analysis	
	Always Investigational
Optical coherence tomography (OCT) of retina, remote, patientinitiated image capture and transmission to a remote surveillance center unilateral or bilateral; initial device provision, set-up and patient education on use of equipment	Always Investigational
	Ablation, irreversible electroporation; 1 or more tumors per organ, including imaging guidance, when performed, percutaneous "Magnetic resonance spectroscopy, determination and localization of discogenic pain (cervical, thoracic, or lumbar); acquisition of single voxel data, per disc, on biomarkers (ie, lactic acid, carbohydrate, alanine, laal, propionic acid, proteoglycan, and collagen) in at least 3 discs Noncontact real-time fluorescence wound imaging, for bacterial presence, location, and load, per session; each additional anatomic site (eg, upper extremity) (List separately in addition to code for primary procedure) Ablation, irreversible electroporation; 1 or more tumors, including fluoroscopic and ultrasound guidance, when performed, open Remote monitoring of an external continuous pulmonary fluid monitoring system, including measurement of radiofrequencyderived pulmonary fluid levels, heart rate, respiration rate, activity, posture, and cardiovascular rhythm (eg, ECG data), transmitted to a remote 24-hour attended surveillance center; analysis of data received and transmission of reports to the physician or other qualified health care professional Magnetic resonance spectroscopy, determination and localization of discogenic pain (cervical, thoracic, or lumbar); interpretation and report Magnetic resonance spectroscopy, determination and localization of discogenic pain (cervical, thoracic, or lumbar); transmission of biomarker data for software analysis Optical coherence tomography (OCT) of retina, remote, patientinitiated image capture and transmission to a remote surveillance center unilateral or bilateral; initial device provision, set-up and patient education on use of

Codes	ServiceDescription	ExceptionsNotes
0607T	Remote monitoring of an external continuous pulmonary fluid monitoring system, including measurement of radiofrequencyderived pulmonary fluid levels, heart rate, respiration rate, activity, posture, and cardiovascular rhythm (eg, ECG data), transmitted to a remote 24-hour attended surveillance center; set-up and patient education on use of equipment	Always Investigational
	Optical coherence tomography (OCT) of retina, remote, patientinitiated image capture and transmission to a remote surveillance center unilateral or bilateral, review, interpretation and report by the prescribing physician or	
	or bilateral; review, interpretation and report by the prescribing physician or other qualified health care professional of remote surveillance center data analyses, each 30 days	
0606T		Always Investigational
	Removal and replacement of a substernal implantable defibrillator pulse generator	
0614T		Always Investigational
	Insertion of iris prosthesis, including suture fixation and repair or removal of iris, when performed; without removal of crystalline lens or intraocular lens, without insertion of intraocular lens	
0616T		Always Investigational
0613T	Percutaneous transcatheter implantation of interatrial septal shunt device, including right and left heart catheterization, intracardiac echocardiography, and imaging guidance by the proceduralist, when performed	Always Investigational
00131	Insertion of iris prosthesis, including suture fixation and repair or removal of iris, when performed; with removal of crystalline lens and insertion of	Always Investigational
0617T	intraocular lens	Always Investigational
30271	Endovascular venous arterialization, tibial or peroneal vein, with transcatheter placement of intravascular stent graft(s) and closure by any method, including percutaneous or open vascular access, ultrasound guidance for vascular access when performed, all catheterization(s) and intraprocedural roadmapping and imaging guidance necessary to complete the intervention, all associated radiological supervision and interpretation,	a,acatigational
0620T	when performed	Always Investigational
0621T	Trabeculostomy ab interno by laser	Always Investigational
	Insertion of iris prosthesis, including suture fixation and repair or removal of iris, when performed; with secondary intraocular lens placement or intraocular lens exchange	
0618T		Always Investigational
	Eye-movement analysis without spatial calibration, with interpretation and report	,
0615T		Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Cystourethroscopy with transurethral anterior prostate	
	commissurotomy and drug delivery, including transrectal	
	ultrasound and fluoroscopy, when performed	
0619T		Always Investigational
		,
0622T	Trabeculostomy ab interno by laser; with use of ophthalmic endoscope	Always Investigational
	Wireless skin sensor thermal anisotropy measurement(s) and assessment of	
	flow in cerebrospinal fluid shunt, including ultrasound guidance, when	
0639T	performed	Always Investigational
	Transcutaneous visible light hyperspectral imaging measurement of	
	oxyhemoglobin, deoxyhemoglobin, and tissue oxygenation, with	
0631T	interpretation and report, per extremity	Always Investigational
		, ,
	Percutaneous transcatheter ultrasound ablation of nerves innervating the	
	pulmonary arteries, including right heart catheterization, pulmonary artery	
0632T	angiography, and all imaging guidance	Always Investigational
0001	Injection(s), anesthetic agent(s) and /or steroid; nerves innervating the	/ayo coulgational
	sacroiliac joint, with image guidance (i.e fluoroscopy or computed	
64451	tomography)	Always investigational
0	Radiofrequency ablation, nerves innervating the sacroiliac joint, with image	/a yo coa.gaa.oa
64625	guidance	Always Investigational
0.023	NUDT15 (nudix hydrolase 15)(eg, drug metabolism) gene analysis, common	7 iii ays iii vestigationai
81306	variant(s)	Always Investigational
01300	Variant(3)	7 iivays iiivestigationai
	Oncology (cutaneous melanoma), mRNA, gene expression profiling by real-	
	time RT-PCR of 31 genes (28 content and 3 housekeeping), utilizing formalin-	
	fixed paraffin-embedded tissue, algorithm reported as recurrence risk,	Always Investigational
81529	including likelihood of sentinel lymph node metastasis	Aiways iiivesugauoiiai
95803	Actigraphy	Always Investigational
J0591	Injection, deoxycholic acid, 1 mg	Always Cosmetic
30331	Bionextpatch, per square centimeter	///ways cosmetic
Q4228	biolickipaten, per square centimeter	Always Investigational
Q+220	Amniocore, per square centimeter	Always investigational
Q4227	Anniocore, per square certaineter	Always Investigational
Q4ZZ1	Xcellerate, per square centimeter	Aiways investigational
Q4234	Aceilerate, per square certimeter	Always Investigational
Q4234	Corplex, per square centimeter	Always investigational
04222	Corplex, per square certifileter	Always Investigational
Q4232	Cogonov flowable ampien per O F es	Always Investigational
04220	Cogenex flowable amnion, per 0.5 cc	Always Investigational
Q4230	Cogonov ampietia mambrana nor severa continuatar	Always Investigational
04222	Cogenex amniotic membrane, per square centimeter	Almana lamasatta 1
Q4229		Always Investigational
Q4231	Corplex p, per cc	Always Investigational
0.400-	Carepatch, per square centimeter	
Q4236		Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Corecyte, for topical use only, per 0.5 cc	
Q4240		Always Investigational
	Surfactor or nudyn, per 0.5 cc	
Q4233	, , , , , , , , , , , , , , , , , , ,	Always Investigational
4 :	Polycyte, for topical use only, per 0.5 cc	
Q4241	is onyoyee, for copical ase only, per old co	Always Investigational
Q1211	Cryo-cord, per square centimeter	/ iways investigational
Q4237	eryo cora, per square certimeter	Always Investigational
Q+237	Amniorepair or altiply, per square centimeter	Aiways investigational
04225	Anniorepair of attipity, per square centimeter	Always Investigational
Q4235	Amnie mayy er amnie mayy lite ner sayyere centimeter	Always Investigational
0.4220	Amnio-maxx or amnio-maxx lite, per square centimeter	Almanatantiant
Q4239		Always Investigational
	Derm-maxx, per square centimeter	
Q4238		Always Investigational
	Amniotext, per cc	
Q4245		Always Investigational
Q4249	AMNIPLY, for topical use only, per sq cm	Always Investigational
Q4254	Novafix DL, per sq cm	Always Investigational
	Procenta, per 200 mg	
Q4244		Always Investigational
	Dermacyte amniotic membrane allograft, per square centimeter	
Q4248		Always Investigational
S1091	Mometasone furoate sinus implant, 370 micrograms	Always Investigational
	Amniotext patch, per square centimeter	
Q4247		Always Investigational
Q4250	AmnioAmp-MP, per sq cm	Always Investigational
,	Coretext or protext, per cc	, ,
Q4246	, , , , , , , , , , , , , , , , , , ,	Always Investigational
Q.2.10	Amniocyte plus, per 0.5 cc	/ iiiiaya iiiveatigationai
Q4242	7 minocyte plas, per ols ce	Always Investigational
Q4255	REGUaRD, for topical use only, per sq cm	Always Investigational
Q4233	NEGORNO, FOI COPICAL USE OTHY, PET SQ CITI	Always ilivestigational
	Twin avgosity, gonomic targeted coguence analysis of shromesome 2, using	Always Investigational
000011	Twin zygosity, genomic targeted sequence analysis of chromosome 2, using	Always Investigational
0060U	circulating cell-free fetal DNA in maternal blood	
	Prescription drug monitoring, evaluation of 65 common drugs by LC-MS/MS,	
	urine, each drug reported detected or not detected	Always Investigational
0093U		
	Transapical mitral valve repair, including transthoracic echocardiography,	
	when performed, with placement of artificial chordae tendineae	Always Investigational
0543T		
	Transcatheter mitral valve annulus reconstruction, with implantation of	
	adjustable annulus reconstruction device, percutaneous approach including	
	transseptal puncture	Always Investigational
0544T		

Codes	ServiceDescription	ExceptionsNotes
OF 4FT	Transcatheter tricuspid valve annulus reconstruction with implantation of adjustable annulus reconstruction device, percutaneous approach	Always Investigational
0545T 0546T	Radiofrequency spectroscopy, real time, intraoperative margin assessment, at the time of partial mastectomy, with report	Always Investigational
0547T	Bone-material quality testing by microindentation(s) of the tibia(s), with results reported as a score	Always Investigational
0548T	Transperineal periurethral balloon continence device; bilateral placement, including cystoscopy and fluoroscopy	Always Investigational
0549T	Transperineal periurethral balloon continence device; unilateral placement, including cystoscopy and fluoroscopy	Always Investigational
0550T	Transperineal periurethral balloon continence device; removal, each balloon	Always Investigational
0551T	Transperineal periurethral balloon continence device; adjustment of balloon(s) fluid volume	Always Investigational
0552T	Low-level laser therapy, dynamic photonic and dynamic thermokinetic energies, provided by a physician or other qualified health care professional	Always Investigational
0553T	Percutaneous transcatheter placement of iliac arteriovenous anastomosis implant, inclusive of all radiological supervision and interpretation, intraprocedural roadmapping, and imaging guidance necessary to complete the intervention	Always Investigational
0554T	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; retrieval and transmission of the scan data, assessment of bone strength and fracture risk and bone mineral density, interpretation and report	Always Investigational
0555T	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; retrieval and transmission of the scan data	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Bone strength and fracture risk using finite element analysis of functional	
	data, and bone-mineral density, utilizing data from a computed tomography	
	scan; assessment of bone strength and fracture risk and bone mineral	
	density	Always Investigational
0556T		
	Bone strength and fracture risk using finite element analysis of functional	
	data, and bone-mineral density, utilizing data from a computed tomography	
	scan; interpretation and report	Always Investigational
0557T		
	Computed tomography scan taken for the purpose of biomechanical	
	computed tomography analysis	Always Investigational
0558T		
	Anatomic model 3D-printed from image data set(s); first individually	
	prepared and processed component of an anatomic structure	Always Investigational
0559T		
	Anatomic model 3D-printed from image data set(s); each additional	
	individually prepared and processed component of an anatomic structure	
	(List separately in addition to code for primary procedure)	Always Investigational
0560T		
	Anatomic guide 3D-printed and designed from image data set(s); first	
	anatomic guide	Always Investigational
0561T		
	Anatomic guide 3D-printed and designed from image data set(s); each	
	additional anatomic guide (List separately in addition to code for primary	
	procedure)	Always Investigational
0562T		
	"Noncontact near-infrared spectroscopy studies of flap or wound	
	(eg, for measurement of deoxyhemoglobin, oxyhemoglobin, and	
	ratio of tissue oxygenation [StO2]); image acquisition,	
	interpretation and report, each flap or wound"	Always Investigational
0640T		, ,
	Noncontact near-infrared spectroscopy studies of flap or wound (eg, for	
	measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue	
	oxygenation [StO2]); image acquisition ony, each flap or wound	Always Investigational
0641T		
	Noncontact near-infrared spectroscopy studies of flap or wound (eg, for	
	measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue	
	oxygenation [StO2]); interpretation and report only, each flap or wound	Always Investigational
0642T		'

Codes	ServiceDescription	ExceptionsNotes
	Transcatheter left ventricular restoration device implantation including right	•
	and left heart catheterization and left ventriculography when performed,	
	arterial approach	Always Investigational
0643T		
	"Transcatheter removal or debulking of intracardiac mass (eg,	
	vegetations, thrombus) via suction (eg, vacuum, aspiration)	
	device, percutaneous approach, with intraoperative reinfusion of	
	aspirated blood, including imaging guidance, when performed"	Always Investigational
0644T		
	"Transcatheter implantation of coronary sinus reduction device	
	including vascular access and closure, right heart catheterization,	
	venous angiography, coronary sinus angiography, imaging	
	guidance, and supervision and interpretation, when performed"	Always Investigational
0645T		
	"Transcatheter tricuspid valve implantation/replacement (TTVI)	
	with prosthetic valve, percutaneous approach, including right	
	heart catheterization, temporary pacemaker insertion, and	
	selective right ventricular or right atrial angiography, when	
	performed"	Always Investigational
0646T		
	"Insertion of gastrostomy tube, percutaneous, with magnetic	
	gastropexy, under ultrasound guidance, image documentation	
	and report"	Always Investigational
0647T		
	"Quantitative magnetic resonance for analysis of tissue	
	composition (eg, fat, iron, water content), including	
	multiparametric data acquisition, data preparation and	
	transmission, interpretation and report, obtained without	
	diagnostic MRI examination of the same anatomy (eg, organ,	
	gland, tissue, target structure) during the same session"	Always Investigational
0648T		
	"Quantitative magnetic resonance for analysis of tissue	
	composition (eg, fat, iron, water content), including	
	multiparametric data acquisition, data preparation and	
	transmission, interpretation and report, obtained with diagnostic	
	MRI examination of the same anatomy (eg, organ, gland, tissue,	
	target structure) (List separately in addition to code for primary	
	procedure)"	Always Investigational
0649T		

Codes	ServiceDescription	ExceptionsNotes
	"Programming device evaluation (remote) of subcutaneous cardiac rhythm monitor system, with iterative adjustment of the implantable device to test the function of the device and select optimal permanently programmed values with analysis, review	
0650T	and report by a physician or other qualified health care professional "	Always Investigational
0651T	"Magnetically controlled capsule endoscopy, esophagus through stomach, including intraprocedural positioning of capsule, with interpretation and report"	Always Investigational
0652T	Esophagogastroduodenoscopy, flexible, transnasal; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	Always Investigational
0653T	Esophagogastroduodenoscopy, flexible, transnasal; with biopsy, single or multiple	Always Investigational
0654T	Esophagogastroduodenoscopy, flexible, transnasal; with insertion of intraluminal tube or catheter	Always Investigational
0655T	Transperineal focal laser ablation of malignant prostate tissue, including transrectal imaging guidance, with MR-fused images or other enhanced ultrasound imaging	Always Investigational
0656T	Vertebral body tethering, anterior; up to 7 vertebral segments	Always Investigational
0657T	Vertebral body tethering, anterior; 8 or more segments	Always Investigational
0658T	Electrical impedance spectroscopy of 1 or more skin lesions for automated melanoma risk score	Always Investigational
0659T	Transcatheter intracoronary infusion of supersaturated oxygen in conjunction with percutaneous coronary revascularization during acute myocardial infarction, including catheter placement, imaging guidance (eg, fluoroscopy), angiography, and radiologic supervision and interpretation	Always Investigational
0660Т	Implantation of anterior segment intraocular nonbiodegradable drug-eluting system, internal approach	Always Investigational
0661T	Removal and reimplantation of anterior segment intraocular nonbiodegradable drug-eluting implant	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0662T	Scalp cooling, mechanical; initial measurement and calibration of cap	Always Investigational
0663T	Scalp cooling, mechanical; placement of device, monitoring, and removal of device (List separately in addition to code for primary procedure)	Always Investigational
0664T	Donor hysterectomy (including cold preservation); open, from cadaver donor	Always Investigational
0665T	Donor hysterectomy (including cold preservation); open, from living donor	Always Investigational
0666T	Donor hysterectomy (including cold preservation); laparoscopic or robotic, from living donor	Always Investigational
0667T	Donor hysterectomy (including cold preservation);recipient uterus allograft transplantation from cadaver or living donor	Always Investigational
0668Т	Backbench standard preparation of cadaver or living donoruterine allograft prior to transplantation, including dissection and removal of surrounding soft tissues and preparation of uterine vein(s) and uterine artery(ies), as necessary	Always Investigational
0669Т	Backbench reconstruction of cadaver or living donor uterus allograft prior to transplantation; venous anastomosis, each	Always Investigational
0670T	Backbench reconstruction of cadaver or living donor uterus allograft prior to transplantation; arterial anastomosis, each	Always Investigational
0672T	Endovaginal cryogen-cooled, monopolar radiofrequency remodeling of the tissues surrounding the female bladder neck and proximal urethra for urinary incontinence	Always Investigational
64628	Thermal destruction of intraosseous basivertebral nerve, including all imaging guidance; first 2 vertebral bodies, lumbar or sacral	Always Investigational
64629	Thermal destruction of intraosseous basivertebral nerve, including all imaging guidance; each additional vertebral body, lumbar or sacral (List separately in addition to code for primary procedure)	Always Investigational
68841	Insertion of drug-eluting implant, including punctal dilation when performed, into lacrimal canaliculus, each	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Trabecular bone score (TBS), structural condition of the bone	
	microarchitecture; using dual X-ray absorptiometry (DXA) or other imaging	
	data on gray-scale variogram, calculation, with interpretation and report on	
	fracture-risk	Always Investigational
77089		
	Trabecular bone score (TBS), structural condition of the bone	
	microarchitecture; technical preparation and transmission of data for	
	analysis to be performed elsewhere	Always Investigational
77090		
	Trabecular bone score (TBS), structural condition of the bone	
	microarchitecture; technical calculation only	Always Investigational
77091	· · · · · · · · · · · · · · · · · · ·	
	Trabecular bone score (TBS), structural condition of the bone	
	microarchitecture; interpretation and report on fracture-risk only by other	
	qualified health care professional	Always Investigational
77092		
	Ablation, benign thyroid nodule(s), percutaneous, laser, including imaging	
	guidance	Always Investigational
0673T		
	"Laparoscopic insertion of new or replacement of permanent implantable	
	synchronized diaphragmatic stimulation system for augmentation of cardiac	
	function, including an implantable pulse generator and diaphragmatic	
	lead(s)	Always Investigational
0674T		
	"Laparoscopic insertion of new or replacement of diaphragmatic lead(s),	
	permanent implantable synchronized diaphragmatic stimulation system for	
	augmentation of cardiac function, including	
	connection to an existing pulse generator; first lead"	Always Investigational
0675T		
	"Laparoscopic insertion of new or replacement of diaphragmatic lead(s),	
	permanent implantable synchronized diaphragmatic stimulation system for	
	augmentation of cardiac function, including	
	connection to an existing pulse generator; each additional lead (List	
	separately in addition to	
	code for primary procedure)"	Always Investigational
0676T		,
	"Laparoscopic repositioning of diaphragmatic lead(s), permanent	
	implantable synchronized diaphragmatic stimulation system for	
	augmentation of cardiac function, including connection to an existing pulse	
	generator; first repositioned lead"	Always Investigational
0677T		

Codes	ServiceDescription	ExceptionsNotes
	"Laparoscopic repositioning of diaphragmatic lead(s), permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, including connection to an existing pulse generator; each additional repositioned lead (List separately in addition to	
0678T	code for primary procedure)"	Always Investigational
0679Т	"Laparoscopic removal of diaphragmatic lead(s), permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function"	Always Investigational
0680Т	"Insertion or replacement of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, with connection to existing lead(s)"	Always Investigational
0681T	Relocation of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, with connection to existing dual leads	Always Investigational
0682T	Removal of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	Always Investigational
	Programming device evaluation (in-person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	Always Investigational
0683T		
0684T	"Peri-procedural device evaluation (in-person) and programming of device system parameters before or after a surgery, procedure, or test with analysis, review, and report by a physician or other qualified health care professional, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function"	Always Investigational
0685T	"Interrogation device evaluation (in-person) with analysis, review and report by a physician or other qualified health care professional, including connection, recording and disconnection per patient encounter, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function"	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Histotripsy (ie, non-thermal ablation via acoustic energy delivery) of	
	malignant hepatocellular tissue, including image guidance	Always Investigational
0686T		
	Treatment of amblyopia using an online digital program; device supply,	
	educational set-up, and initial session	Always Investigational
0687T		
	"Treatment of amblyopia using an online digital program; assessment of	
	patient performance and program data	
	by physician or other qualified health care professional, with report, per	
	calendar month"	Always Investigational
0688T		
	Quantitative ultrasound tissue characterization (non elastographic),	
	including interpretation and report, obtained without diagnostic ultrasound	
	examination of the same anatomy (eg, organ, gland, tissue, target structure)	Always Investigational
0689T		
	Quantitative ultrasound tissue characterization (nonelastographic),	
	including interpretation and report, obtained with diagnostic ultrasound	
	examination of the same anatomy (eg, organ, gland, tissue, target structure)	
	(List separately in addition to code for primary procedure)	Always Investigational
0690T		
	"Automated analysis of an existing computed tomography study for	
	vertebral fracture(s), including assessment of bone density when	
	performed, data preparation, interpretation, and report"	Always Investigational
0691T		
	Therapeutic ultrafiltration	Always Investigational
0692T		
	Comprehensive full body computer-based markerless 3D kinematic and	
	kinetic motion analysis and report	Always Investigational
0693T		
	"3-dimensional volumetric imaging and reconstruction of breast or axillary	
	lymph node tissue, each excised specimen, 3-dimensional automatic	
	specimen reorientation, interpretation and report, realtime intraoperative"	Always Investigational
0694T		
	Body surface—activation mapping of pacemaker or pacing cardioverter-	
	defibrillator lead(s) to optimize electrical synchrony, cardiac	
	resynchronization therapy device, including connection, recording,	
	disconnection, review, and report; at time of implant or replacement	Always Investigational
0695T		

Codes	ServiceDescription	ExceptionsNotes
	Body surface—activation mapping of pacemaker or pacing cardioverter-defibrillator lead(s) to optimize electrical synchrony, cardiac resynchronization therapy device, including connection, recording, disconnection, review, and report; at time of follow-up interrogation or programming device evaluation	Always Investigational
0696T		
0699T	Injection, posterior chamber of eye, medication	Always Investigational
0700T	Molecular fluorescent imaging of suspicious nevus; first lesion	Always Investigational
0701T	Molecular fluorescent imaging of suspicious nevus; each additional lesion (List separately in addition to code for primary procedure)	Always Investigational
0704T	Remote treatment of amblyopia using an eye tracking device; device supply with initial set-up and patient education on use of equipment	Always Investigational
0705T	Remote treatment of amblyopia using an eye tracking device; surveillance center technical support including data transmission with analysis, with a minimum of 18 training hours, each 30 days	Always Investigational
0706T	Remote treatment of amblyopia using an eye tracking device; nterpretation and report by physician or other qualified health care professional, per calendar month	Always Investigational
0707T	"Injection(s), bone-substitute material (eg, calcium phosphate) into subchondral bone defect (ie, bone marrow lesion, bone bruise, stress injury, microtrabecular fracture), including imaging guidance and arthroscopic assistance for joint visualization"	Always Investigational
0708T	Intradermal cancer immunotherapy; preparation and initial injection	Always Investigational
0709Т	"Intradermal cancer immunotherapy; each additional injection (List separately in addition to code for primary procedure)"	Always Investigational
0623T	Automated quantification and characterization of coronary atherosclerotic plaque to assess severity of coronary disease, using data from coronary computed tomographic angiography	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Automated quantification and characterization of coronary atherosclerotic	
	plaque to assess severity of coronary disease, using data from coronary computed tomographic angiography	Always Investigational
0624T	Computed tomographic angiography	Always investigational
	Automated quantification and characterization of coronary atherosclerotic	
	plaque to assess severity of coronary disease, using data from coronary	
06257	computed tomographic angiography	Always Investigational
0625T	Automated quantification and characterization of coronary atherosclerotic	
	plaque to assess severity of coronary disease, using data from coronary	
	computed tomographic angiography	Always Investigational
0626T		
		Always Investigational
Q4259	Celera dual layer or celera dual membrane, per square centimeter	Always investigational
_ `		
		Always Investigational
Q4260	Signature apatch, per square centimeter	
		Always Investigational
Q4261	Tag, per square centimeter	7 (Ways investigational
	Power source and control electronics unit for oral device/appliance for	
K1028	neuromuscular electrical stimulation of the tongue muscle for the reduction of snoring and obstructive sleep apnea, controlled by phone application	Always Investigational
K1028	of shoring and obstructive sleep apriea, controlled by phone application	
	Oral device/appliance for neuromuscular electrical stimulation of the	
	tongue muscle, used in conjunction with the power source and control	Always Investigational
K1029	electronics unit, controlled by phone application, 90-day supply	
		Always Investigational
Q4224	Human health factor 10 amniotic patch (hhf10-p), per square centimeter	7 (Ways investigational
		Always Investigational
Q4225	Amniobind, per square centimeter	
		Always Investigational
Q4256	Mlg-complete, per square centimeter	.,
04257	Release per square centimeter	Always Investigational
Q4257	Relese, per square centimeter	
		Always Investigational
Q4258	Enverse, per square centimeter	-

Codes	ServiceDescription	ExceptionsNotes
	Arthroscopy, shoulder, surgical; with implantation of subacromial spacer (e.g., balloon), includes debridement (e.g., limited or extensive), subacromial decompression, acromioplasty, and biceps tenodesis when	Always Investigational
C9781 C9782	performed Blinded procedure for new york heart association (nyha) class ii or iii heart failure, or canadian cardiovascular society (ccs) class iii or iv chronic refractory angina	Always Investigational
C9783	Blinded procedure for transcatheter implantation of coronary sinus reduction device or placebo control, including vascular access and closure, right heart catherization, venous and coronary sinus angiography, imaging guidance and supervision and interpretation when performed in an approved investigational device exemption (ide) study	Always Investigational
A2013	Innovamatrix fs, per square centimeter	Always Investigational
A2012	Suprathel, per square centimeter	Always Investigational
A2011	Supra sdrm, per square centimeter	Always Investigational
0714T	Transperineal laser ablation of benign prostatic hyperplasia, including imaging guidance	Always Investigational
0715T	Percutaneous transluminal coronary lithotripsy (List separately in addition to code for primary procedure)	Always Investigational
0716T	Cardiac acoustic waveform recording with automated analysis and generation of coronary artery disease risk score	Always Investigational
0717T	Autologous adipose-derived regenerative cell (ADRC) therapy for partial thickness rotator cuff tear; adipose tissue harvesting, isolation and preparation of harvested cells, including incubation with cell dissociation enzymes, filtration, washing and concentration of ADRCs	Always Investigational
0718T	Autologous adipose-derived regenerative cell (ADRC) therapy for partial thickness rotator cuff tear; injection into supraspinatus tendon including ultrasound guidance, unilateral	Always Investigational
0720T	Percutaneous electrical nerve field stimulation, cranial nerves, without implantation	Always Investigational
0721T	Quantitative computed tomography (CT) tissue characterization, including interpretation and report, obtained without concurrent CT examination of any structure contained in previously acquired diagnostic imaging	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0722T	Quantitative computed tomography (CT) tissue characterization, including interpretation and report, obtained with concurrent CT examination of any structure contained in the concurrently acquired diagnostic imaging dataset (List separately in addition to code for primary procedure)	Always Investigational
0723T	Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained without diagnostic magnetic resonance imaging (MRI) examination of the same anatomy (eg, organ, gland, tissue, target structure) during the same session	Always Investigational
0724Т	Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained with diagnostic magnetic resonance imaging (MRI) examination of the same anatomy (eg, organ, gland, tissue, target structure) (List separately in addition to code for primary procedure)	Always Investigational
0725T	Vestibular device implantation, unilateral	Always Investigational
0726T	Removal of implanted vestibular device, unilateral	Always Investigational
0727T	Removal and replacement of implanted vestibular device, unilateral	Always Investigational
0728T	Diagnostic analysis of vestibular implant, unilateral; with initial programming	Always Investigational
0729T	Diagnostic analysis of vestibular implant, unilateral; with subsequent programming	Always Investigational
0730Т	Trabeculotomy by laser, including optical coherence tomography (OCT) guidance	Always Investigational
0731T	Augmentative AI-based facial phenotype analysis with report	Always Investigational
0732T	Immunotherapy administration with electroporation, intramuscular	Always Investigational
0733T	Remote body and limb kinematic measurement-based real-time, motion capture-based neurorehabilitative therapy ordered by a physician or other qualified health care professional; supply and technical support, per 30 days	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Remote body and limb kinematic measurement-based therapy ordered by a	
	physician or other qualified health care professional; treatment	
	management services by a physician or other qualified health care	Always Investigational
0734T	professional, per calendar month	
	Remote body and limb kinematic measurement-based therapy ordered by a	
	physician or other qualified health care professional; treatment	Always Investigational
0734T	management services by a physician or other qualified health care professional, per calendar month	Always Investigational
0/341	Preparation of tumor cavity, with placement of a radiation therapy	
	applicator for intraoperative radiation therapy (IORT) concurrent with	
	primary craniotomy (List separately in addition to code for primary	Always Investigational
0735T	procedure)	/ ways mivestigational
07001	p. 3333 a. 37	
	Colonic lavage, 35 or more liters of water, gravity-fed, with induced	Always Investigational
0736T	defecation, including insertion of rectal catheter	, ,
,		
		Always Investigational
0737T	Xenograft implantation into the articular surface	
		Always Investigational
0332U	ONC PAN TUM GENETIC PRFLG 8 DNA QUAN PCR WHL BLD	
022211	ONG IVE COVING LICE ALVE MAETHIN TAL DATTERNIC CERMA	Always Investigational
0333U	ONC LVR SRVLNC HCC ALYS METHYLTN PATTERNS CFDNA	
		Always Investigational
0334U	ONC SLD ORGN TGSA FFPE TUM TISS DNA 84/+ GEN	Always ilivesugational
03340	ONE SED CHAIN TOSKTITE TOWN 1133 BINNOW, T GEN	
		Always Investigational
0335U	RARE DISEASES WHOLE GENOME SEQ ALYS FETAL SAMPLE	, ,
		Always Investigational
0336U	RARE DISEASES WHOLE GENOME SEQ ALYS BLOOD/SALIVA	
		Always Investigational
0337U	ONC PLSM CLL DO&MYLOMA CRCG PLSM CLL IMMLG SLCTN	
		Abores to P. C.
0338U	ONC SED THM CDCC THMOD CELL SELECTION	Always Investigational
U336U	ONC SLD TUM CRCG TUMOR CELL SELECTION	
		Always Investigational
0339U	ONC PROSTATE MRNA XPRSN PRFLG HOXC6 &DLX1 RT-PCR	, aways mivesugational
33330		
		Always Investigational
0342U	ONC PNCRTC CA MULT IA ECLIA SRM ALG	

Codes	ServiceDescription	ExceptionsNotes
0343U	ONC PRST8 XOME BASED ALYS 442 SNCRNA RT-QPCR UR	Always Investigational
0344U	HEP NAFLD SEMIQ EVAL 28 LIPID MRK SRM NASH/XNASH	Always Investigational
0345U	PSYC GENOMIC ALYS PANEL VARIANT ALYS 15 GENES	Always Investigational
0346U	BETA AMYLOID AB40&AB42 LC-MS/MS RATIO PLASMA	Always Investigational
0347U	RX METAB/PCX DNA 16 GENE VRNT ALYS&REPRTD PHNT	Always Investigational
0348U	RX METAB/PCX DNA 25 GENE VRNT ALYS&REPRTD PHNT	Always Investigational
0349U	RX METAB/PCX DNA 27 GEN VRNT ALYS&PHNT GEN-RX IA	Always Investigational
0350U	RX METAB/PCX DNA 27 GENE VRNT ALYS&REPRTD PHNT	Always Investigational
0351U	NFCT DS BCT/VIRAL TRAIL IP-10 C-REACT PRTN SRM	Always Investigational
0354U	HPV HIGH RISK QUALITATIVE MRNA XPRSN E6/E7 QPCR	Always Investigational
0323U	Infectious agent detection by nucleic acid (DNA and RNA), central nervous system pathogen, metagenomic next-generation sequencing, cerebrospinal fluid (CSF), identification of pathogenic bacteria, viruses, parasites, or fungi	Always Investigational
0324U	Oncology (ovarian), spheroid cell culture, 4-drug panel (carboplatin, doxorubicin, gemcitabine, paclitaxel), tumor chemotherapy response prediction for each drug	Always Investigational
0325U	Oncology (ovarian), spheroid cell culture, poly (ADP[1]ribose) polymerase (PARP) inhibitors (niraparib, olaparib, rucaparib, velparib), tumor response prediction for each drug	Always Investigational
0330U	Infectious agent detection by nucleic acid (DNA or RNA), vaginal pathogen panel, identification of 27 organisms, amplified probe technique, vaginal swab	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Oncology (hematolymphoid neoplasia), optical genome mapping for copy	
	number alterations and gene rearrangements utilizing DNA from blood or	Always Investigational
0331U	bone marrow, report of clinically significant alternations	
	Repair of nasal valve collapse with low energy, temperature-controlled (ie,	Always Investigational
30469	radiofrequency) subcutaneous/submucosal remodeling	
02066	Orthoptic training; under supervision of a physician or other qualified health	Always investigational
92066	care professional	
	Remote therapeutic monitoring (eg, therapy adherence, therapy response);	
	device(s) supply with scheduled (eg, daily) recording(s) and/or programmed	Always Investigational
98978	alert(s) transmission to monitor cognitive behavioral therapy, each 30 days	Aiways iiivesugauoiiai
3373	Treatment planning for magnetic field induction ablation of malignant	
	prostate tissue, using data from previously performed magnetic resonance	Always Investigational
0738T	imaging (MRI) examination	
	Ablation of malignant prostate tissue by magnetic field induction, including	
	all intraprocedural, transperineal needle/catheter placement for	
	nanoparticle installation and intraprocedural temperature monitoring,	
	thermal dosimetry, bladder irrigation, and magnetic field nanoparticle	Always Investigational
0739T	activation	
	Remote autonomous algorithm-based recommendation system for insulin	Always Investigational
0740T	dose calculation and titration; initial set-up and patient education	
	Remote autonomous algorithm-based recommendation system for insulin	
	dose calculation and titration; provision of software, data collection,	Always Investigational
0741T	transmission, and storage, each 30 days	
	Bone strength and fracture risk using finite element analysis of functional	
	data and bone mineral density (BMD), with concurrent vertebral fracture	
	assessment, utilizing data from a computed tomography scan, retrieval and	
	transmission of the scan data, measurement of bone strength and BMD and	Alvere la la cation time t
0742T	classification of any vertebral fractures, with overall fracture-risk	Always Investigational
0743T	assessment, interpretation and report Insertion of bioprosthetic valve, open, femoral vein, including duplex	
	ultrasound imaging guidance, when performed, including autogenous or	
	nonautogenous patch graft (eg, polyester, ePTFE, bovine pericardium),	Always Investigational
0744T	when performed	Aiways ilivesugational
0/441	Cardiac focal ablation utilizing radiation therapy for arrhythmia; noninvasive	
	arrhythmia localization and mapping of arrhythmia site (nidus), derived	
	from anatomical image data (eg, CT, MRI, or myocardial perfusion scan) and	
	electrical data (eg, 12-lead ECG data), and identification of areas of	Always Investigational
0745T	avoidance	2,2 220,000.00
	1	1

Codes	ServiceDescription	ExceptionsNotes
	Cardiac focal ablation utilizing radiation therapy for arrhythmia; conversion	
	of arrhythmia localization and mapping of arrhythmia site (nidus) into a	Always Investigational
0746T	multidimensional radiation treatment plan	
	Cardiac focal ablation utilizing radiation thorapy for arrhythmia, delivery of	Always Investigational
0747T	Cardiac focal ablation utilizing radiation therapy for arrhythmia; delivery of radiation therapy, arrhythmia	Always Investigational
07471	Injections of stem cell product into perianal perifistular soft tissue, including	
	fistula preparation (eg, removal of setons, fistula curettage, closure of	Always Investigational
0748T	internal openings)	.,
	Bone strength and fracture-risk assessment using digital X-ray	
	radiogrammetry-bone mineral density (DXR-BMD) analysis of bone mineral	
	density (BMD) utilizing data from a digital X ray, retrieval and transmission	
0740T	of digital X-ray data, assessment of bone strength and fracture risk and	Always Investigational
0749T	BMD, interpretation and report	
	Bone strength and fracture-risk assessment using digital X-ray	
	radiogrammetry-bone mineral density (DXR-BMD) analysis of bone mineral	
	density (BMD) utilizing data from a digital X ray, retrieval and transmission	
	of digital X-ray data, assessment of bone strength and fracture risk and	
	BMD, interpretation and report; with single-view digital X-ray examination	Always Investigational
0750T	of the hand taken for the purpose of DXR-BMD	
	Digitization of glass microscope slides for level II, surgical pathology, gross	
07547	and microscopic examination (List separately in addition to code for primary	Always Investigational
0751T	procedure) Digitization of glass microscope slides for level III, surgical pathology, gross	
	and microscopic examination (List separately in addition to code for primary	Always Investigational
0752T	procedure)	Always Ilivesugational
0,321	Digitization of glass microscope slides for level IV, surgical pathology, gross	
	and microscopic examination (List separately in addition to code for primary	Always Investigational
0753T	procedure)	
	Digitization of glass microscope slides for level V, surgical pathology, gross	
	and microscopic examination (List separately in addition to code for primary	Always Investigational
0754T	procedure)	
	Digitization of glass microscope slides for level VI, surgical pathology, gross	
0755	and microscopic examination (List separately in addition to code for primary	Always Investigational
0755T	procedure) Digitization of glass microscope slides for special stain, including	
	interpretation and report, group I, for microorganisms (eg, acid fast,	
	methenamine silver) (List separately in addition to code for primary	Always Investigational
0756T	procedure)	, 10:11
	Digitization of glass microscope slides for special stain, including	
	interpretation and report, group II, all other (eg, iron, trichrome), except	
	stain for microorganisms, stains for enzyme constituents, or	
	immunocytochemistry and immunohistochemistry (List separately in	Always Investigational
0757T	addition to code for primary procedure)	

Codes	ServiceDescription	ExceptionsNotes
	Digitization of glass microscope slides for special stain, including	
	interpretation and report, histochemical stain on frozen tissue block (List	Always Investigational
0758T	separately in addition to code for primary procedure)	
	Digitization of glass microscope slides for special stain, including	
	interpretation and report, group III, for enzyme constituents (List separately	Always Investigational
0759T	in addition to code for primary procedure)	
	Digitization of glass microscope slides for immunohistochemistry or	
	immunocytochemistry, per specimen, initial single antibody stain procedure	Always Investigational
0760T	(List separately in addition to code for primary procedure)	, ,
	Digitization of glass microscope slides for immunohistochemistry or	
	immunocytochemistry, per specimen, each additional single antibody stain	Always Investigational
0761T	procedure (List separately in addition to code for primary procedure)	
	Digitization of glass microscope slides for immunohistochemistry or	
	immunocytochemistry, per specimen, each multiplex antibody stain	Always Investigational
0762T	procedure (List separately in addition to code for primary procedure)	Aiways iiivesugauoiiai
07021	procedure (cist separately in addition to code for primary procedure)	
	Digitization of glass microscope slides for morphometric analysis, tumor	
	immunohistochemistry (eg, Her-2/neu, estrogen receptor/progesterone	
	receptor), quantitative or semiquantitative, per specimen, each single	
	antibody stain procedure, manual (List separately in addition to code for	Always Investigational
0763T	primary procedure)	, ,
	Assistive algorithmic electrocardiogram risk-based assessment for cardiac	
	dysfunction (eg, low-ejection fraction, pulmonary hypertension,	
	hypertrophic cardiomyopathy); related to concurrently performed	
	electrocardiogram (List separately in addition to code for primary	Always Investigational
0764T	procedure)	
	Assistive algorithmic electrocardiogram risk-based assessment for cardiac	
	dysfunction (eg, low-ejection fraction, pulmonary hypertension,	
	hypertrophic cardiomyopathy); related to previously performed	
0765T	electrocardiogram	Always investigational
	Transcutaneous magnetic stimulation by focused low-frequency	
	electromagnetic pulse, peripheral nerve, initial treatment, with	
	identification and marking of the treatment location, including noninvasive	
	electroneurographic localization (nerve conduction localization), when	Always Investigational
0766T	performed; first nerve	
	Transcutaneous magnetic stimulation by focused low-frequency	
	electromagnetic pulse, peripheral nerve, initial treatment, with	
	identification and marking of the treatment location, including noninvasive	
	electroneurographic localization (nerve conduction localization), when	
	performed; each additional nerve (List separately in addition to code for	Always Investigational
0767T	primary procedure)	

Codes	ServiceDescription	ExceptionsNotes
	Transcutaneous magnetic stimulation by focused low-frequency	
	electromagnetic pulse, peripheral nerve, subsequent treatment, including	
	noninvasive electroneurographic localization (nerve conduction	Always Investigational
0768T	localization), when performed; first nerve	
	Transcutaneous magnetic stimulation by focused low-frequency	
	electromagnetic pulse, peripheral nerve, subsequent treatment, including	
	noninvasive electroneurographic localization (nerve conduction	
	localization), when performed; each additional nerve (List separately in	Always Investigational
0769T	addition to code for primary procedure)	
	addition to code for primary processing	
	Virtual reality technology to assist therapy (List separately in addition to	Always Investigational
0770T	code for primary procedure)	
	production primary production	
	Virtual reality (VR) procedural dissociation services provided by the same	
	physician or other qualified health care professional performing the	
	diagnostic or therapeutic service that the VR procedural dissociation	
	supports, requiring the presence of an independent, trained observer to	
	assist in the monitoring of the patient's level of dissociation or	
	consciousness and physiological status; initial 15 minutes of intraservice	Always Investigational
0771T	time, patient age 5 years or older	
	amo, panere age e pene e enec	
	Virtual reality (VR) procedural dissociation services provided by the same	
	physician or other qualified health care professional performing the	
	diagnostic or therapeutic service that the VR procedural dissociation	
	supports, requiring the presence of an independent, trained observer to	
	assist in the monitoring of the patient's level of dissociation or	
	consciousness and physiological status; each additional 15 minutes	Always Investigational
0772T	intraservice time (List separately in addition to code for primary service)	
	The second control of	
	Virtual reality (VR) procedural dissociation services provided by a physician	
	or other qualified health care professional other than the physician or other	
	qualified health care professional performing the diagnostic or therapeutic	
	service that the VR procedural dissociation supports; initial 15 minutes of	Always Investigational
0773T	intraservice time, patient age 5 years or older	
	Virtual reality (VR) procedural dissociation services provided by a physician	
	or other qualified health care professional other than the physician or other	
	qualified health care professional performing the diagnostic or therapeutic	
	service that the VR procedural dissociation supports; each additional 15	
	minutes intraservice time (List separately in addition to code for primary	Always Investigational
0774T	service)	, , , , , , , , , , , , , , , , , , , ,
	, ·	
	Therapeutic induction of intra-brain hypothermia, including placement of a	
	mechanical temperature-controlled cooling device to the neck over carotids	
	, , , , , , , , , , , , , , , , , , , ,	I
	and head, including monitoring (eg, vital signs and sport concussion	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Real-time pressure-sensing epidural guidance system (List separately in	
0777T	addition to code for primary procedure)	Always investigational
	Surface mechanomyography (sMMG) with concurrent application of inertial	
	measurement unit (IMU) sensors for measurement of multi-joint range of	Always Investigational
0778T	motion, posture, gait, and muscle function	
	Gastrointestinal myoelectrical activity study, stomach through colon, with	Always Investigational
0779T	interpretation and report	
	Instillation of fecal microbiota suspension via rectal enema into lower	Always Investigational
0780T	gastrointestinal tract	Always ilivesugational
07801	Bronchoscopy, rigid or flexible, with insertion of esophageal protection	
	device and circumferential radiofrequency destruction of the pulmonary	
	nerves, including fluoroscopic guidance when performed; bilateral	Always Investigational
0781T	mainstem bronchi	/ ways mivestigational
0701	Bronchoscopy, rigid or flexible, with insertion of esophageal protection	
	device and circumferential radiofrequency destruction of the pulmonary	
	nerves, including fluoroscopic guidance when performed; unilateral	Always Investigational
0782T	mainstem bronchus	
	Transcutaneous auricular neurostimulation, set-up, calibration, and patient	Always Investigational
0783T	education on use of equipment	
		Always Investigational
Q4262	Dual layer impax membrane, per square centimeter	
		Always Investigational
Q4263	Surgraft the nor square continuous	Always Investigational
Q4203	Surgraft tl, per square centimeter	
		Always Investigational
Q4264	Cocoon membrane, per square centimeter	/ ways mvestigational
<u> </u>	- Control of the cont	
	Remote monitoring of a wireless pulmonary artery pressure sensor for up to	
	30 days, including at least weekly downloads of pulmonary artery pressure	
	recordings, interpretation(s), trend analysis, and report(s) by a physician or	Always Investigational
93264	other qualified health care professional	
		Noncovered
T2050	Financial management, self-directed, waiver; per diem	
T2054		Noncovered
T2051	Supports brokerage, self-directed, waiver; per diem	
		Always Investigational
A2019	Korocis amaga? marigan shield nor square contimeter	Always Investigational
AZUIS	Kerecis omega3 marigen shield, per square centimeter	l

Codes	ServiceDescription	ExceptionsNotes
		Always Investigational
A2020	Ac5 advanced wound system (ac5)	
7.2020	nes automoca trouma system (assy	
		Always Investigational
C1763	Biodesign Fistula Plug	/ ways investigational
C1703	Liver disease, analysis of 3 biomarkers (hyaluronic	
	acid [HA], procollagen III amino terminal peptide	
	[PIIINP], tissue inhibitor of metalloproteinase 1	
	[TIMP-1]), using immunoassays, utilizing serum,	
	prognostic algorithm reported as a risk score and risk	
	of liver fibrosis and liver-related clinical events within	
0014M	5 years	Always investigational
0021111	J years	/ iiivays iiivestigationai
0071T	Focused ultrasound ablation of uterine leiomyomata, including MR guidance	Always Investigational
00721	Constant and a second a second and a second a second and a second a second and a second and a second and a	, mayo mroonganona.
	Focused ultrasound ablation of uterine leiomyomata, including MR	
0072T	guidance; total leiomyomata volume greater or equal to 200 cc of tissue	Always Investigational
00721	Baratrice, term referring material and a second or equal to 200 as on assure	, mayo mroonganona
	Oncology (lung) mass spectrometric analysis of galectin-3-binding protein	
	and scavenger receptor cysteine-rich type 1 protein M130, with five clinical	
	risk factors (age, smoking status, nodule diameter, nodule-spiculation status	
	and nodule location), utilizing plasma, algorithm reported as a categorical	
0080U	probability of malignancy	Always Investigational
		171 1116111
	Nephrology (chronic kidney disease), multiplex electrochemiluminescent	
	immunoassay (ECLIA) of tumor necrosis factor receptor 1A, receptor	
	superfamily 2 (TNFR1, TNFR2), and kidney injury molecule-1 (KIM-1)	
	combined with longitudinal clinical data, including APOL1 genotype if	
	available, and plasma (isolated fresh or frozen), algorithm reported as	
0105U	probability score for rapid kidney function decline (RKFD)	Always Investigational
		, ,
	Gastric emptying, serial collection of 7 timed breath specimens, non-	
	radioisotope carbon-13 (13C) spirulina substrate, analysis of each specimen	
0106U	by gas isotope ratio mass spectrometry, reported as rate of 13CO2 excretion	Always Investigational
		,
0107T	QST testing and interpretation per extremity; using vibration stimuli	Always Investigational
	Clostridium difficile toxin(s) antigen detection by immunoassay technique,	-
0107U	stool, qualitative, multiple-step method	Always Investigational
0108T	QST testing and interpretation per extremity; using cooling stimuli	Always Investigational
	Gastroenterology (Barrett's esophagus), whole slide digital imaging,	
	including morphometric analysis, computer-assisted quantitative	
	immunolabeling of 9 protein biomarkers (p16, AMACR, p53, CD68, COX-2,	
	CD45RO, HIF1a, HER-2, K20) and morphology, formalin-fixed paraffin-	
	embedded tissue, algorithm reported as risk of progression to high-grade	
0108U	dysplasia or cancer	Always Investigational
	T. C.	,

Codes	ServiceDescription	ExceptionsNotes
0109T	QST testing and interpretation per extremity; using heat-pain stimuli	Always Investigational
01031	Infectious disease (Aspergillus species), real-time PCR for detection of DNA	7 iways investigational
	from 4 species (A. fumigatus, A. terreus, A. niger, and A. flavus), blood,	
010011	lavage fluid, or tissue, qualitative reporting of presence or absence of each	Almanalanatiantianal
0109U	species	Always Investigational
0110T	QST testing and interpretation per extremity; using other stimuli	Always Investigational
	Prescription drug monitoring, one or more oral oncology drug(s) and	
	substances, definitive tandem mass spectrometry with chromatography,	
	serum or plasma from capillary blood or venous blood, quantitative report	
0110U	with steady-state range for the prescribed drug(s) when detected	Always Investigational
	Oncology (colon cancer), targeted KRAS (codons 12, 13, and 61) and NRAS	, ,
	(codons 12, 13, and 61) gene analysis utilizing formalin-fixed paraffin-	
0111U	embedded tissue	Always Investigational
	Infectious agent detection and identification, targeted sequence analysis	, mayo mreedigadiona.
0112U	(16S and 18S rRNA genes) with drug-resistance gene	Always Investigational
01120	(100 and 100 man genes) with and resistance gene	7 iivays iiivestigationai
	Oncology (prostate), measurement of PCA3 and TMPRSS2-ERG in urine and	
	PSA in serum following prostatic massage, by RNA amplification and	
0113U	fluorescence-based detection, algorithm reported as risk score	Always Investigational
01130	Gastroenterology (Barrett's esophagus), VIM and CCNA1 methylation	Aiways investigational
	analysis, esophageal cells, algorithm reported as likelihood for Barrett's	
0114U	esophagus	Always Investigational
01140	esopriagus	Always investigational
	Respiratory infectious agent detection by nucleic acid (DNA and RNA), 18	
	viral types and subtypes and 2 bacterial targets, amplified probe technique,	
	including multiplex reverse transcription for RNA targets, each analyte	
0115U	reported as detected or not detected	Always Investigational
01130	· ·	Always Investigational
	Prescription drug monitoring, enzyme immunoassay of 35 or more drugs	
	confirmed with LC-MS/MS, oral fluid, algorithm results reported as a patient-	
044611	compliance measurement with risk of drug to drug interactions for	
0116U	prescribed medications	Always Investigational
	Pain management, analysis of 11 endogenous analytes (methylmalonic acid,	
	xanthurenic acid, homocysteine, pyroglutamic acid, vanilmandelate, 5-	
	hydroxyindoleacetic acid, hydroxymethylglutarate, ethylmalonate, 3-	
	hydroxypropyl mercapturic acid (3-HPMA), quinolinic acid, kynurenic acid),	
0447:	LC-MS/MS, urine, algorithm reported as a pain-index score with likelihood	Abores to 12 12
0117U	of atypical biochemical function associated with pain	Always Investigational
	Transplantation medicine, quantification of donor-derived cell-free DNA	
	· ·	
011011	using whole genome next-generation sequencing, plasma, reported as	Always Investigational
0118U	percentage of donor-derived cell-free DNA in the total cell-free DNA	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Cardiology, ceramides by liquid chromatography tandem mass	
	spectrometry, plasma, quantitative report with risk score for major	
0119U	cardiovascular events	Always Investigational
	Oncology (B-cell lymphoma classification), mRNA, gene expression profiling	
	by fluorescent probe hybridization of 58 genes (45 content and 13	
	housekeeping genes), formalin-fixed paraffin-embedded tissue, algorithm	
	reported as likelihood for primary mediastinal B-cell lymphoma (PMBCL)	
	and diffuse large B-cell lymphoma (DLBCL) with cell of origin subtyping in	
0120U	the latter	Always Investigational
0121U	Sickle cell disease, microfluidic flow adhesion (VCAM-1), whole blood	Always Investigational
0122U	Sickle cell disease, microfluidic flow adhesion (P-Selectin), whole blood	Always Investigational
01220	Sickle cell disease, inicrofitatale now autresion (r-selectin), whole blood	Always investigational
0123U	Mechanical fragility, RBC, shear stress and spectral analysis profiling	Always Investigational
	Hereditary breast cancer related disorders (eg, hereditary breast cancer,	
	hereditary ovarian cancer, hereditary endometrial cancer), genomic	
	sequence analysis and deletion/duplication analysis panel (ATM, BRCA1,	
0129U	BRCA2, CDH1, CHEK2, PALB2, PTEN, and TP53)	Always Investigational
	Hereditary colon cancer disorders (eg, Lynch syndrome, PTEN hamartoma	
	syndrome, Cowden syndrome, familial adenomatosis polyposis), targeted	
	mRNA sequence analysis panel (APC, CDH1, CHEK2, MLH1, MSH2, MSH6,	
	MUTYH, PMS2, PTEN, and TP53) (List separately in addition to code for	
0130U	primary procedure)	Always Investigational
	Hereditary breast cancer related disorders (eg, hereditary breast cancer,	
	hereditary ovarian cancer, hereditary endometrial cancer), targeted mRNA	
	sequence analysis panel (13 genes) (List separately in addition to code for	
0131U	primary procedure)	Always Investigational
	Hereditary ovarian cancer related disorders (eg, hereditary breast cancer,	
	hereditary ovarian cancer, hereditary endometrial cancer), targeted mRNA	
	sequence analysis panel (17 genes) (List separately in addition to code for	
0132U	primary procedure)	Always Investigational
	Hereditary prostate cancer related disorders, targeted mRNA sequence	
042211	analysis panel (11 genes) (List separately in addition to code for primary	
0133U	procedure)	Always Investigational
	Hereditary pan cancer (eg, hereditary breast and ovarian cancer, hereditary	
	endometrial cancer, hereditary colorectal cancer), targeted mRNA sequence	
012411	analysis panel (18 genes) (List separately in addition to code for primary	Always Investigational
0134U	procedure) Hereditary gynecological cancer (eg, hereditary breast and ovarian cancer,	Always Investigational
	hereditary endometrial cancer, hereditary colorectal cancer), targeted	
	mRNA sequence analysis panel (12 genes) (List separately in addition to	
0135U	code for primary procedure)	Always Investigational
01330	code for printary procedure)	Aiways ilivestigational
	ATM (ataxia telangiectasia mutated) (eg, ataxia telangiectasia) mRNA	
0136U	sequence analysis (List separately in addition to code for primary procedure)	Always Investigational
<u> </u>	jequence analysis (List separately in addition to code for primary procedure)	/ wwwy5 mvc3cigacional

Codes	ServiceDescription	ExceptionsNotes
	PALB2 (partner and localizer of BRCA2)(eg, breast and pancreatic cancer)	
	mRNA sequence analysis (List separately in addition to code for primary	
0137U	procedure)	Always Investigational
	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair	
	associated) (eg, hereditary breast and ovarian cancer) mRNA sequence	
0138U	analysis (List separately in addition to code for primary procedure)	Always Investigational
	Neurology (autism spectrum disorder [ASD]), quantitative measurements of	
	6 central carbon metabolites (ie, α-ketoglutarate, alanine, lactate,	
	phenylalanine, pyruvate, and succinate), LC-MS/MS, plasma, algorithmic	
	analysis with result reported as negative or positive (with metabolic	
0139U	subtypes of ASD)	Always Investigational
	Infectious disease (fungi), fungal pathogen identification, DNA (15 fungal	
	targets), blood culture, amplified probe technique, each target reported as	
0140U	detected or not detected	Always Investigational
	Infectious disease (bacteria and fungi), gram-positive organism identification	
	and drug resistance element detection, DNA (20 gram-positive bacterial	
	targets, 4 resistance genes, 1 pan gram-negative bacterial target, 1 pan	
	Candida target), blood culture, amplified probe technique, each target	
0141U	reported as detected or not detected	Always Investigational
	Infectious disease (bacteria and fungi), gram-negative bacterial	
	identification and drug resistance element detection, DNA (21 gram-	
	negative bacterial targets, 6 resistance genes, 1 pan gram-positive bacterial	
	target, 1 pan Candida target), amplified probe technique, each target	
0142U	reported as detected or not detected	Always Investigational
	Drug assay, definitive, 120 or more drugs or metabolites, urine, quantitative	
	liquid chromatography with tandem mass spectrometry (LC-MS/MS) using	
	multiple reaction monitoring (MRM), with drug or metabolite description,	
0143U	comments including sample validation, per date of service	Always Investigational
	Drug assay, definitive, 160 or more drugs or metabolites, urine, quantitative	
	liquid chromatography with tandem mass spectrometry (LC-MS/MS) using	
	multiple reaction monitoring (MRM), with drug or metabolite description,	
0144U	comments including sample validation, per date of service	Always Investigational
	Drug assay, definitive, 65 or more drugs or metabolites, urine, quantitative	
	liquid chromatography with tandem mass spectrometry (LC-MS/MS) using	
	multiple reaction monitoring (MRM), with drug or metabolite description,	
0145U	comments including sample validation, per date of service	Always Investigational
	Drug assay, definitive, 80 or more drugs or metabolites, urine, by	
	quantitative liquid chromatography with tandem mass spectrometry (LC-	
	MS/MS) using multiple reaction monitoring (MRM), with drug or metabolite	
0146U	description, comments including sample validation, per date of service	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Drug assay, definitive, 85 or more drugs or metabolites, urine, quantitative liquid chromatography with tandem mass spectrometry (LC-MS/MS) using multiple reaction monitoring (MRM), with drug or metabolite description,	
0147U	Drug assay, definitive, 100 or more drugs or metabolites, urine, quantitative liquid chromatography with tandem mass spectrometry (LC-MS/MS) using multiple reaction monitoring (MRM), with drug or metabolite description,	Always Investigational
0148U	Drug assay, definitive, 60 or more drugs or metabolites, urine, quantitative liquid chromatography with tandem mass spectrometry (LC-MS/MS) using multiple reaction monitoring (MRM), with drug or metabolite description,	Always Investigational
0149U	Drug assay, definitive, 120 or more drugs or metabolites, urine, quantitative liquid chromatography with tandem mass spectrometry (LC-MS/MS) using multiple reaction monitoring (MRM), with drug or metabolite description,	Always Investigational
0150U	comments including sample validation, per date of service Infectious disease (bacterial or viral respiratory tract infection), pathogen specific nucleic acid (DNA or RNA), 33 targets, real-time semi-quantitative PCR, bronchoalveolar lavage, sputum, or endotracheal aspirate, detection of 33 organismal and antibiotic resistance genes with limited semi-quantitative	
0151U	Infectious disease (bacteria, fungi, parasites, and DNA viruses), DNA, PCR	Always Investigational
0152U	and next-generation sequencing, plasma, detection of >1,000 potential microbial organisms for significant positive pathogens	Always Investigational
0153U	Oncology (breast), mRNA, gene expression profiling by next-generation sequencing of 101 genes, utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a triple negative breast cancer clinical subtype(s) with information on immune cell involvement	Always Investigational
0154U	FGFR3 (fibroblast growth factor receptor 3) gene analysis (ie, p.R248C [c.742C>T], p.S249C [c.746C>G], p.G370C [c.1108G>T], p.Y373C [c.1118A>G], FGFR3-TACC3v1, and FGFR3-TACC3v3)	Always Investigational
0155U	PIK3CA (phosphatidylinositol-4,5-bisphosphate 3-kinase, catalytic subunit alpha) (eg, breast cancer) gene analysis (ie, p.C420R, p.E542K, p.E545A, p.E545D [g.1635G>T only], p.E545G, p.E545K, p.Q546E, p.Q546R, p.H1047L, p.H1047R, p.H1047Y)	Always Investigational
0156U	Copy number (eg, intellectual disability, dysmorphology), sequence analysis APC (APC regulator of WNT signaling pathway) (eg, familial adenomatosis polyposis [FAP]) mRNA sequence analysis (List separately in addition to code	Always Investigational
0157U	for primary procedure)	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	MLH1 (mutL homolog 1) (eg, hereditary non-polyposis colorectal cancer,	
	Lynch syndrome) mRNA sequence analysis (List separately in addition to	
0158U	code for primary procedure)	Always Investigational
	Computer-aided detection, including computer algorithm analysis of MRI	
	image data for lesion detection/characterization, pharmacokinetic analysis,	
	with further physician review for interpretation, breast MRI (List separately	
0159T	in addition to code for primary procedure)	Always Investigational
	MSH2 (mutS homolog 2) (eg, hereditary colon cancer, Lynch syndrome)	
	mRNA sequence analysis (List separately in addition to code for primary	
0159U	procedure)	Always Investigational
	MSH6 (mutS homolog 6) (eg, hereditary colon cancer, Lynch syndrome)	
	mRNA sequence analysis (List separately in addition to code for primary	
0160U	procedure)	Always Investigational
	PMS2 (PMS1 homolog 2, mismatch repair system component) (eg,	
	hereditary non-polyposis colorectal cancer, Lynch syndrome) mRNA	
0161U	sequence analysis (List separately in addition to code for primary procedure)	Always Investigational
	Hereditary colon cancer (Lynch syndrome), targeted mRNA sequence	
	analysis panel (MLH1, MSH2, MSH6, PMS2) (List separately in addition to	
0162U	code for primary procedure)	Always Investigational
	Computer-aided detection (CAD) (computer algorithm analysis of digital	
	image data for lesion detection) with further physician review for	
	interpretation and report, with or without digitization of film radiographic	
	images, chest radiograph(s), performed concurrent with primary	
0174T	interpretation (List separately in addition to code for primary procedure	Always Investigational
017 11	interpretation (East separater) in addition to code for primary procedure	7 iii ays iii estigationai
	Computer-aided detection (CAD) (computer algorithm analysis of digital	
	image data for lesion detection) with further physician review for	
	interpretation and report, with or without digitization of film radiographic	
0175T	images, chest radiograph(s), performed remote from primary interpretation	Always Investigational
	Excision of rectal tumor, transanal endoscopic microsurgical approach (ie,	
0184T	TEMS), including muscularis propria (ie, full thickness)	Always Investigational
	Measurement of ocular blood flow by repetitive intraocular pressure	
0198T	sampling, with interpretation and report	Always Investigational
	Percutaneous sacral augmentation (sacroplasty), unilateral injection(s),	
0200T	including the use of a balloon or mechanical de	Always Investigational
	Percutaneous sacral augmentation (sacroplasty), bilateral injection(s),	
0201T	including the use of a balloon or mechanical dev	Always Investigational
	Algorithmic analysis, remote, of electrocardiographic-derived data with	
0206T	computer probability assessment, including repor	Always Investigational
	Evacuation of meibomian glands, automated, using heat and intermittent	
0207T	pressure, unilateral	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Pure tone audiometry (threshold), automated (includes use of computer-	
0208T	assisted device); air only	Always Investigational
	Pure tone audiometry (threshold), automated (includes use of computer-	
0209T	assisted device); air and bone	Always Investigational
	Speech audiometry threshold, automated (includes use of computer-	
0210T	assisted device);	Always Investigational
	Speech audiometry threshold, automated (includes use of computer-	
0211T	assisted device); with speech recognition	Always Investigational
	Comprehensive audiometry threshold evaluation and speech recognition	
0212T	(0209T, 0211T combined), automated (includes use of	Always Investigational
	Placement of a posterior intrafacet implant(s), unilateral or bilateral,	
0219T	including imaging and placement of bone graft(s	Always Investigational
	Placement of a posterior intrafacet implant(s), unilateral or bilateral,	
0220T	including imaging and placement of bone graft(s	Always Investigational
	Placement of a posterior intrafacet implant(s), unilateral or bilateral,	
0221T	including imaging and placement of bone graft(s	Always Investigational
	Placement of a posterior intrafacet implant(s), unilateral or bilateral,	
0222T	including imaging and placement of bone graft(s	Always Investigational
	Injection(s), platelet rich plasma, any tissue, including image guidance,	
0232T	harvesting and preparation when performed	Always Investigational
	Skin advanced glycation endproducts measurement by multi-wavelength	
0233T	fluorescent spectroscopy	Always Investigational
	Transluminal peripheral atherectomy, open or percutaneous, including	
0234T	radiological supervision and interpretation; renal artery	Always Investigational
	Transluminal peripheral atherectomy, open or percutaneous, including	
	radiological supervision and interpretation; visceral artery (except renal),	
0235T	each vessel	Always Investigational
	Transluminal peripheral atherectomy, open or percutaneous, including	
0236T	radiological supervision and interpretation; abdominal aorta	Always Investigational
02301	Transluminal peripheral atherectomy, open or percutaneous, including	Always investigational
	radiological supervision and interpretation; brachiocephalic trunk and	
0237T	branches, each vessel	Always Investigational
02371	branches, each vesser	Always investigational
	Transluminal peripheral atherectomy, open or percutaneous, including	
0238T	radiological supervision and interpretation; iliac artery, each vessel	Always Investigational
02301	radiological supervision and interpretation, mae artery, each vesser	Always investigational
	Insertion of anterior segment aqueous drainage device, without extraocular	
0253T	reservoir; internal approach, into the suprachoroidal space	Always Investigational
32331	Endovascular repair of iliac artery bifurcation using bifurcated	
	endoprosthesis from the common iliac artery into both the external and	
0254T	internal iliac artery, unilateral;	Always Investigational
	Intramuscular autologous bone marrow cell therapy, with preparation of	a,o ostigational
	harvested cells, multiple injections, one leg, including ultrasound guidance,	
0263T	if performed; complete	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Intramuscular autologous bone marrow cell therapy, with preparation of	
	harvested cells, multiple injections, one leg, including ultrasound guidance,	
0264T	if performed; complete	Always Investigational
	Intramuscular autologous bone marrow cell therapy, with preparation of	,
	harvested cells, multiple injections, one leg, including ultrasound guidance,	
0265T	if performed; unilateral	Always Investigational
	Implantation or replacement of carotid sinus baroreflex activation device;	,
	total system (includes generator placement, unilateral or bilateral lead	
0266T	placement, intraoperative	Always Investigational
	Implantation or replacement of carotid sinus baroreflex activation device;	,
	lead only, unilater (includes intra-operative interrogation, programming,	
0267T	and repositioning, when pe	Always Investigational
	Implantation or replacement of carotid sinus baroreflex activation device;	,
	pulse generator only (includes intra-operative interrogation, programming,	
0268T	and repositioning, when	Always Investigational
	Revision or removal of carotid sinus baroreflex activation device; total	,
	system (includes generator placement, unilateral or bilateral lead	
0269T	placement, inra-operative interrorg	Always Investigational
	Revision or removal of carotid sinus baroreflex activation device; lead only,	,
	unilateral (includes intra-operative interrogation, programming, and	
0270T	repositioning, when performe	Always Investigational
	Revision or removal of carotid sinus baroreflex activation device; pulse	
	generator only (includes intra-operative interrogation, programming, and	
0271T	repositioning, when performe	Always Investigational
	Interrogation device evaluation (in person), carotid sinus varoreflex	
	activation system, including telemetric iterative communication with the	
0272T	implantable device to monitor	Always Investigational
	Interrogation device evaluation (in person), carotid sinus varoreflex	
	activation system, including telemetric iterative communication with the	
0273T	implantable device to monitor	Always Investigational
	Percutaneous laminotomy/laminectomy (intralaminar approach) for	
	decompression of neural elements, (with or without ligamentous resection,	
0274T	discectomy, facetectomy and/or forami	Always Investigational
	Percutaneous laminotomy/laminectomy (intralaminar approach) for	
	decompression of neural elements, (with or without ligamentous resection,	
0275T	discectomy, facetectomy and/or forami	Always Investigational
	Transcutaneous Electrical Modulation Pain Reprocessing, Each Treatment	
0278T	Session (Includes Placement Of Electrodes)	Always Investigational
	Corneal incisions in the recipient cornea created using a laser, in preparation	
	for penetrating or lamellar keratoplasty (List separately in addition to code	
0290T	for primary procedure)	Always Investigational
	Vagus Nerve Blocking; Laparoscopic Implant Neurostim Electrode Array,	
0312T	Vagal Trunks, W Implantation Of Pulse Generator	Always Investigational
	Vagus Nerve Blocking Therapy; Laparoscopic Revision Or Replacement Of	
0313T	Vagal Trunk Neurostimulator Electrode Array	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Vagus Nerve Blocking Therapy; Laparoscopic Removal Of Vagal Trunk	
0314T	Neurostimulator Electrode Array And Pulse Generator	Always Investigational
	Vagus Nerve Blocking Therapy (Morbid Obesity); Removal Of Pulse	
0315T	Generator	Always Investigational
	Vagus Nerve Blocking Therapy (Morbid Obesity); Replacement Of Pulse	
0316T	Generator	Always Investigational
	Vagus Nerve Blocking Therapy; Neurostimulator Pulse Generator Electronic	
0317T	Analysis, Includes Reprogramming When Performed	Always Investigational
	Insertion or replacement of subcutaneous implantable defibrillator system	
0319T	with subcutaneous electrode	Always Investigational
0320T	Insertion of subcutaneous defibrillator electrode	Always Investigational
	Monitoring of intraocular pressure for 24 hours or longer, unilateral or	
0329T	bilateral, with interpretation and report	Always Investigational
0330T	Tear film imaging, unilateral or bilateral, with interpretation and report	Always Investigational
00001	Myocardial sympathetic innervation imaging, planar qualitative and	/ iiivays iiivestigationai
0331T	quantitative assessment;	Always Investigational
03311	Myocardial sympathetic innervation imaging, planar qualitative and	7 iivays iiivestigationai
0332T	quantitative assessment; with tomographic SPECT	Always Investigational
00021	quantitative assessment, with tomographic or Est	/ iiivays iiivestigationai
0333T	Visual evoked potential, screening of visual acuity, automated, with report	Always Investigational
0335T	Extra-Osseous Subtalar Joint Implant For Talotarsal Stabilization	Always Investigational
00001	Endothelial Function Assessment, Using Peripheral Vascular Response To	/ iiivays iiiveseigaeisiiai
0337T	Reactive Hyperemia, Non-Invasive, Uni/Bilat	Always Investigational
	Transcatheter Renal Sympathetic Denervation, Percutaneous Approach;	
0338T	Unilateral	Always Investigational
	Transcatheter Renal Sympathetic Denervation, Percutaneous Approach;	
0339T	Bilateral	Always Investigational
0342T	therapeutic Apheresis with Selective Hdl Delipidation and Plasma Reinfusion	Always Investigational
	Transcatheter mitral valve repair percutaneous approach via the coronary	, ,
0345T	sinus	Always Investigational
	Placement of interstitial device(s) in bone for radiostereometric analysis	, ,
0347T	(RSA)	Always Investigational
	Radiologic examination, radiostereometric analysis (RSA); spine, (includes,	, ,
0348T	cervical, thoracic and lumbosacral, when performed)	Always Investigational
00.00	Radiologic examination, radiostereometric analysis (RSA); upper	
0349T	extremity(ies), (includes shoulder, elbow and wrist, when performed)	Always Investigational
	Radiologic examination, radiostereometric analysis (RSA); lower	
	extremity(ies), (includes hip, proximal femur, knee and ankle, when	
0350T	performed)	Always Investigational
	Optical coherence tomography of breast or axillary lymph node, excised	
0351T	tissue, each specimen; real time intraoperative	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Optical coherence tomography of breast or axillary lymph node, excised	
0352T	tissue, each specimen; interpretation and report, real time or referred	Always Investigational
	Optical coherence tomography of breast, surgical cavity; real time	
0353T	intraoperative	Always Investigational
	Optical coherence tomography of breast, surgical cavity; interpretation and	
0354T	report, real time or referred	Always Investigational
	Insertion of drug-eluting implant (including punctal dilation and implant	
0356T	removal when performed) into lacrimal canaliculus, each	Always Investigational
	Bioelectrical impedance analysis whole body composition assessment,	
0358T	supine position, with interpretation and report	Always Investigational
	Anoscopy with directed submucosal injection of bulking agent for fecal	
0377T	incontinence	Always Investigational
	Visual field assessment, with concurrent real time data analysis and	
	accessible data storage with patient initiated data transmitted to a remote	
0378T	surveillance center for up to	Always Investigational
	Visual field assessment, with concurrent real time data analysis and	
	accessible data storage with patient initiated data transmitted to a remote	
0379T	surveillance enter for up to 3	Always Investigational
	Transcatheter insertion or replacement of permanent leadless pacemaker,	
0387T	ventricular	Always Investigational
0388T	Transcatheter removal of permanent leadless pacemaker, ventricular	Always Investigational
	Programming device evaluation (in person) with iterative adjustment of the	
	implantable device to test the function of the device and select optimal	
0389T	permanent programmed values	Always Investigational
	Peri-procedural device evaluation (in person) and programming of device	
	system parameters before or after a surgery, procedure or test with	
0390T	analysis, review and report, leadle	Always Investigational
	Interrogation device evaluation (in person) with analysis, review and report,	
	includes connection, recording and disconnection per patient encounter,	
0391T	leadless pacemaker system	Always Investigational
	Insertion or replacement of permanent cardiac contractility modulation	
	system, including contractility evaluation when performed, and	
	programming of sensing and therapeutic parameters; pulse generator with	
0408T	transvenous electrodes	Always Investigational
	Insertion or replacement of permanent cardiac contractility modulation	
	system, including contractility evaluation when performed, and	
0409T	programming of sensing and therapeutic parameters; pulse generator only	Always Investigational
	Insertion or replacement of permanent cardiac contractility modulation	
	system, including contractility evaluation when performed, and	
0410T	programming of sensing and therapeutic parameters; atrial electrode only	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Insertion or replacement of permanent cardiac contractility modulation	
	system, including contractility evaluation when performed, and	
	programming of sensing and therapeutic parameters; ventricular electrode	
0411T	only	Always Investigational
	Removal and replacement of permanent cardiac contractility modulation	
0414T	system pulse generator only	Always Investigational
	Repositioning of previously implanted cardiac contractility modulation	
0415T	transvenous electrode, (atrial or ventricular lead)	Always Investigational
	Relocation of skin pocket for implanted cardiac contractility modulation	
0416T	pulse generator	Always Investigational
	Programming device evaluation (in person) with iterative adjustment of the	
	implantable device to test the function of the device and select optimal	
	permanent programmed values with analysis, including review and report,	
0417T	implantable cardiac contractility modulation system	Always Investigational
	Interrogation device evaluation (in person) with analysis, review and report,	
0440=	includes connection, recording and disconnection per patient encounter;	
0418T	implantable cardiac contractility modulation system	Always Investigational
	Destruction neurofibremete extensive (suteneous dermal extending inte	
0419T	Destruction neurofibromata, extensive, (cutaneous, dermal extending into	Always Investigational
04191	subcutaneous); face, head and neck, greater than 50 neurofibromata Destruction neurofibromata, extensive, (cutaneous, dermal extending into	Always Investigational
	subcutaneous); trunk and extremities, extensive, greater than 100	
0420T	neurofibromata	Always Investigational
04201	Tactile breast imaging by computer-aided tactile sensors, unilateral or	Always investigational
0422T	bilateral	Always Investigational
0423T	Secretory type II phospholipase A2 (sPLA2-IIA)	Always Investigational
0 1231	Secretary type ii priosprioripase / iz (5: E/12 ii//)	7 iiways iiivestigationai
	Insertion or replacement of neurostimulator system for treatment of central	
	sleep apnea; complete system (transvenous placement of right or left	
0424T	stimulation lead, sensing lead, implantable pulse generator)	Always Investigational
	Insertion or replacement of neurostimulator system for treatment of central	, ,
0425T	sleep apnea; sensing lead only	Always Investigational
	Insertion or replacement of neurostimulator system for treatment of central	
0426T	sleep apnea; stimulation lead only	Always Investigational
	Insertion or replacement of neurostimulator system for treatment of central	
0427T	sleep apnea; pulse generator only	Always Investigational
	Removal of neurostimulator system for treatment of central sleep apnea;	
0428T	pulse generator only	Always Investigational
	Removal of neurostimulator system for treatment of central sleep apnea;	
0429T	sensing lead only	Always Investigational
	Removal of neurostimulator system for treatment of central sleep apnea;	
0430T	stimulation lead only	Always Investigational
	Removal and replacement of neurostimulator system for treatment of	
0431T	central sleep apnea, pulse generator only	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Repositioning of neurostimulator system for treatment of central sleep	
0432T	apnea; stimulation lead only	Always Investigational
	Repositioning of neurostimulator system for treatment of central sleep	
0433T	apnea; sensing lead only	Always Investigational
	Interrogation device evaluation implanted neurostimulator pulse generator	
0434T	system for central sleep apnea	Always Investigational
	Programming device evaluation of implanted neurostimulator pulse	
0435T	generator system for central sleep apnea; single session	Always Investigational
	Programming device evaluation of implanted neurostimulator pulse	
0436T	generator system for central sleep apnea; during sleep study	Always Investigational
0-1301	Ablation, percutaneous, cryoablation, includes imaging guidance; upper	//ways investigational
0440T	extremity distal/peripheral nerve	Always Investigational
04401	Ablation, percutaneous, cryoablation, includes imaging guidance; lower	//ways investigational
0441T	extremity distal/peripheral nerve	Always Investigational
	Real time spectral analysis of prostate tissue by fluorescence spectroscopy	
0443T	(Use 0443T in conjunction with 55700) (Report 0443T only once per session)	Always Investigational
	Initial placement of a drug-eluting ocular insert under one or more eyelids,	
0444T	including fitting, training, and insertion, unilateral or bilateral	Always Investigational
	Subsequent placement of a drug-eluting ocular insert under one or more	
	eyelids, including re-training, and removal of existing insert, unilateral or	
	bilateral (For insertion and removal of drug-eluting implant into lacrimal	
0445T	canaliculus, use 0356T)	Always Investigational
	Creation of subcutaneous pocket with insertion of implantable interstitial	
0446T	glucose sensor, including system activation and patient training	Always Investigational
04401	Removal of implantable interstitial glucose sensor from subcutaneous	Always ilivestigational
0447T	pocket via incision	Always Investigational
04471	Removal of implantable interstitial glucose sensor with creation of	Always investigational
	subcutaneous pocket at different anatomic site and insertion of new	
0448T	implantable sensor, including system activation	Always Investigational
04461	implantable sensor, including system activation	Always investigational
	Insertion of aqueous drainage device, without extraocular reservoir, internal	
0449T	approach, into the subconjunctival space; initial device	Always Investigational
	Insortion of aguages draining devices without auto-college actions	
	Insertion of aqueous drainage device, without extraocular reservoir, internal	
04507	approach, into the subconjunctival space; each additional device (List	Alvegree Increasing the second
0450T	separately in addition to code for primary procedure)	Always Investigational
	Insertion or replacement of a permanently implantable aortic	
	counterpulsation ventricular assist system, endovascular approach, and	
0451T	programming of sensing and therapeutic parameters; complete system	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	nsertion or replacement of a permanently implantable aortic	
	counterpulsation ventricular assist system, endovascular approach, and	
	programming of sensing and therapeutic parameters; aortic	
0452T	counterpulsation device and vascular hemostatic seal	Always Investigational
	Insertion or replacement of a permanently implantable aortic	
	counterpulsation ventricular assist system, endovascular approach, and	
	programming of sensing and therapeutic parameters; mechano-electrical	
0453T	skin interface	Always Investigational
	Insertion or replacement of a permanently implantable aortic	
	counterpulsation ventricular assist system, endovascular approach, and	
	programming of sensing and therapeutic parameters; subcutaneous	
0454T	electrode	Always Investigational
	Removal of permanently implantable aortic counterpulsation ventricular	
	assist system; complete system (aortic counterpulsation device, vascular	
0455T	hemostatic seal, mechano-electrical skin interface and electrodes)	Always Investigational
	Removal of permanently implantable aortic counterpulsation ventricular	
0456T	assist system; aortic counterpulsation device and vascular hemostatic seal	Always Investigational
	Removal of permanently implantable aortic counterpulsation ventricular	
0457T	assist system; mechano-electrical skin interface	Always Investigational
	Removal of permanently implantable aortic counterpulsation ventricular	
0458T	assist system; subcutaneous electrode	Always Investigational
	Relocation of skin pocket with replacement of implanted aortic	
	counterpulsation ventricular assist device, mechano-electrical skin interface	
0459T	and electrodes	Always Investigational
	Repositioning of previously implanted aortic counterpulsation ventricular	
0460T	assist device; subcutaneous electrode	Always Investigational
	Repositioning of previously implanted aortic counterpulsation ventricular	
0461T	assist device; aortic counterpulsation device	Always Investigational
	Programming device evaluation (in person) with iterative adjustment of the	
	implantable mechano-electrical skin interface and/or external driver to test	
	the function of the device and select optimal permanent programmed	
	values with analysis, including review and report, implantable aortic	l
0462T	counterpulsation ventricular assist system, per day	Always Investigational
	Interrogation device evaluation (in manage) with another action and	
	Interrogation device evaluation (in person) with analysis, review and report,	
04627	includes connection, recording and disconnection per patient encounter,	Alwaya Inyasticatica
0463T	implantable aortic counterpulsation ventricular assist system, per day	Always Investigational
04647	Visual avaked notential testing for glaveoma with interpretation and reserve	Always Investigational
0464T	Visual evoked potential, testing for glaucoma, with interpretation and report Suprachoroidal injection of a pharmacologic agent (does not include supply	Aiways investigational
04657		Always Investigational
0465T	of medication)	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Insertion of chest wall respiratory sensor electrode or electrode array,	
	including connection to pulse generator (List separately in addition to code	
	for primary procedure) This code is designated as an Add-on code by the	
0466T	AMA. List separately in addition to the primary procedure.	Always Investigational
		,
	Revision or replacement of chest wall respiratory sensor electrode or	
0467T	electrode array, including connection to existing pulse generator	Always Investigational
	<u> </u>	
0468T	Removal of chest wall respiratory sensor electrode or electrode array	Always Investigational
	Retinal polarization scan, ocular screening with on-site automated results,	,
0469T	bilateral	Always Investigational
		,
	Optical coherence tomography (OCT) for microstructural and morphological	
0470T	imaging of skin, image acquisition, interpretation, and report; first lesion	Always Investigational
		,
	Optical coherence tomography (OCT) for microstructural and morphological	
0471T	imaging of skin, image acquisition, interpretation, and report; first lesion	Always Investigational
		,
	Device evaluation, interrogation, and initial programming of intraocular	
	retinal electrode array (eg, retinal prosthesis), in person, with iterative	
	adjustment of the implantable device to test functionality, select optimal	
	permanent programmed values with analysis, including visual training, with	
0472T	review and report by a qualified health care professional	Always Investigational
	Device evaluation and interrogation of intraocular retinal electrode array	
	(eg, retinal prosthesis), in person, including reprogramming and visual	
	training, when performed, with review and report by a qualified health care	
0473T	professional	Always Investigational
	Insertion of anterior segment aqueous drainage device, with creation of	
0474T	intraocular reservoir, internal approach, into the supraciliary space	Always Investigational
	Recording of fetal magnetic cardiac signal using at least 3 channels; patient	
	recording and storage, data scanning with signal extraction, technical	
	analysis and result, as well as supervision, review, and interpretation of	
0475T	report by a physician or other qualified health care professional	Always Investigational
	Recording of fetal magnetic cardiac signal using at least 3 channels; patient	
	recording, data scanning, with raw electronic signal transfer of data and	
0476T	storage	Always Investigational
	Recording of fetal magnetic cardiac signal using at least 3 channels; signal	
0477T	extraction, technical analysis, and result	Always Investigational
	Recording of fetal magnetic cardiac signal using at least 3 channels; review,	
	interpretation, report by physician or other qualified health care	
0478T	professional	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Fractional ablative laser fenestration of burn and traumatic scars for	
	functional improvement; each additional 100 cm2, or each additional 1% of	
0479T	body surface area of infants and children	Always Investigational
	Fractional ablative laser fenestration of burn and traumatic scars for	
	functional improvement; each additional 100 cm2, or each additional 1% of	
0480T	body surface area of infants and children, or part thereof	Always Investigational
	Injection(s), autologous white blood cell concentrate (autologous protein	, ,
	solution), any site, including image guidance, harvesting and preparation,	
0481T	when performed	Always Investigational
	Transcatheter mitral valve implantation/replacement (TMVI) with prosthetic	
	valve; percutaneous approach, including transseptal puncture, when	
0483T	performed	Always Investigational
0.00.	per termes	, and ye mireed gatheria.
	Transcatheter mitral valve implantation/replacement (TMVI) with prosthetic	
0484T	valve; transthoracic exposure (eg, thoracotomy, transapical)	Always Investigational
0 10 11	Optical coherence tomography (OCT) of middle ear, with interpretation and	7 avays mivestigational
0485T	report; unilateral	Always Investigational
0 105 1	Optical coherence tomography (OCT) of middle ear, with interpretation and	7 avays mivestigational
0486T	report; bilateral	Always Investigational
0487T	Biomechanical mapping, transvaginal, with report	Always Investigational
0 107 1	Autologous adipose-derived regenerative cell therapy for scleroderma in the	
	hands; adipose tissue harvesting, isolation and preparation of harvested	
	cells including incubation with cell dissociation enzymes, removal of non-	
	viable cells and debris, determination of concentration and dilution of	
0489T	regenerative cells	Always Investigational
04051	Autologous adipose-derived regenerative cell therapy for scleroderma in the	
0490T	hands; multiple injections in one or both hands	Always Investigational
04301	manus, murupie injections in one or both hands	Aiways investigational
	Ablative laser treatment, non-contact, full field and fractional ablation, open	
0491T	wound, per day, total treatment surface area; first 20 sq cm or less	Always Investigational
04911	would, per day, total treatment surface area, first 20 sq cm of less	Aiways investigational
	Ablative laser treatment, non-contact, full field and fractional ablation, open	
	· ·	
0402	wound, per day, total treatment surface area; each additional 20 sq cm, or	Al., a. a. In., a. atimatica al
0492T	part thereof (List separately in addition to code for primary procedure)	Always Investigational
04027	Near-infrared spectroscopy studies of lower extremity wounds (eg, for	Al.,,,,,,,
0493T	oxyhemoglobin measurement)	Always Investigational
	Curgical proparation and congulation of marginal (outpanded) and congulation	
	Surgical preparation and cannulation of marginal (extended) cadaver donor	
	lung(s) to ex vivo organ perfusion system, including decannulation,	
0404-	separation from the perfusion system, and cold preservation of the allograft	
0494T	prior to implantation, when performed	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0495T	Initiation and monitoring marginal (extended) cadaver donor lung(s) organ perfusion system by physician or qualified health care professional, including physiological and laboratory assessment (eg, pulmonary artery flow, pulmonary artery pressure, left atrial pressure, pulmonary vascular resistance, mean/peak and plateau airway pressure, dynamic compliance and perfusate gas analysis), including bronchoscopy and X ray when performed; first two hours in sterile field	Always Investigational
04067	Initiation and monitoring marginal (extended) cadaver donor lung(s) organ perfusion system by physician or qualified health care professional, including physiological and laboratory assessment (eg, pulmonary artery flow, pulmonary artery pressure, left atrial pressure, pulmonary vascular resistance, mean/peak and plateau airway pressure, dynamic compliance and perfusate gas analysis), including bronchoscopy and X ray when performed; each additional hour (List separately in addition to code for	Alumana laurantian tiang l
0496T	primary procedure)	Always Investigational
0506T	Macular pigment optical density measurement by heterochromatic flicker photometry, unilateral or bilateral, with interpretation and report	Always Investigational
0507T	Near-infrared dual imaging (ie, simultaneous reflective and trans- illuminated light) of meibomian glands, unilateral or bilateral, with interpretation and report	Always Investigational
0508T	Pulse-echo ultrasound bone density measurement resulting in indicator of axial bone mineral density, tibia	Always Investigational
0509T	Electroretinography (ERG) with interpretation and report, pattern (PERG)	Always Investigational
0510T	Removal of sinus tarsi implant	Always Investigational
0511T	Removal and reinsertion of sinus tarsi implant	Always Investigational
0512T	Extracorporeal shock wave for integumentary wound healing	Always Investigational
0513T	Extracorporeal shock wave for integumentary wound healing, high energy Intraoperative visual axis identification using patient fixation (List separately	Always Investigational
0514T	in addition to code for primary procedure)	Always Investigational
0518T	Removal of only pulse generator component(s) (battery and/or transmitter) of wireless cardiac stimulator for left ventricular pacing	Always Investigational
0521T	Interrogation device evaluation (in person) with analysis, review and report	Always Investigational
0522T	Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device Intraprocedural coronary fractional flow reserve (FFR) with 3D functional	Always Investigational
0523T	mapping	Always Investigational
	Endovenous catheter directed chemical ablation with balloon isolation of	,
0524T	incompetent extremity vein, open or percutaneous	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0525T	Insertion or replacement of intracardiac ischemia monitoring system	Always Investigational
0526T	Insertion or replacement of intracardiac ischemia monitoring system	Always Investigational
0527T	Insertion or replacement of intracardiac ischemia monitoring system	Always Investigational
0528T	Programming device evaluation (in person) of intracardiac ischemia monitoring system	Always Investigational
0529T	Interrogation device evaluation (in person) of intracardiac ischemia monitoring system with analysis, review, and report	Always Investigational
0530T	Removal of intracardiac ischemia monitoring system	Always Investigational
0531T	Removal of intracardiac ischemia monitoring system	Always Investigational
0532T	Removal of intracardiac ischemia monitoring system	Always Investigational
03321	Continuous recording of movement disorder symptoms, including	7 iiwaya iiivestigationai
0533T -	bradykinesia, dyskinesia, and tremor for 6 days up to 10 days;	Always Investigational
0534T	Continuous recording of movement disorder symptoms	Always Investigational
0535T	Continuous recording of movement disorder symptoms,	Always Investigational
0536T	Continuous recording of movement disorder symptoms	Always Investigational
03301	Continuous recording of movement disorder symptoms	Always investigational
	Myocardial imaging by magnetocardiography (MCG) for detection of cardiac	
0541T	ischemia, by signal acquisition using minimum 36 channel grid,	Always Investigational
03411	ischemia, by signal acquisition using minimum so channel grid,	Always Ilivestigational
	Myocardial imaging by magnetocardiography (MCG) for detection of cardiac	
0542T	ischemia, by signal acquisition using minimum 36 channel grid,	Always Investigational
		, ,
	Evacuation of meibomian glands, using heat delivered through wearable,	
0563T	open-eye eyelid treatment devices and manual gland expression, bilateral	Always Investigational
	Oncology, chemotherapeutic drug cytotoxicity assay of cancer stem cells	
	(CSCs), from cultured CSCs and primary tumor cells, categorical drug	
	response reported based on percent of cytotoxicity observed, a minimum of	
0564T	14 drugs or drug combinations	Always Investigational
	Autologous cellular implant derived from adipose tissue for the treatment of	
0565T	osteoarthritis of the knees; tissue harvesting and cellular implant creation	Always Investigational
	Autologous cellular implant derived from adipose tissue for the treatment of	
	osteoarthritis of the knees; injection of cellular implant into knee joint	
0566T	including ultrasound guidance, unilateral	Always Investigational
	Permanent fallopian tube occlusion with degradable biopolymer implant,	
0567T	transcervical approach, including transvaginal ultrasound	Always Investigational
	Introduction of mixture of saline and air for sonosalpingography to confirm	
	occlusion of fallopian tubes, transcervical approach, including transvaginal	
0568T	ultrasound and pelvic ultrasound	Always Investigational
	Transcatheter tricuspid valve repair, percutaneous approach; initial	
0569T	prosthesis	Always Investigational

0570T	Transcatheter tricuspid valve repair, percutaneous approach; each additional prosthesis during same session (List separately in addition to code	
0570T		
	for primary procedure)	Always Investigational
	Insertion or replacement of implantable cardioverter-defibrillator system	
	with substernal electrode(s), including all imaging guidance and	
	electrophysiological evaluation (includes defibrillation threshold evaluation,	
	induction of arrhythmia, evaluation of sensing for arrhythmia termination,	
	and programming or reprogramming of sensing or therapeutic parameters),	
	when performed	Always Investigational
0572T	Insertion of substernal implantable defibrillator electrode	Always Investigational
	Removal of substernal implantable defibrillator electrode	Always Investigational
	Repositioning of previously implanted substernal implantable defibrillator-	
0574T	pacing electrode	Always Investigational
	December device evaluation (in several effects)	
	Programming device evaluation (in person) of implantable cardioverter-	
	defibrillator system with substernal electrode, with iterative adjustment of the implantable device to test the function of the device and select optimal	
	permanent programmed values with analysis, review and report by a	
0575T	physician or other qualified health care professional	Always Investigational
03/31	priysician of other qualified fleatiff care professional	Always Ilivestigational
	Interrogation device evaluation (in person) of implantable cardioverter-	
	defibrillator system with substernal electrode, with analysis, review and	
	report by a physician or other qualified health care professional, includes	
	connection, recording and disconnection per patient encounter	Always Investigational
	, , ,	, 5
	Electrophysiological evaluation of implantable cardioverter-defibrillator	
	system with substernal electrode (includes defibrillation threshold	
	evaluation, induction of arrhythmia, evaluation of sensing for arrhythmia	
	termination, and programming or reprogramming of sensing or therapeutic	
0577T	parameters)	Always Investigational
	Interrogation device evaluation(s) (remote), up to 90 days, substernal lead	
	implantable cardioverter-defibrillator system with interim analysis,	
	review(s) and report(s) by a physician or other qualified health care	
0578T	professional	Always Investigational
	Interrogation device evaluation(s) (remote), up to 90 days, substernal lead	
	implantable cardioverter-defibrillator system, remote data acquisition(s),	
05707	receipt of transmissions and technician review, technical support and	A1 1
0579T	distribution of results	Always Investigational
0580T	Removal of substernal implantable defibrillator pulse generator only	Always Investigational
	Ablation, malignant breast tumor(s), percutaneous, cryotherapy, including	Aivays investigational
	imaging guidance when performed, unilateral	Always Investigational
		yo mvestigational
	Transurethral ablation of malignant prostate tissue by high-energy water	
	vapor thermotherapy, including intraoperative imaging and needle guidance	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Tympanostomy (requiring insertion of ventilating tube), using an automated	
0583T	tube delivery system, iontophoresis local anesthesia	Always Investigational
	Islet cell transplant, includes portal vein catheterization and infusion,	
	including all imaging, including guidance, and radiological supervision and	
0584T	interpretation, when performed; percutaneous	Always Investigational
	Islet cell transplant, includes portal vein catheterization and infusion,	
	including all imaging, including guidance, and radiological supervision and	
0585T	interpretation, when performed; laparoscopic	Always Investigational
	Islet cell transplant, includes portal vein catheterization and infusion,	
OFOCT	including all imaging, including guidance, and radiological supervision and	Almanatantiant
0586T	interpretation, when performed; open	Always Investigational
	Percutaneous implantation or replacement of integrated single device	
	neurostimulation system including electrode array and receiver or pulse	
05075	generator, including analysis, programming, and imaging guidance when	Almanatantiant
0587T	performed, posterior tibial nerve	Always Investigational
	Revision or removal of integrated single device neurostimulation system	
	including electrode array and receiver or pulse generator, including analysis,	
0588T	programming, and imaging guidance when performed, posterior tibial nerve	Always Investigational
03661	programming, and imaging guidance when performed, posterior tibial herve	Always investigational
	Electronic analysis with simple programming of implanted integrated	
	neurostimulation system (eg, electrode array and receiver), including	
	contact group(s), amplitude, pulse width, frequency (Hz), on/off cycling,	
	burst, dose lockout, patient-selectable parameters, responsive	
	neurostimulation, detection algorithms, closed-loop parameters, and	
	passive parameters, when performed by physician or other qualified health	
0589T	care professional, posterior tibial nerve, 1-3 parameters	Always Investigational
		-
	Electronic analysis with complex programming of implanted integrated	
	neurostimulation system (eg, electrode array and receiver), including	
	contact group(s), amplitude, pulse width, frequency (Hz), on/off cycling,	
	burst, dose lockout, patient-selectable parameters, responsive	
	neurostimulation, detection algorithms, closed-loop parameters, and	
	passive parameters, when performed by physician or other qualified health	
0590T	care professional, posterior tibial nerve, 4 or more parameters	Always Investigational
15781	Dermabrasion; Segmental, Face	Always Cosmetic
15782	Dermabrasion; Regional, Other Than Face	Always Cosmetic
15783	Dermabrasion; Superficial, Any Site	Always Cosmetic
15786	Abrasion; Single Lesion	Always Cosmetic
15787	Abrasion; Add'l 4 Lesions	Always Cosmetic
15788	Chemical Peel, Facial; Epidermal	Always Cosmetic
15789	Chemical Peel, Facial; Dermal	Always Cosmetic
15792	Chemical Peel, Nonfacial; Epidermal	Always Cosmetic

Codes	ServiceDescription	ExceptionsNotes
15793	Chemical Peel, Nonfacial; Dermal	Always Cosmetic
15820	Blepharoplasty, Lower Eyelid	Always Cosmetic
15821	Blepharoplasty, Lower Eyelid; W/Extensive Herniated Fat Pad	Always Cosmetic
15824	Rhytidectomy; Forehead	Always Cosmetic
15826	Rhytidectomy; Glabellar Frown Lines	Always Cosmetic
	Excision, Excessive Skin and Subcutaneous Tissue (Includes Lipectomy),	
15847	Abdomen	Always Cosmetic
15876	Suction assisted lipectomy	Always Cosmetic
15877	Suction assisted lipectomy	Always Cosmetic
15878	suction assisted lipectomy	Always Cosmetic
17360	Chemical Exfoliation, Acne	Always Cosmetic
	Ablation, Cryosurgical, of Fibroadenoma, including Ultrasound Guidance,	
19105	Each Fibroadenoma	Always Investigational
19300	Gynecomastia surgery	Always Cosmetic
	Ablation therapy for reduction or eradication of 1 or more bone tumors (eg.	
	Metastasis) including adjacent soft tissue when involved by tumor	
	extension, percutaneous, including imaging guidance when performed;	
20983	cryoablation	Always Investigational
	Computer-Assisted Surgical Navigational Procedure for Musculoskeletal	
20985	Procedures; Image-Less (List Sep)	Always Investigational
22505	Manipulation of spine requiring anesthesia, any region	Always Investigational
22867	Insertion of interlaminar/interspinous process stabilization/distraction device, without fusion, including image guidance when performed, with open decompression, lumbar; single level	Always Investigational
22868	Insertion of interlaminar/interspinous process stabilization/distraction device, without fusion, including image guidance when performed, with open decompression, lumbar; second level (List separately in addition to code for primary procedure)	Always Investigational
22869	Insertion of interlaminar/interspinous process stabilization/distraction device, without open decompression or fusion, including image guidance when performed, lumbar; single level	Always Investigational
22870	Insertion of interlaminar/interspinous process stabilization/distraction device, without open decompression or fusion, including image guidance when performed, lumbar; second level (List separately in addition to code for primary procedure)	Always Investigational
	Extracorporeal shock wave, high energy, performed by a physician, requiring	
28890	anesthesia other than local, plantar fascia	Always Investigational
	Rhinoplasty, Nasal Deform Sec To Cong Cleft Lip/Palat, W/Columellar	,
30462	Lengthen; Tip/Septum/Osteotomies	Always Cosmetic
	Bronchoscopy; W Balloon Occlusn, Assessmt Of Air Leak, Airway Sizing, And	,
31647	Insertion Of Bronchial Valve(s), Initial Lobe	Always Investigational
31648	Bronchoscopy; With Removal Of Bronchial Valve(s), Initial Lobe	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
31649	Bronchoscopy; With Removal Of Bronchial Valve(s), Each Additional Lobe	Always Investigational
	Bronchoscopy; W Balloon Occlusn, Assessmt Of Air Leak, Airway Sizing, And	
31651	Insertion Of Bronchial Valve(s), Each Addl Lobe	Always Investigational
31660	Bronchoscopy; With Bronchial Thermoplasty, 1 Lobe	Always Investigational
31661	Bronchoscopy; With Bronchial Thermoplasty, 2 Or More Lobes	Always Investigational
33289	Transcatheter implantation of wireless pulmonary artery pressure sensor	Always Investigational
43206	Esophagoscopy, Rigid Or Flexible; With Optical Endomicroscopy	Always Investigational
43252	Upper Gastrointestinal Endoscopy; With Optical Endomicroscopy	Always Investigational
	Ugi Endoscopy; With Delivery Of Thermal Energy To The Muscle Of Lower	
43257	Esophageal Sphincter And/Or Gastric Cardia	Always Investigational
	Laparoscopy, surgical, esophageal sphincter augmentation procedure,	
	placement of sphincter augmentation device (ie, magnetic band), including	
43284	cruroplasty when performed	Always Investigational
	Laparoscopy, Surgical; Implantation or Replacement of Gastric	
43647	Neurostimulator Electrodes, Antrum	Always Investigational
	Laparoscopy, Surgical; Revision or Removal of Gastric Neurostimulator	
43648	Electrodes, Antrum	Always Investigational
	Implantation or Replacement of Gastric Neurostimulator Electrodes,	
43881	Antrum, Open	Always Investigational
43882	Revision or Removal of Gastric Neurostimulator Electrodes, Antrum, Open	Always Investigational
46948	Ligation, hemorrhoidal vascular bundle(s), including ultrasound guidance	Always Investigational
	Aspiration/Decompression, Percutaneous, Nucleus Pulposus, Any Meth,	
62287	Single/Multiple Levels, Lumbar	Always Investigational
	Injection procedure for chemonucleolysis, including discography,	
62292	intervertebral disc, single or multiple levels, lumbar	Always Investigational
80184	Assay Of Phenobarbital	Always Investigational
80299	Quantitation, Drug, Not Elsewhere Specified	Always Investigational
	ASXL1 (additional sex combs like 1, transcriptional regulator) (eg,	
	myelodysplastic syndrome, myeloproliferative neoplasms, chronic	
81175	myelomonocytic leukemia), gene analysis; full gene sequence	Always Investigational
011/3	ASXL1 (additional sex combs like 1, transcriptional regulator) (eg,	Aiways investigational
	myelodysplastic syndrome, myeloproliferative neoplasms, chronic	
	myelomonocytic leukemia), gene analysis; targeted sequence analysis (eg,	
81176	exon 12)	Always Investigational
311/0	Cyp2C19 (Cytochrome P450, Family 2, Subfamily C, Polypeptide 19), Gene	, y s mive sugational
81225	Analysis, Common Variants	Always Investigational
33	Cyp2D6 (Cytochrome P450, Family 2, Subfamily D, Polypeptide 6), Gene	
81226	Analysis, Common Variants	Always Investigational
	Cyp2C9 (Cytochrome P450, Family 2, Subfamily C, Polypeptide 9), Gene	, 222 Gasteria
81227	Analysis, Common Variants (Eg, *2, *3, *5, *6)	Always Investigational
		· · · · · · · · · · · · · · · · · · ·

Codes	ServiceDescription	ExceptionsNotes
	CYP3A4 (cytochrome P450 famiy 3 subfamiy A member 4 (eg, drug	
81230	metabolism), gene analysis, common variant(s) (eg, *2, *22)	Always Investigational
	CYP3A5 (cytochrome P450 family 3 subfamily A member 5) (eg, drug	
81231	metabolism), gene analysis, common variants (eg, *2, *3, *4, *5, *6, *7)	Always Investigational
	DPYD (dihydropyrimidine dehydrogenase) (eg, 5-fluorouracil/5-FU and	
	capecitabine drug metabolism), gene analysis, common variant(s) (eg, *2A,	
81232	*4, *5, *6)	Always Investigational
	IFNL3 (interferon, lambda 3) (eg, drug response), gene analysis, rs12979860	
81283	variant	Always Investigational
	Mthfr (5,10-Methylenetetrahydrofolate Reductase) (Eg, Hereditary	
81291	Hypercoagulability) Gene Analysis, Common Variants	Always Investigational
	PCA3/KLK3 (prostate cancer antigen 3 [non-protein coding]/kallikrein-	
81313	related peptidase 3 [prostate specific antigen]) ratio (eg, prostate cancer)	Always Investigational
	SLCO1B1 (solute carrier organic anion transporter family, member 1B1) (eg,	
81328	adverse drug reaction), gene analysis, common variant(s) (eg, *5)	Always Investigational
	RUNX1 (runt related transcription factor 1) (eg, acute myeloid leukemia,	
	familial platelet disorder with associated myeloid malignancy), gene	
81334	analysis, targeted sequence analysis (eg, exons 3-8)	Always Investigational
	TVA 4C (About in late a continue to a contin	
04246	TYMS (thymidylate synthetase) (eg, 5-fluorouracil/5-FU drug metabolism),	
81346	gene analysis, common variant(s) (eg, tandem repeat variant)	Always investigational
04350	Ugt1A1 (Udp Glucuronosyltransferase 1 Family, Polypeptide A1) (Eg,	Alexandra de la castina di anna l
81350	Irinotecan Metabolism), Gene Analysis, Common Variants	Always Investigational
04255	Vkorc1 (Vitamin K Epoxide Reductase Complex, Subunit 1) (Eg, Warfarin	
81355	Metabolism), Gene Analysis, Common Variants	Always Investigational
	Autoimmune (rheumatoid arthritis), analysis of 12 biomarkers using	
04.400	immunoassays, utilizing serum, prognostic algorithm reported as a disease	Alexandra la caratica di ancal
81490	activity score	Always Investigational
	Coronary artery disease, mRNA, gene expression profiling by real-time RT-	
04.400	PCR of 23 genes, utilizing whole peripheral blood, algorithm reported as a	
81493	risk score	Always Investigational
01500	Oncology (Ovarian), Biochemical Assays Of Two Proteins, Serum, W	Almono le restination
81500	Menopausal Status, Algorithm Reported As A Risk Score	Always Investigational
01503	Oncology (Ovarian), Biochemical Assays Of Five Proteins, Utilizing Serum,	Alumana langasti ti I
81503	Algorithm Reported As A Risk Score	Always Investigational
81504	Oncology Tissue of Origin	Always Investigational
	Oncology (colon), mRNA, gene expression profiling by real-time RT-PCR of	
	12 genes (7 content and 5 housekeeping), utilizing formalin-fixed paraffin-	
81525	embedded tissue, algorithm reported as a recurrence score	Always Investigational
01323	Terribedueu dissue, algoridiini reported as a recultence score	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Oncology (Prostate), promoter methylation profiling by real-time PCR of 3	
	genes (GSTP1, APC, RASSF1), utilizing formalin-fixed paraffin-embedded	
	tissue, algorithm reported as a likelihood of prostate cancer detection on	
81551	repeat biopsy	Always Investigational
82163	Angiotensin II	Always Investigational
82726	Very Long Chain Fatty Acids	Always Investigational
82777	Galectin-3	Always Investigational
83698	Lipoprotein-Associated Phospholipase A2, (Lp-Pla2)	Always Investigational
83700	Lipoprotein, blood; electrophoretic separation and quantitation	Always Investigational
	Lipoprotein, blood; high resolution fractionation and quantitation, w/wo	
83701	lipoprotein subclasses	Always Investigational
	Lipoprotein, blood; quantitation of lipoprotein particle numbers and	
83704	lipoprotein particle subclasses	Always Investigational
83719	Lipoprotein, Direct Measurement; Direct Measurement, Vldl Cholesterol	Always Investigational
83992	Phencyclidine (Pcp)	Always Investigational
		, ,
86001	Allergen specific IgG quantitative or semiquantitative, each allergen	Always Investigational
	Cell enumeration using immunologic selection and identification in fluid	
86152	specimen (eg, circulating tumor cells in blood);	Always Investigational
	Cell enumeration using immunologic selection and identification in fluid	
86153	specimen (eg, circulating tumor cells in blood); interpretation and report	Always Investigational
86332	Immune Complex Assay	Always Investigational
86910	Blood typing, for paternity testing, per individual; ABO, Rh and MN	Always Non-covered
	Blood typing, for paternity testing, per individual; each additional antigen	
86911	system	Always Non-covered
86999	Unlisted Transfusion Medicine Proc	Always Investigational
	Orthoptic &/Or Pleoptic Training, W/Continuing Medical Direction &	
92065	Evaluation	Always Investigational
	Corneal hysteresis determination, by air impulse stimulation, unilateral or	
92145	bilateral, with interpretation and report	Always Investigational
92512	Nasal function studies (eg, rhinomanometry)	Always Investigational
	Arterial pressure waveform analysis for assessment of central arterial	
	pressures, includes obtaining waveform(s), digitization and application of	
	nonlinear mathematical transformations to determine central arterial	
	pressures and augmentation index, with interpretation and report, upper	
93050	extremity artery, non-invasive	Always Investigational
93740	Thermal imaging/ Thermography	Always Investigational
93740	Thermal imaging	Always Investigational
	Quantitative carotid intima media thickness and carotid atheroma	, <u> </u>
93895	evaluation, bilateral	Always Investigational
	1	, ,

Codes	ServiceDescription	ExceptionsNotes
	Simultaneous, independent, quantitative measures of both parasympathetic	
	function and sympathetic function, based on time-frequency analysis of	
	heart rate variability concurrent with time-frequency analysis of continuous	
	respiratory activity, with mean heart rate and blood pressure measures,	
	during rest, paced (deep) breathing, Valsalva maneuvers, and head-up	
95943	postural change	Always Investigational
	Electronic Analysis of Implanted Gastric Neurostimulator Pulse	, ,
95980	Generator/Transmitter; Intraoperative, with Programming	Always Investigational
	Electronic Analysis of Implanted Gastric Neurostimulator Pulse	.,
95981	Generator/Transmitter; Subsequent, Without Reprogramming	Always Investigational
55552	Electronic Analysis of Implanted Gastric Neurostimulator Pulse	r in a your coulgation at
95982	Generator/Transmitter; Subsequent, with Reprogramming	Always Investigational
33302	Generator, manameter, subsequent, with reprogramming	7 iiways iiivestigationai
	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging	
96931	of skin; image acquisition and interpretation and report, first lesion	Always Investigational
30331	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging	7 iiways iiivestigationai
96932	of skin; image acquisition only, first lesion	Always Investigational
30332	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging	7 iiways iiivestigationai
96933	of skin; interpretation and report only, first lesion	Always Investigational
30333	or skill, interpretation and report only, inscression	Always investigational
	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging	
	of skin; image acquisition and interpretation and report, each additional	
96934	lesion (List separately in addition to code for primary procedure)	Always Investigational
30334	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging	Always investigational
	of skin; image acquisition only, each additional lesion (List separately in	
96935	addition to code for primary procedure)	Always Investigational
90933	addition to code for primary procedure)	Always ilivestigational
	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging	
96936	of skin; interpretation and report only, each additional lesion (List separately	
	in addition to code for primary procedure)	Always Investigational
A4575	Topical Ox Deliver sys, nos	Always Investigational
A9285	Inversion/eversion correction device	Always Investigational
C1821	Interspinous process distraction device (implantable)	Always Investigational
C4.000	No books to be for a stable decise and with decise interesting according	Almanatantiant
C1890	No Implantable /insertable device used with device-intensive procedure	Always Investigational
60007	Computer-aided detection, including computer algorithm analysis of breast	
C8937	mri image data for lesion detection/characterization	Always Investigational
60252	Microporous collagen implantable tube (NeuraGen Nerve Guide), per cm	Abores terres (C. 1)
C9352	length	Always Investigational
60252	Microporous collagen implantable slit tube (NeuraWrap Nerve Protector),	
C9353	per cm length	Always Investigational
		<u>.</u>
C9354	Acellular pericardial tissue matrix of nonhuman origin (Veritas), per sq cm	Always Investigational
C9355	Collagen nerve cuff (NeuroMatrix), per 0.5 cm length	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
00056	Tendon, porous matrix of cross-linked collagen and glycosaminoglycan	
C9356	matrix (TenoGlide Tendon Protector Sheet), per sq cm	Always Investigational
C9358	SurgiMend, 0.5cm2	Always Investigational
60360	Dermal substitute, native, non-denatured collagen, neonatal bovine origin	Alversalassational
C9360	(SurgiMend Collagen Matrix), per 0.5 square ce	Always Investigational
C9361	Collagen matrix nerve wrap (NeuroMend Collagen Nerve Wrap), per 0.5 centimeter length	Always Investigational
C9364	Porcine implant, Permacol, per square centimeter	Always Investigational Always Investigational
C9304	Ablation of prostate, transrectal, high intensity focused ultrasound (hifu),	Always investigational
C9747	including imaging guidance	Always Investigational
C3747	Bronchoscopy, rigid or flexible, transbronchial ablation of lesion(s) by	Always investigational
C9751	microwave energy	Always Investigational
C3731	iniciowave energy	Always investigational
	Destruction of intraosseous basivertebral nerve, first two vertebral bodies,	
C9752	including imaging guidance (e.g., fluoroscopy), lumbar/sacrum	Always Investigational
63732	merading imaging gardenee (e.g., nacroscopy), rambar/sacram	/ iways investigational
	Destruction of intraosseous basivertebral nerve, each additional vertebral	
	body, including imaging guidance (e.g., fluoroscopy), lumbar/sacrum (list	
C9753	separately in addition to code for primary procedure)	Always Investigational
	Blinded procedure for nyha class iii/iv heart failure; transcatheter	i i i i i i i i i i i i i i i i i i i
	implantation of interatrial shunt or placebo control, including right heart	
	catheterization, trans-esophageal echocardiography (tee)/intracardiac	
	echocardiography (ice), and all imaging with or without guidance (e.g.,	
	ultrasound, fluoroscopy), performed in an approved investigational device	
C9758	exemption (ide) study	Always Investigational
E0446	Topical Ox Deliver sys, nos, includes all supplies and accessories	Always Investigational
	Incontinence treatment system, pelvic floor stimulator, monitor, sensor,	
E0740	and/or trainer	Always Investigational
E0765	Nerve Stimulator For Tx N&V	Always Investigational
	Dynamic adjustable ankle extension/flexion device, includes soft interface	
E1815	material	Always Investigational
	Static progressive stretch ankle device, flexion and/or extension, with or	
	without range of motion adjustment, includes all components and	
E1816	accessories	Always Investigational
	Dynamic, adjustable toe extension/flexion device, includes soft tissue	
E1830	interface material	Always Investigational
	Dynamic adjustable shoulder flexion/abduction/rotation device, includes	
E1840	soft interface material	Always Investigational
	Static progressive stretch shoulder device, with or without range of motion	
E1841	adjustment, includes all components	Always Investigational
	Collagen meniscus implant procedure for filling meniscal defects (eg, CMI,	
G0428	collagen scaffold, Menaflex)	Always Investigational
	Cranial electrotherapy stimulation (ces) system, includes all supplies and	
K1002	accessories, any type	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
	Low frequency ultrasonic diathermy treatment device for home use,	
K1004	includes all components and accessories	Always Investigational
M0076	Prolotherapy	Always Investigational
P9020	Platelet Rich Plasma Unit	Always Investigational
Q2026	Injection, radiesse, 0.1 ml	Always Cosmetic
Q2027	Injection, sculptra, 0.1 ml	Always Cosmetic
Q4103	Oasis burn matrix, per sq cm	Always Investigational
Q4108	Integra matrix, per sq cm	Always Investigational
Q4110	PriMatrix, per sq cm	Always Investigational
Q4111	GammaGraft, per sq cm	Always Investigational
Q4112	Cymetra, injectable, 1 cc	Always Investigational
Q4113	GRAFTJACKET XPRESS, injectable, 1cc	Always Investigational
Q4114	Integra flowable wound matrix, injectable, 1 cc	Always Investigational
Q4115	AlloSkin, per sq cm	Always Investigational
Q4117	Hyalomatrix	Always Investigational
Q4118	Matristem micromatrix	Always Investigational
Q4121	Theraskin	Always Investigational
Q4123	Alloskin Rt, Per Square Centimeter	Always Investigational
Q4124	Oasis Ultra Tri-Layer Matrix, per square centimeter	Always Investigational
Q4125	Arthroflex, Per Square Centimeter	Always Investigational
Q4126	Memoderm, Per Square Centimeter	Always Investigational
Q4127	Talymed, Per Square Centimeter	Always Investigational
Q4134	hMatrix	Always Investigational
Q4135	Mediskin	Always Investigational
Q4136	EZderm	Always Investigational
Q4137	Amnioexcel or biodexcel, per sq cm	Always Investigational
Q4138	Biodfence dryflex, per sq cm	Always Investigational
Q4139	Amniomatrix or biodmatrix, injectable, 1 cc	Always Investigational
Q4140	Biodfence, per sq cm	Always Investigational
Q4141	Alloskin AC, per sq cm	Always Investigational
Q4142	XCM biologic tissue matrix, per sq cm	Always Investigational
Q4143	Repriza, per sq cm	Always Investigational
Q4146	Tensix, per sq cm	Always Investigational
Q4147	Architect, architect PX, or architect FX, extracellular matrix, per sq cm	Always Investigational
Q4148	Neox 1k, per sq cm	Always Investigational
Q4149	Excellagen, 0.1 cc	Always Investigational
Q4150	Allowrap DS or dry, per sq cm	Always Investigational
Q4151	Amnioband or guardian, per sq cm	Always Investigational
Q4152	Dermapure, per sq cm	Always Investigational
Q4153	Dermavest, per sq cm	Always Investigational
Q4154	Biovance, per sq cm	Always Investigational
Q4155	Neoxflo or clarixflo 1 mg	Always Investigational
Q4156	Neox 100, per sq cm	Always Investigational
Q4157	Revitalon, per sq cm	Always Investigational
Q4158	Marigen, per sq cm	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
Q4159	Affinity, per sq cm	Always Investigational
Q4160	Nushield, per square centimeter	Always Investigational
Q4161	Bio-connekt wound matrix, per square centimeter	Always Investigational
	Amniopro flow, bioskin flow, biorenew flow, woundex flow, amniogen-a,	
Q4162	amniogen-c, 0.5 cc	Always Investigational
	Amniopro, bioskin, biorenew, woundex, amniogen-45, amniogen-200, per	
Q4163	square centimeter	Always Investigational
Q4164	Helicoll, per square centimeter	Always Investigational
Q4165	Keramatrix or kerasorb, per square centimeter	Always Investigational
	Cytal, per square centimeter (Acell - full thickness diabetic ulcers, venous	
Q4166	ulcers, etc)	Always Investigational
Q4167	Truskin, per square centimeter	Always Investigational
Q4168	Amnioband, 1 mg	Always Investigational
Q4169	Artacent wound, per square centimeter	Always Investigational
Q4170	Cygnus, per square centimeter	Always Investigational
Q4171	Interfyl, 1 mg	Always Investigational
Q4172	Puraply or puraply am, per square centimeter	Always Investigational
Q4173	Palingen or palingen xplus, per square centimeter	Always Investigational
Q4174	Palingen or promatrx, 0.36 mg per 0.25 cc	Always Investigational
Q4175	Miroderm, per square centimeter	Always Investigational
Q4176	NeoPatch	Always Investigational
Q4177	FlowerAmnioFlo	Always Investigational
Q4178	FlowerAmnioPatch	Always Investigational
Q4179	FlowerDerm	Always Investigational
Q4180	ReVita	Always Investigational
Q4181	Amnio Wound	Always Investigational
Q4182	Transcyte	Always Investigational
Q4183	Surgigraft, per square centimeter	Always Investigational
Q4184	Cellesta or cellesta duo, per square centimeter	Always Investigational
Q4185	Cellesta flowable amnion (25 mg per cc); per 0.5 cc	Always Investigational
Q4188	Amnioarmor, per square centimeter	Always Investigational
Q4189	Artacent ac, 1 mg	Always Investigational
Q4190	Artacent ac, per square centimeter	Always Investigational
Q4191	Restorigin, per square centimeter	Always Investigational
Q4192	Restorigin, 1 cc	Always Investigational
Q4193	Coll-e-derm, per square centimeter	Always Investigational
Q4194	Novachor, per square centimeter	Always Investigational
Q4195	Puraply, per square centimeter	Always Investigational
Q4196	Puraply am, per square centimeter	Always Investigational
Q4197	Puraply xt, per square centimeter	Always Investigational
Q4198	Genesis amniotic membrane, per square centimeter	Always Investigational
Q4200	Skin te, per square centimeter	Always Investigational
Q4201	Matrion, per square centimeter	Always Investigational
Q4202	Keroxx (2.5g/cc), 1cc	Always Investigational
Q4203	Derma-gide, per square centimeter	Always Investigational
Q4204	Xwrap, per square centimeter	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
Q4205	Membrane graft or membrane wrap, per square centimeter	Always Investigational
Q4206	Fluid flow or fluid GF, 1 cc	Always Investigational
Q4208	Novafix, per square centimeter	Always Investigational
Q4209	Surgraft, per square centimeter	Always Investigational
Q4210	Axolotl graft or axolotl dualgraft, per square centimeter	Always Investigational
Q4211	Amnion bio or Axobiomembrane, per square centimeter	Always Investigational
Q4212	Allogen, per cc	Always Investigational
Q4213	Ascent, 0.5 mg	Always Investigational
Q4214	Cellesta cord, per square centimeter	Always Investigational
Q4215	Axolotl ambient or axolotl cryo, 0.1 mg	Always Investigational
Q4216	Artacent cord, per square centimeter	Always Investigational
,	Woundfix, BioWound, Woundfix Plus, BioWound Plus, Woundfix Xplus or	, ,
Q4217	BioWound Xplus, per square centimeter	Always Investigational
Q4218	Surgicord, per square centimeter	Always Investigational
Q4219	Surgigraft-dual, per square centimeter	Always Investigational
Q4220	BellaCell HD or Surederm, per square centimeter	Always Investigational
Q4221	Amniowrap2, per square centimeter	Always Investigational
Q4222	Progenamatrix, per square centimeter	Always Investigational
Q 1222	MyOwn skin, includes harvesting and preparation procedures, per square	/ ways mivestigational
Q4226	centimeter	Always Investigational
Q 1220	Decompression procedure, percutaneous, of nucleus pulposus of	/ ways mvestigational
	intervertebral disc, using radiofrequency energy, single or multiple levels,	
S2348	lumbar	Always Investigational
S2348	Decompress disc RF lumbar	Always Investigational
32340	Decompress disc it idinisal	Aways mvestigational
	Diskectomy, anterior, with decompression of spinal cord and/or nerve	
S2350	root(s), including osteophytectomy; lumbar, single interspace	Always Investigational
32330	root(s), merading osteophytectomy, fambar, single interspace	Aways mvestigational
	Diskectomy, anterior, with decompression of spinal cord and/or nerve	
	root(s), including osteophytectomy; lumbar, each additional interspace (list	
S2351	separately in addition to code for primary procedure)	Always Investigational
S3650	Saliva test, hormone level; during menopause	Always Investigational
S3652	Saliva test, hormone level; to assess preterm labor risk	Always Investigational
33032	Dose Optimization By Area Under The Curve (Auc) Analysis, For Infusional 5-	Aiways investigational
S3722	Fluorouracil	Always Investigational
S8040	Topographic Brain Mapping	Always Investigational
S8130	Interferential current stimulator, 2 channel	Always Investigational
S8131	Interferential current stimulator, 2 channel	Always Investigational
	Auricular electrostimulation	
S8930		Always Investigational
C0040	Application of a modality (requiring constant provider attendance) to one or	
S8948	more areas; low-level laser; each 15 minutes	Always Investigational
S9090	Vertebral Axial Decompression	Always Investigational