

Acupuncture

Date of Origin: 06/2004

Last Review Date: 01/27/2022

Effective Date: 02/01/2022

Dates Reviewed: 06/2005, 06/2006, 06/2007, 07/2008, 01/2001, 04/2012, 02/2013, 01/2014, 01/2015, 01/2016, 01/2017, 01/2018, 01/2019, 01/2020, 01/2021, 01/2022

Developed By: Medical Necessity Criteria Committee

I. Description

Acupuncture is one of the oldest, most commonly used medical procedures in the world. Originating in China more than 2,000 years ago, acupuncture became better known in the United States in the 1970's. The general theory of acupuncture is based on the premise that there are patterns of energy flow (Qi) throughout the body which are essential for health. Disruptions of this flow are believed to be responsible for disease. Acupuncture may correct imbalances of flow at identifiable points close to the skin. Findings from basic research have begun to make clear the mechanisms of action of acupuncture, including the release of opioids and other peptides in the central nervous system and the periphery and changes in neuroendocrine function. Although research suggests some potential areas for the use of acupuncture, the quality or quantity of the research evidence is not sufficient to provide definite evidence of effectiveness at this time.

Note: Acupuncture is often excluded under many benefit plans. Refer to member handbook to determine benefit terms and availability.

II. Criteria: CWQI: HCS-0002

- A. Moda Health will cover needle acupuncture (manual or electroacupuncture) when it is listed as a covered benefit and is administered by a healthcare provider who is a legally qualified acupuncturist practicing within the scope of his/her license for the following indications:
 - a. Nausea and vomiting associated with:
 - i. Postoperative nausea and vomiting
 - ii. Chemotherapy
 - iii. Pregnancy
 - b. Postoperative dental pain
 - c. Temporomandibular disorders
 - d. As an adjunct to standard conservative therapy for chronic painful conditions
 - i. Neck pain
 - ii. Back pain
 - iii. Osteoarthritic knee or hip pain

- iv. Migraine or tension headache
 - e. The requested course of treatment is for 10-20 treatments over two months.
- B. The requested treatment is NOT for any of the of following indications
 - a. Point injections (Biopuncture) for any indication
 - b. Auricular electrical stimulation of acupuncture points, ambulatory device including P-stim or E-Pulse.
- C. Moda Health does NOT cover acupuncture for ANY of the following conditions **after** the first 20 visits because there is inadequate scientific evidence supporting the effectiveness of acupuncture compared with placebo, sham acupuncture or other modalities of treatment in these conditions
 - a. Addiction
 - b. AIDS
 - c. Allergic Rhinitis
 - d. Asthma
 - e. Dermatologic conditions
 - f. Fibrotic Contractures
 - g. Glaucoma
 - h. Hypertension
 - i. Induction of Labor
 - j. Infertility
 - k. Lactation
 - l. Menstrual Cramps
 - m. Obesity
 - n. Psychiatric Diagnoses
 - o. Sensorineural Deafness
 - p. Smoking Cessation
 - q. Stroke Rehabilitation
 - r. Tinnitus
 - s. Urinary Incontinence

III. Renewal Criteria

- A. Continued acupuncture treatment is appropriate with ALL of the following:
 - a. Medical necessity review is performed after the 20th visit.
 - b. There is documentation of significant improvement in symptoms.
 - c. Continued acupuncture is NOT requested for preventive, supportive, or maintenance care if the patient's symptoms are not improving or regressing.
 - d. The treatment plan includes transition to home exercise program as appropriate

IV. Information Submitted with the Prior Authorization Request:

1. Chart notes documenting diagnosis
2. Prior treatment modalities if applicable
3. Original evaluation and progress notes from acupuncture provider including a treatment plan for continued therapy.

V. Applicable CPT or HCPC codes when criteria requirements are met:

Codes	Description
97810	Acupuncture, 1 or more needles; without electrical stimulation, initial 15 minutes of personal one-on-one contact with patient
97811	Without electrical stimulation, each additional 15 minutes of personal one-on-one contact with the patient, with re-insertion of needle(s).
97813	With electrical stimulation, initial 15 minutes of personal one-on-one contact with patient.
97814	With electrical stimulation, each additional 15 minutes of personal one-on-one contact with the patient, with re-insertion of needle(s)

VI. CPT/HCPC Codes: Not covered

Codes	Description
S8930	Electrical stimulation of auricular acupuncture points; each 15 minutes of personal one-on-one contact with patient

VII. Annual Review History

Review Date	Revisions	Effective Date
02/2013	Annual Review: Added table with review date, revisions, and effective date	03/1/2013
01/2014	Annual Review: Added transition to home therapy or other conservative therapy	01/22/2014
01/2015	Annual Review: No change	01/28/2015
01/2016	Annual Review: No change	01/26/2016
01/2017	Annual Review: Updated to new template, minor format changes	01/25/2017
01/2018	Annual Review: No change	1/25/2018
01/2019	Annual Review: No change	02/01/2019
01/2020	Annual Review: Minor grammar changes	02/01/2020
01/2021	Annual Review: No content change	02/01/2021
01/2022	Annual Review: No changes	02/01/2022

VII. References

- Acupuncture, National Center for Complementary and Alternative Medicine (NCCAM). Accessed on May 17, 2011 at: www.nccam.nih.gov/health/acupuncture.
- Agency for Healthcare and Quality (AHRQ). Acupuncture for fibromyalgia. Technology assessment. Accessed 12/2019 <https://www.cms.gov/medicare-coverage-database/details/technology-assessments-details.aspx?TAId=18#int>

- Agency for Healthcare and Quality (AHRQ). Acupuncture for osteoarthritis. Technology assessment. Accessed 12/2019 <https://www.cms.gov/medicare-coverage-database/details/technology-assessments-details.aspx?TAId=19&bc=AAAQAAAAAAAA&>
- Brinkhaus B, Witt CM, Jena S, Linde K, Streng A, Wagenpfeil S, et al. Acupuncture in patients with chronic low back pain: a randomized controlled trial. *Arch Intern Med*. 2006 Feb 27;166(4):450-7.
- Carter, Brian B, Acupuncture Research (1996-2003) for Physicians from The Pulse of Oriental Medicine, Accessed on on May 17, 2011 at www.pulsemed.org.
- Diener HC, Kronfeld K, Boewing G, Lungenhausen M, Maier C, Molsberger A, Tegenthoff M, Trampisch HJ, Zenz M, Meinert R; GERAC Migraine Study Group. Efficacy of acupuncture for the prophylaxis of migraine: a multicentre randomised controlled clinical trial. *Lancet Neurol*. 2006 Apr;5(4):310-6.
- Ezzo JM, Richardson MA, Vickers A, Allen C, Dibble SL, Issell BF, Lao L, Pearl M, Ramirez G, Roscoe JA, Shen J, Shivnan JC, Streitberger K, Treish I, Zhang G. Acupuncture-point stimulation for chemotherapy-induced nausea or vomiting. *Cochrane Database of Systematic Reviews* 2006, Issue 2. Copyright © 2007The Cochrane Collaboration.
- França DL, Senna-Fernandes V, Cortez CM, Jackson MN, Bernardo-Filho M, Guimarães MA. Tension neck syndrome treated by acupuncture combined with physiotherapy: A comparative clinical trial (pilot study). *Complement Ther Med*. 2008 Oct;16(5):268-77.
- Hsieh LL, Kuo CH, Lee LH, Yen AM, Chien KL, Chen TH. Treatment of low back pain by acupressure and physical therapy: randomised controlled trial. *BMJ*. 2006 Mar 25;332(7543):696-700. Epub 2006 Feb 17.
- Lee A, Fan LTY. Stimulation of the wrist acupuncture point P6 for preventing postoperative nausea and vomiting. *Cochrane Database Syst Rev*. 2009;(2):CD003281
- Linde K, Allais G, Brinkhaus B, et al. Acupuncture for tension-type headache. *Cochrane Database Syst Rev*. 2009;(1):CD007587
- Linde K, Allais G, Brinkhaus B, Manheimer E, Vickers A, White AR. Acupuncture for migraine prophylaxis. *The Cochrane Database of Systematic Reviews* 2009 Issue 1, Copyright © 2009 The Cochrane Collaboration (b).
- Madsen MV, Gøtzsche PC, Hróbjartsson A. Acupuncture treatment for pain: systematic review of randomised clinical trials with acupuncture, placebo acupuncture, and no acupuncture groups. *BMJ*. 2009 Jan 27;338: a3115. doi: 10.1136/bmj. a3115.
- McNeely ML, Armijo Olivo S, Magee DJ. A systematic review of the effectiveness of physical therapy interventions for temporomandibular disorders. *Phys Ther*. 2006 May;86(5):710-25. Myers CD. Complementary and alternative medicine for persistent facial pain. *Dent Clin North Am*. 2007;51(1):263-274, ix.
- National Institutes of Health Consensus Development Conference Statement, November 3-5, 1997.
- Scharf HP, Mansmann U, Streitberger K, Witte S, Kramer J, Maier C, Trampisch J, Victor N. Acupuncture and knee osteoarthritis: a three-armed randomized trial. *Ann Intern Med*. 2006 Jul 4;145(1):12-20.
- Smith C, Crowther C, Beilby J. Acupuncture to treat nausea and vomiting in early pregnancy: a randomized controlled trial. *Birth*. 2002 Mar;29(1):1-9.
- Smith CA, Hay PPJ. Acupuncture for depression. *The Cochrane Library*. 2006. Issue 2.
- Sun MY, Hsieh CL, Cheng YY, Hung HC, Li TC, Yen SM, Huang IS. The therapeutic effects of acupuncture on patients with chronic neck myofascial pain syndrome: a single-blind randomized controlled trial. *Am J Chin Med*. 2010;38(5):849-59.

- Witt C, Brinkhaus B, Jena S, Linde K, Streng A, Wagenpfeil S, et al. Acupuncture in patients with osteoarthritis of the knee: a randomised trial. Lancet. 2005 Jul 9-15;366(9480):136-43.
- Acupuncture for chronic headache. Hayes Alert. April 2004; 7(4).
- Sator-Katzenschlager SM, Scharbert G, Kozek-Langenecker SA et al. The short- and long-term benefit in chronic low back pain through adjuvant electrical versus manual auricular acupuncture. Anesth Analg 2004; 98(5):1359-64.
- Sator-Katzenschlager SM, Szeles JC, Scharnert G et al. Electrical stimulation of auricular acupuncture points is more effective than conventional manual auricular acupuncture in chronic cervical pain: a pilot study. Anesth Anal 2003; 97(5): 1469-73.
- Holzer A, Leitgeb U, Spacek A et al. Auricular acupuncture for postoperative pain after gynecological surgery: a randomized controlled trial. Minerva Anesthesiol. 2011; 77(3): 298-304.
- Peer Specialty Review
- Physician Advisors

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD) and Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. They can be found at: <http://www.cms.gov/medicare-coverage-database/search/advanced-search.aspx>. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD):

NCD/LCD Document (s): NCD: 30.3, 30.3.1, 30.3.2

<https://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=11&ncdver=1&CoverageSelection=Both&ArticleType=All&PolicyType=Final&s=Oregon&Keyword=Acupuncture&KeywordLookUp=Title&KeywordSearchType=And&bc=gAAAACAAAAAAAA%3d%3d&>

<https://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=283&ncdver=1&CoverageSelection=Both&ArticleType=All&PolicyType=Final&s=Oregon&Keyword=Acupuncture&KeywordLookUp=Title&KeywordSearchType=And&bc=gAAAACAAAAAAAA%3d%3d&>

<https://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=284&ncdver=1&CoverageSelection=Both&ArticleType=All&PolicyType=Final&s=Oregon&Keyword=Acupuncture&KeywordLookUp=Title&KeywordSearchType=And&bc=gAAAACAAAAAAAA%3d%3d&>

Medicare Part B Administrative Contractor (MAC) Jurisdictions

Jurisdiction	Applicable State/US Territory	Contractor
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC