

Procedures and services considered always investigational or cosmetic



Moda Health Commercial Group and Individual Members

Updated 08/07/2026

Codes	ServiceDescription	ExceptionsNotes
0596T	Temporary female intraurethral valve-pump (ie, voiding prosthesis); initial insertion, including urethral measurement	Always Investigational
0603T	Glomerular filtration rate (GFR) monitoring, transdermal, including sensor placement and administration of more than one dose of fluorescent pyrazine agent, each 24 hours	Always Investigational
0594T	Osteotomy, humerus, with insertion of an externally controlled intramedullary lengthening device, including intraoperative imaging, initial and subsequent alignment assessments, computations of adjustment schedules, and management of the intramedullary lengthening device	Always Investigational
0598T	Noncontact real-time fluorescence wound imaging, for bacterial presence, location, and load, per session; first anatomic site (eg, lower extremity)	Always Investigational
0597T	Temporary female intraurethral valve-pump (ie, voiding prosthesis); initial insertion, including urethral measurement replacement	Always Investigational
0605T	Optical coherence tomography (OCT) of retina, remote, patientinitiated image capture and transmission to a remote surveillance center unilateral or bilateral;remote surveillance center technical support, data analyses and reports, with a minimum of 8 daily recordings, each 30 days	Always Investigational
0602T	Glomerular filtration rate (GFR) measurement(s), transdermal, including sensor placement and administration of a single dose of fluorescent pyrazine agent	Always Investigational
0600T	Ablation, irreversible electroporation; 1 or more tumors per organ, including imaging guidance, when performed, percutaneous	Always Investigational
0599T	Noncontact real-time fluorescence wound imaging, for bacterial presence, location, and load, per session; each additional anatomic site (eg, upper extremity) (List separately in addition to code for primary procedure)	Always Investigational
0601T	Ablation, irreversible electroporation; 1 or more tumors, including fluoroscopic and ultrasound guidance, when performed, open	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0608T	Remote monitoring of an external continuous pulmonary fluid monitoring system, including measurement of radiofrequencyderived pulmonary fluid levels, heart rate, respiration rate, activity, posture, and cardiovascular rhythm (eg, ECG data), transmitted to a remote 24-hour attended surveillance center; analysis of data received and transmission of reports to the physician or other qualified health care professional	Always Investigational
0604T	Optical coherence tomography (OCT) of retina, remote, patientinitiated image capture and transmission to a remote surveillance center unilateral or bilateral; initial device provision, set-up and patient education on use of equipment	Always Investigational
0607T	Remote monitoring of an external continuous pulmonary fluid monitoring system, including measurement of radiofrequencyderived pulmonary fluid levels, heart rate, respiration rate, activity, posture, and cardiovascular rhythm (eg, ECG data), transmitted to a remote 24-hour attended surveillance center; set-up and patient education on use of equipment	Always Investigational
0606T	Optical coherence tomography (OCT) of retina, remote, patientinitiated image capture and transmission to a remote surveillance center unilateral or bilateral; review, interpretation and report by the prescribing physician or other qualified health care professional of remote surveillance center data analyses, each 30 days	Always Investigational
0613T	Percutaneous transcatheter implantation of interatrial septal shunt device, including right and left heart catheterization, intracardiac echocardiography, and imaging guidance by the proceduralist, when performed	Always Investigational
0620T	Endovascular venous arterialization, tibial or peroneal vein, with transcatheter placement of intravascular stent graft(s) and closure by any method, including percutaneous or open vascular access, ultrasound guidance for vascular access when performed, all catheterization(s) and intraprocedural roadmapping and imaging guidance necessary to complete the intervention, all associated radiological supervision and	Always Investigational
0621T	Trabeculostomy ab interno by laser	Always Investigational
0615T	Eye-movement analysis without spatial calibration, with interpretation and report	Always Investigational
0619T	Cystourethroscopy with transurethral anterior prostate commissurotomy and drug delivery, including transrectal ultrasound and fluoroscopy, when performed	Always Investigational
0622T	Trabeculostomy ab interno by laser; with use of ophthalmic endoscope	Always Investigational
0639T	Wireless skin sensor thermal anisotropy measurement(s) and assessment of flow in cerebrospinal fluid shunt, including ultrasound guidance, when	Always Investigational
0631T	Transcutaneous visible light hyperspectral imaging measurement of oxyhemoglobin, deoxyhemoglobin, and tissue oxygenation, with interpretation and report, per extremity	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0632T	Percutaneous transcatheter ultrasound ablation of nerves innervating the pulmonary arteries, including right heart catheterization, pulmonary artery angiography, and all imaging guidance	Always Investigational
64451	Injection(s), anesthetic agent(s) and /or steroid; nerves innervating the sacroiliac joint, with image guidance (i.e fluoroscopy or computed	Always investigational
64625	Radiofrequency ablation, nerves innervating the sacroiliac joint, with	Always Investigational
81306	NUDT15 (nudix hydrolase 15)(eg, drug metabolism) gene analysis,	Always Investigational
81529	Oncology (cutaneous melanoma), mRNA, gene expression profiling by real-time RT-PCR of 31 genes (28 content and 3 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as recurrence risk, including likelihood of sentinel lymph node metastasis	Always Investigational
95803	Actigraphy	Always Investigational
J0591	Injection, deoxycholic acid, 1 mg	Always Cosmetic
Q4228	Bionextpatch, per square centimeter	Always Investigational
Q4227	Amniocore, per square centimeter	Always Investigational
Q4234	Xcellerate, per square centimeter	Always Investigational
Q4232	Corplex, per square centimeter	Always Investigational
Q4230	Cogenex flowable amnion, per 0.5 cc	Always Investigational
Q4229	Cogenex amniotic membrane, per square centimeter	Always Investigational
Q4231	Corplex p, per cc	Always Investigational
Q4236	Carepatch, per square centimeter	Always Investigational
Q4240	Corecyte, for topical use only, per 0.5 cc	Always Investigational
Q4233	Surfactor or nudyn, per 0.5 cc	Always Investigational
Q4241	Polycyte, for topical use only, per 0.5 cc	Always Investigational
Q4237	Cryo-cord, per square centimeter	Always Investigational
Q4235	Amniorepair or altiplay, per square centimeter	Always Investigational
Q4239	Amnio-maxx or amnio-maxx lite, per square centimeter	Always Investigational
Q4238	Derm-maxx, per square centimeter	Always Investigational
Q4245	Amniotext, per cc	Always Investigational
Q4249	AMNIPLY, for topical use only, per sq cm	Always Investigational
Q4254	Novafix DL, per sq cm	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
Q4244	Procenta, per 200 mg	Always Investigational
Q4248	Dermacyte amniotic membrane allograft, per square centimeter	Always Investigational
S1091	☐ Stent, non-coronary, temporary, with delivery system (Propel)	Always Investigational
Q4247	Amniotext patch, per square centimeter	Always Investigational
Q4250	AmnioAmp-MP, per sq cm	Always Investigational
Q4246	Coretext or protext, per cc	Always Investigational
Q4242	Amniocyte plus, per 0.5 cc	Always Investigational
Q4255	REGUaRD, for topical use only, per sq cm	Always Investigational
0060U	Twin zygosity, genomic targeted sequence analysis of chromosome 2, using circulating cell-free fetal DNA in maternal blood	Always Investigational
0093U	Prescription drug monitoring, evaluation of 65 common drugs by LC-MS/MS, urine, each drug reported detected or not detected	Always Investigational
0543T	Transapical mitral valve repair, including transthoracic echocardiography, when performed, with placement of artificial chordae tendineae	Always Investigational
0544T	Transcatheter mitral valve annulus reconstruction, with implantation of adjustable annulus reconstruction device, percutaneous approach including transseptal puncture	Always Investigational
0545T	Transcatheter tricuspid valve annulus reconstruction with implantation of adjustable annulus reconstruction device, percutaneous approach	Always Investigational
0546T	Radiofrequency spectroscopy, real time, intraoperative margin assessment, at the time of partial mastectomy, with report	Always Investigational
0547T	Bone-material quality testing by microindentation(s) of the tibia(s), with results reported as a score	Always Investigational
0548T	Transperineal periurethral balloon continence device; bilateral placement, including cystoscopy and fluoroscopy	Always Investigational
0549T	Transperineal periurethral balloon continence device; unilateral placement, including cystoscopy and fluoroscopy	Always Investigational
0550T	Transperineal periurethral balloon continence device; removal, each balloon	Always Investigational
0551T	Transperineal periurethral balloon continence device; adjustment of balloon(s) fluid volume	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0552T	Low-level laser therapy, dynamic photonic and dynamic thermokinetic energies, provided by a physician or other qualified health care professional	Always Investigational
0553T	Percutaneous transcatheter placement of iliac arteriovenous anastomosis implant, inclusive of all radiological supervision and interpretation, intraprocedural roadmapping, and imaging guidance necessary to complete the intervention	Always Investigational
0554T	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; retrieval and transmission of the scan data, assessment of bone strength and fracture risk and bone mineral density, interpretation and report	Always Investigational
0555T	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; retrieval and transmission of the scan data	Always Investigational
0556T	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; assessment of bone strength and fracture risk and bone mineral density	Always Investigational
0557T	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; interpretation and report	Always Investigational
0558T	Computed tomography scan taken for the purpose of biomechanical computed tomography analysis	Always Investigational
0559T	Anatomic model 3D-printed from image data set(s); first individually prepared and processed component of an anatomic structure	Always Investigational
0560T	Anatomic model 3D-printed from image data set(s); each additional individually prepared and processed component of an anatomic structure (List separately in addition to code for primary procedure)	Always Investigational
0561T	Anatomic guide 3D-printed and designed from image data set(s); first anatomic guide	Always Investigational
0562T	Anatomic guide 3D-printed and designed from image data set(s); each additional anatomic guide (List separately in addition to code for primary procedure)	Always Investigational
0640T	"Noncontact near-infrared spectroscopy studies of flap or wound (eg, for measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation [StO ₂]); image acquisition, interpretation and report, each flap or wound"	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0641T	Noncontact near-infrared spectroscopy studies of flap or wound (eg, for measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation [StO2]); image acquisition only, each flap or wound	Always Investigational
0642T	Noncontact near-infrared spectroscopy studies of flap or wound (eg, for measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation [StO2]); interpretation and report only, each flap or wound	Always Investigational
0643T	Transcatheter left ventricular restoration device implantation including right and left heart catheterization and left ventriculography when performed, arterial approach	Always Investigational
0644T	"Transcatheter removal or debulking of intracardiac mass (eg, vegetations, thrombus) via suction (eg, vacuum, aspiration) device, percutaneous approach, with intraoperative reinfusion of aspirated blood, including imaging guidance, when performed"	Always Investigational
0645T	"Transcatheter implantation of coronary sinus reduction device including vascular access and closure, right heart catheterization, venous angiography, coronary sinus angiography, imaging guidance, and supervision and interpretation, when performed"	Always Investigational
0646T	"Transcatheter tricuspid valve implantation/replacement (TTVI) with prosthetic valve, percutaneous approach, including right heart catheterization, temporary pacemaker insertion, and selective right ventricular or right atrial angiography, when performed"	Always Investigational
0647T	"Insertion of gastrostomy tube, percutaneous, with magnetic gastropexy, under ultrasound guidance, image documentation and report"	Always Investigational
0650T	"Programming device evaluation (remote) of subcutaneous cardiac rhythm monitor system, with iterative adjustment of the implantable device to test the function of the device and select optimal permanently programmed values with analysis, review and report by a physician or other qualified health care professional "	Always Investigational
0651T	"Magnetically controlled capsule endoscopy, esophagus through stomach, including intraprocedural positioning of capsule, with interpretation and report"	Always Investigational
0652T	Esophagogastroduodenoscopy, flexible, transnasal; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0653T	Esophagogastroduodenoscopy, flexible, transnasal; with biopsy, single or multiple	Always Investigational
0654T	Esophagogastroduodenoscopy, flexible, transnasal;with insertion of intraluminal tube or catheter	Always Investigational
0655T	Transperineal focal laser ablation of malignant prostate tissue, including transrectal imaging guidance, with MR-fused images or other enhanced ultrasound imaging	Always Investigational
0656T	Vertebral body tethering, anterior; up to 7 vertebral segments	Always Investigational
0657T	Vertebral body tethering, anterior; 8 or more segments	Always Investigational
0658T	Electrical impedance spectroscopy of 1 or more skin lesions for automated melanoma risk score	Always Investigational
0659T	Transcatheter intracoronary infusion of supersaturated oxygen in conjunction with percutaneous coronary revascularization during acute myocardial infarction, including catheter placement, imaging guidance (eg, fluoroscopy), angiography, and radiologic supervision and	Always Investigational
0660T	Implantation of anterior segment intraocular nonbiodegradable drug-eluting system, internal approach	Always Investigational
0661T	Removal and reimplantation of anterior segment intraocular nonbiodegradable drug-eluting implant	Always Investigational
0664T	Donor hysterectomy (including cold preservation); open, from cadaver donor	Always Investigational
0665T	Donor hysterectomy (including cold preservation); open, from living donor	Always Investigational
0666T	Donor hysterectomy (including cold preservation); laparoscopic or robotic, from living donor	Always Investigational
0667T	Donor hysterectomy (including cold preservation);recipient uterus allograft transplantation from cadaver or living donor	Always Investigational
0668T	Backbench standard preparation of cadaver or living donoruterine allograft prior to transplantation, including dissection and removal of surrounding soft tissues and preparation of uterine vein(s) and uterine artery(ies), as necessary	Always Investigational
0669T	Backbench reconstruction of cadaver or living donor uterus allograft prior to transplantation; venous anastomosis, each	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0670T	Backbench reconstruction of cadaver or living donor uterus allograft prior to transplantation; arterial anastomosis, each	Always Investigational
0672T	Endovaginal cryogen-cooled, monopolar radiofrequency remodeling of the tissues surrounding the female bladder neck and proximal urethra for urinary incontinence	Always Investigational
64628	Thermal destruction of intraosseous basivertebral nerve, including all imaging guidance; first 2 vertebral bodies, lumbar or sacral	Always Investigational
64629	Thermal destruction of intraosseous basivertebral nerve, including all imaging guidance; each additional vertebral body, lumbar or sacral (List separately in addition to code for primary procedure)	Always Investigational
68841	Insertion of drug-eluting implant, including punctal dilation when performed, into lacrimal canaliculus, each	Always Investigational
77089	Trabecular bone score (TBS), structural condition of the bone microarchitecture; using dual X-ray absorptiometry (DXA) or other imaging data on gray-scale variogram, calculation, with interpretation and report on fracture-risk	Always Investigational
77090	Trabecular bone score (TBS), structural condition of the bone microarchitecture; technical preparation and transmission of data for analysis to be performed elsewhere	Always Investigational
77091	Trabecular bone score (TBS), structural condition of the bone microarchitecture; technical calculation only	Always Investigational
77092	Trabecular bone score (TBS), structural condition of the bone microarchitecture; interpretation and report on fracture-risk only by other qualified health care professional	Always Investigational
0673T	Ablation, benign thyroid nodule(s), percutaneous, laser, including imaging guidance	Always Investigational
0674T	"Laparoscopic insertion of new or replacement of permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, including an implantable pulse generator and diaphragmatic lead(s)	Always Investigational
0675T	"Laparoscopic insertion of new or replacement of diaphragmatic lead(s), permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, including connection to an existing pulse generator; first lead"	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0676T	"Laparoscopic insertion of new or replacement of diaphragmatic lead(s), permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, including connection to an existing pulse generator; each additional lead (List separately in addition to code for primary procedure)"	Always Investigational
0677T	"Laparoscopic repositioning of diaphragmatic lead(s), permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, including connection to an existing pulse generator; first repositioned lead"	Always Investigational
0678T	"Laparoscopic repositioning of diaphragmatic lead(s), permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, including connection to an existing pulse generator; each additional repositioned lead (List separately in addition to code for primary procedure)"	Always Investigational
0679T	"Laparoscopic removal of diaphragmatic lead(s), permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function"	Always Investigational
0680T	"Insertion or replacement of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, with connection to existing lead(s)"	Always Investigational
0681T	Relocation of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function, with connection to existing dual leads	Always Investigational
0682T	Removal of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	Always Investigational
0683T	Programming device evaluation (in-person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	Always Investigational
0684T	"Peri-procedural device evaluation (in-person) and programming of device system parameters before or after a surgery, procedure, or test with analysis, review, and report by a physician or other qualified health care professional, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function"	Always Investigational
0685T	"Interrogation device evaluation (in-person) with analysis, review and report by a physician or other qualified health care professional, including connection, recording and disconnection per patient encounter, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function"	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0686T	Histotripsy (ie, non-thermal ablation via acoustic energy delivery) of malignant hepatocellular tissue, including image guidance	Always Investigational
0687T	Treatment of amblyopia using an online digital program; device supply, educational set-up, and initial session	Always Investigational
0688T	"Treatment of amblyopia using an online digital program; assessment of patient performance and program data by physician or other qualified health care professional, with report, per calendar month"	Always Investigational
0689T	Quantitative ultrasound tissue characterization (non elastographic), including interpretation and report, obtained without diagnostic ultrasound examination of the same anatomy (eg, organ, gland, tissue, target structure)	Always Investigational
0690T	Quantitative ultrasound tissue characterization (nonelastographic), including interpretation and report, obtained with diagnostic ultrasound examination of the same anatomy (eg, organ, gland, tissue, target structure) (List separately in addition to code for primary procedure)	Always Investigational
0691T	"Automated analysis of an existing computed tomography study for vertebral fracture(s), including assessment of bone density when performed, data preparation, interpretation, and report"	Always Investigational
0692T	Therapeutic ultrafiltration	Always Investigational
0693T	Comprehensive full body computer-based markerless 3D kinematic and kinetic motion analysis and report	Always Investigational
0694T	"3-dimensional volumetric imaging and reconstruction of breast or axillary lymph node tissue, each excised specimen, 3-dimensional automatic specimen reorientation, interpretation and report, realtime intraoperative"	Always Investigational
0695T	Body surface–activation mapping of pacemaker or pacing cardioverter-defibrillator lead(s) to optimize electrical synchrony, cardiac resynchronization therapy device, including connection, recording, disconnection, review, and report; at time of implant or replacement	Always Investigational
0696T	Body surface–activation mapping of pacemaker or pacing cardioverter-defibrillator lead(s) to optimize electrical synchrony, cardiac resynchronization therapy device, including connection, recording, disconnection, review, and report; at time of follow-up interrogation or programming device evaluation	Always Investigational
0699T	Injection, posterior chamber of eye, medication	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0700T	Molecular fluorescent imaging of suspicious nevus; first lesion	Always Investigational
0701T	Molecular fluorescent imaging of suspicious nevus; each additional lesion (List separately in addition to code for primary procedure)	Always Investigational
0704T	Remote treatment of amblyopia using an eye tracking device; device supply with initial set-up and patient education on use of equipment	Always Investigational
0705T	Remote treatment of amblyopia using an eye tracking device; surveillance center technical support including data transmission with analysis, with a minimum of 18 training hours, each 30 days	Always Investigational
0706T	Remote treatment of amblyopia using an eye tracking device; interpretation and report by physician or other qualified health care professional, per calendar month	Always Investigational
0707T	"Injection(s), bone-substitute material (eg, calcium phosphate) into subchondral bone defect (ie, bone marrow lesion, bone bruise, stress injury, microtrabecular fracture), including imaging guidance and arthroscopic assistance for joint visualization"	Always Investigational
0708T	Intradermal cancer immunotherapy; preparation and initial injection	Always Investigational
0709T	"Intradermal cancer immunotherapy; each additional injection (List separately in addition to code for primary procedure)"	Always Investigational
Q4259	Celera dual layer or celera dual membrane, per square centimeter	Always Investigational
Q4260	Signature apatch, per square centimeter	Always Investigational
Q4261	Tag, per square centimeter	Always Investigational
K1028	Power source and control electronics unit for oral device/appliance for neuromuscular electrical stimulation of the tongue muscle for the reduction of snoring and obstructive sleep apnea, controlled by phone	Always Investigational
K1029	Oral device/appliance for neuromuscular electrical stimulation of the tongue muscle, used in conjunction with the power source and control electronics unit, controlled by phone application, 90-day supply	Always Investigational
Q4224	Human health factor 10 amniotic patch (hhf10-p), per square centimeter	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
Q4225	Amniobind, per square centimeter	Always Investigational
Q4256	Mlg-complete, per square centimeter	Always Investigational
Q4257	Relese, per square centimeter	Always Investigational
Q4258	Enverse, per square centimeter	Always Investigational
C9781	Arthroscopy, shoulder, surgical; with implantation of subacromial spacer (e.g., balloon), includes debridement (e.g., limited or extensive), subacromial decompression, acromioplasty, and biceps tenodesis when	Always Investigational
C9782	Blinded procedure for new york heart association (nyha) class ii or iii heart failure, or canadian cardiovascular society (ccs) class iii or iv chronic refractory angina	Always Investigational
C9783	Blinded procedure for transcatheter implantation of coronary sinus reduction device or placebo control, including vascular access and closure, right heart catheterization, venous and coronary sinus angiography, imaging guidance and supervision and interpretation when performed in an approved investigational device exemption (ide) study	Always Investigational
A2013	Innovamatrix fs, per square centimeter	Always Investigational
A2012	Suprathel, per square centimeter	Always Investigational
A2011	Supra sdrm, per square centimeter	Always Investigational
0714T	Transperineal laser ablation of benign prostatic hyperplasia, including imaging guidance	Always Investigational
0715T	Percutaneous transluminal coronary lithotripsy (List separately in addition to code for primary procedure)	Always Investigational
0716T	Cardiac acoustic waveform recording with automated analysis and generation of coronary artery disease risk score	Always Investigational
0717T	Autologous adipose-derived regenerative cell (ADRC) therapy for partial thickness rotator cuff tear; adipose tissue harvesting, isolation and preparation of harvested cells, including incubation with cell dissociation enzymes, filtration, washing and concentration of ADRCs	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0718T	Autologous adipose-derived regenerative cell (ADRC) therapy for partial thickness rotator cuff tear; injection into supraspinatus tendon including ultrasound guidance, unilateral	Always Investigational
0720T	Percutaneous electrical nerve field stimulation, cranial nerves, without implantation	Always Investigational
0721T	Quantitative computed tomography (CT) tissue characterization, including interpretation and report, obtained without concurrent CT examination of any structure contained in previously acquired diagnostic	Always Investigational
0722T	Quantitative computed tomography (CT) tissue characterization, including interpretation and report, obtained with concurrent CT examination of any structure contained in the concurrently acquired diagnostic imaging dataset (List separately in addition to code for primary	Always Investigational
0723T	Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained without diagnostic magnetic resonance imaging (MRI) examination of the same anatomy (eg, organ, gland, tissue, target	Always Investigational
0724T	Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained with diagnostic magnetic resonance imaging (MRI) examination of the same anatomy (eg, organ, gland, tissue, target structure) (List separately in addition to code for primary procedure)	Always Investigational
0725T	Vestibular device implantation, unilateral	Always Investigational
0726T	Removal of implanted vestibular device, unilateral	Always Investigational
0727T	Removal and replacement of implanted vestibular device, unilateral	Always Investigational
0728T	Diagnostic analysis of vestibular implant, unilateral; with initial programming	Always Investigational
0729T	Diagnostic analysis of vestibular implant, unilateral; with subsequent programming	Always Investigational
0730T	Trabeculotomy by laser, including optical coherence tomography (OCT) guidance	Always Investigational
0731T	Augmentative AI-based facial phenotype analysis with report	Always Investigational
0732T	Immunotherapy administration with electroporation, intramuscular	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0733T	Remote body and limb kinematic measurement-based real-time, motion capture-based neurorehabilitative therapy ordered by a physician or other qualified health care professional; supply and technical support, per	Always Investigational
0734T	Remote body and limb kinematic measurement-based therapy ordered by a physician or other qualified health care professional; treatment management services by a physician or other qualified health care	Always Investigational
0734T	Remote body and limb kinematic measurement-based therapy ordered by a physician or other qualified health care professional; treatment management services by a physician or other qualified health care	Always Investigational
0735T	Preparation of tumor cavity, with placement of a radiation therapy applicator for intraoperative radiation therapy (IORT) concurrent with primary craniotomy (List separately in addition to code for primary	Always Investigational
0736T	Colonic lavage, 35 or more liters of water, gravity-fed, with induced defecation, including insertion of rectal catheter	Always Investigational
0737T	Xenograft implantation into the articular surface	Always Investigational
0332U	ONC PAN TUM GENETIC PRFLG 8 DNA QUAN PCR WHL BLD	Always Investigational
0333U	ONC LVR SRVLNC HCC ALYS METHYLTN PATTERNS CFDNA	Always Investigational
0334U	ONC SLD ORGN TGSA FFPE TUM TISS DNA 84/+ GEN	Always Investigational
0335U	RARE DISEASES WHOLE GENOME SEQ ALYS FETAL SAMPLE	Always Investigational
0336U	RARE DISEASES WHOLE GENOME SEQ ALYS BLOOD/SALIVA	Always Investigational
0337U	ONC PLSM CLL DO&MYLOMA CRCG PLSM CLL IMMLG SLCTN	Always Investigational
0338U	ONC SLD TUM CRCG TUMOR CELL SELECTION	Always Investigational
0339U	ONC PROSTATE MRNA XPRSN PRFLG HOXC6 &DLX1 RT-PCR	Always Investigational
0342U	ONC PNCRTC CA MULT IA ECLIA SRM ALG	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0343U	ONC PRST8 XOME BASED ALYS 442 SNCRNA RT-QPCR UR	Always Investigational
0344U	HEP NAFLD SEMIQ EVAL 28 LIPID MRK SRM NASH/XNASH	Always Investigational
0345U	PSYC GENOMIC ALYS PANEL VARIANT ALYS 15 GENES	Always Investigational
0346U	BETA AMYLOID AB40&AB42 LC-MS/MS RATIO PLASMA	Always Investigational
0347U	RX METAB/PCX DNA 16 GENE VRNT ALYS&REPRTD PHNT	Always Investigational
0348U	RX METAB/PCX DNA 25 GENE VRNT ALYS&REPRTD PHNT	Always Investigational
0349U	RX METAB/PCX DNA 27 GEN VRNT ALYS&PHNT GEN-RX IA	Always Investigational
0350U	RX METAB/PCX DNA 27 GENE VRNT ALYS&REPRTD PHNT	Always Investigational
0351U	NFCT DS BCT/VIRAL TRAIL IP-10 C-REACT PRTN SRM	Always Investigational
0323U	Infectious agent detection by nucleic acid (DNA and RNA), central nervous system pathogen, metagenomic next-generation sequencing, cerebrospinal fluid (CSF), identification of pathogenic bacteria, viruses,	Always Investigational
0324U	Oncology (ovarian), spheroid cell culture, 4-drug panel (carboplatin, doxorubicin, gemcitabine, paclitaxel), tumor chemotherapy response prediction for each drug	Always Investigational
0325U	Oncology (ovarian), spheroid cell culture, poly (ADP[1]ribose) polymerase (PARP) inhibitors (niraparib, olaparib, rucaparib, velparib), tumor response prediction for each drug	Always Investigational
0330U	Infectious agent detection by nucleic acid (DNA or RNA), vaginal pathogen panel, identification of 27 organisms, amplified probe technique, vaginal swab	Always Investigational
0331U	Oncology (hematolymphoid neoplasia), optical genome mapping for copy number alterations and gene rearrangements utilizing DNA from blood or bone marrow, report of clinically significant alternations	Always Investigational
30469	Repair of nasal valve collapse with low energy, temperature-controlled (ie, radiofrequency) subcutaneous/submucosal remodeling	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
92066	Orthoptic training; under supervision of a physician or other qualified health care professional	Always Investigational
98978	Remote therapeutic monitoring (eg, therapy adherence, therapy response); device(s) supply with scheduled (eg, daily) recording(s) and/or programmed alert(s) transmission to monitor cognitive behavioral	Always Investigational
0738T	Treatment planning for magnetic field induction ablation of malignant prostate tissue, using data from previously performed magnetic resonance imaging (MRI) examination	Always Investigational
0739T	Ablation of malignant prostate tissue by magnetic field induction, including all intraprocedural, transperineal needle/catheter placement for nanoparticle installation and intraprocedural temperature monitoring, thermal dosimetry, bladder irrigation, and magnetic field nanoparticle	Always Investigational
0740T	Remote autonomous algorithm-based recommendation system for insulin dose calculation and titration; initial set-up and patient education	Always Investigational
0741T	Remote autonomous algorithm-based recommendation system for insulin dose calculation and titration; provision of software, data collection, transmission, and storage, each 30 days	Always Investigational
0743T	Bone strength and fracture risk using finite element analysis of functional data and bone mineral density (BMD), with concurrent vertebral fracture assessment, utilizing data from a computed tomography scan, retrieval and transmission of the scan data, measurement of bone strength and BMD and classification of any vertebral fractures, with overall fracture-	Always Investigational
0744T	Insertion of bioprosthetic valve, open, femoral vein, including duplex ultrasound imaging guidance, when performed, including autogenous or nonautogenous patch graft (eg, polyester, ePTFE, bovine pericardium),	Always Investigational
0745T	Cardiac focal ablation utilizing radiation therapy for arrhythmia; noninvasive arrhythmia localization and mapping of arrhythmia site (nidus), derived from anatomical image data (eg, CT, MRI, or myocardial perfusion scan) and electrical data (eg, 12-lead ECG data), and	Always Investigational
0746T	Cardiac focal ablation utilizing radiation therapy for arrhythmia; conversion of arrhythmia localization and mapping of arrhythmia site (nidus) into a multidimensional radiation treatment plan	Always Investigational
0747T	Cardiac focal ablation utilizing radiation therapy for arrhythmia; delivery of radiation therapy, arrhythmia	Always Investigational
0748T	Injections of stem cell product into perianal perifistular soft tissue, including fistula preparation (eg, removal of setons, fistula curettage, closure of internal openings)	Always Investigational
0749T	Bone strength and fracture-risk assessment using digital X-ray radiogrammetry-bone mineral density (DXR-BMD) analysis of bone mineral density (BMD) utilizing data from a digital X ray, retrieval and transmission of digital X-ray data, assessment of bone strength and	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0750T	Bone strength and fracture-risk assessment using digital X-ray radiogrammetry-bone mineral density (DXR-BMD) analysis of bone mineral density (BMD) utilizing data from a digital X ray, retrieval and transmission of digital X-ray data, assessment of bone strength and fracture risk and BMD, interpretation and report; with single-view digital	Always Investigational
0751T	Digitization of glass microscope slides for level II, surgical pathology, gross and microscopic examination (List separately in addition to code for primary procedure)	Always Investigational
0752T	Digitization of glass microscope slides for level III, surgical pathology, gross and microscopic examination (List separately in addition to code for primary procedure)	Always Investigational
0753T	Digitization of glass microscope slides for level IV, surgical pathology, gross and microscopic examination (List separately in addition to code for primary procedure)	Always Investigational
0754T	Digitization of glass microscope slides for level V, surgical pathology, gross and microscopic examination (List separately in addition to code for primary procedure)	Always Investigational
0755T	Digitization of glass microscope slides for level VI, surgical pathology, gross and microscopic examination (List separately in addition to code for primary procedure)	Always Investigational
0756T	Digitization of glass microscope slides for special stain, including interpretation and report, group I, for microorganisms (eg, acid fast, methenamine silver) (List separately in addition to code for primary	Always Investigational
0757T	Digitization of glass microscope slides for special stain, including interpretation and report, group II, all other (eg, iron, trichrome), except stain for microorganisms, stains for enzyme constituents, or immunocytochemistry and immunohistochemistry (List separately in	Always Investigational
0758T	Digitization of glass microscope slides for special stain, including interpretation and report, histochemical stain on frozen tissue block (List separately in addition to code for primary procedure)	Always Investigational
0759T	Digitization of glass microscope slides for special stain, including interpretation and report, group III, for enzyme constituents (List separately in addition to code for primary procedure)	Always Investigational
0760T	Digitization of glass microscope slides for immunohistochemistry or immunocytochemistry, per specimen, initial single antibody stain procedure (List separately in addition to code for primary procedure)	Always Investigational
0761T	Digitization of glass microscope slides for immunohistochemistry or immunocytochemistry, per specimen, each additional single antibody stain procedure (List separately in addition to code for primary	Always Investigational
0762T	Digitization of glass microscope slides for immunohistochemistry or immunocytochemistry, per specimen, each multiplex antibody stain procedure (List separately in addition to code for primary procedure)	Always Investigational
0763T	Digitization of glass microscope slides for morphometric analysis, tumor immunohistochemistry (eg, Her-2/neu, estrogen receptor/progesterone receptor), quantitative or semiquantitative, per specimen, each single antibody stain procedure, manual (List separately in addition to code for	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0764T	Assistive algorithmic electrocardiogram risk-based assessment for cardiac dysfunction (eg, low-ejection fraction, pulmonary hypertension, hypertrophic cardiomyopathy); related to concurrently performed electrocardiogram (List separately in addition to code for primary	Always Investigational
0765T	Assistive algorithmic electrocardiogram risk-based assessment for cardiac dysfunction (eg, low-ejection fraction, pulmonary hypertension, hypertrophic cardiomyopathy); related to previously performed	
0766T	Transcutaneous magnetic stimulation by focused low-frequency electromagnetic pulse, peripheral nerve, initial treatment, with identification and marking of the treatment location, including noninvasive electroneurographic localization (nerve conduction	Always Investigational
0767T	Transcutaneous magnetic stimulation by focused low-frequency electromagnetic pulse, peripheral nerve, initial treatment, with identification and marking of the treatment location, including noninvasive electroneurographic localization (nerve conduction localization), when performed; each additional nerve (List separately in	Always Investigational
0768T	Transcutaneous magnetic stimulation by focused low-frequency electromagnetic pulse, peripheral nerve, subsequent treatment, including noninvasive electroneurographic localization (nerve conduction localization), when performed; first nerve	Always Investigational
0769T	Transcutaneous magnetic stimulation by focused low-frequency electromagnetic pulse, peripheral nerve, subsequent treatment, including noninvasive electroneurographic localization (nerve conduction localization), when performed; each additional nerve (List separately in	Always Investigational
0770T	Virtual reality technology to assist therapy (List separately in addition to code for primary procedure)	Always Investigational
0771T	Virtual reality (VR) procedural dissociation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the VR procedural dissociation supports, requiring the presence of an independent, trained observer to assist in the monitoring of the patient's level of dissociation or consciousness and physiological status; initial 15 minutes of intraservice	Always Investigational
0772T	Virtual reality (VR) procedural dissociation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the VR procedural dissociation supports, requiring the presence of an independent, trained observer to assist in the monitoring of the patient's level of dissociation or consciousness and physiological status; each additional 15 minutes	Always Investigational
0773T	Virtual reality (VR) procedural dissociation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the VR procedural dissociation supports; initial 15 minutes of intraservice time, patient age 5 years or	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0774T	Virtual reality (VR) procedural dissociation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the VR procedural dissociation supports; each additional 15 minutes intraservice time (List separately in	Always Investigational
0776T	Therapeutic induction of intra-brain hypothermia, including placement of a mechanical temperature-controlled cooling device to the neck over carotids and head, including monitoring (eg, vital signs and sport concussion assessment tool 5 [SCAT5]), 30 minutes of treatment	Always Investigational
0777T	Real-time pressure-sensing epidural guidance system (List separately in addition to code for primary procedure)	
0778T	Surface mechanomyography (sMMG) with concurrent application of inertial measurement unit (IMU) sensors for measurement of multi-joint range of motion, posture, gait, and muscle function	Always Investigational
0779T	Gastrointestinal myoelectrical activity study, stomach through colon, with interpretation and report	Always Investigational
0780T	Instillation of fecal microbiota suspension via rectal enema into lower gastrointestinal tract	Always Investigational
0781T	Bronchoscopy, rigid or flexible, with insertion of esophageal protection device and circumferential radiofrequency destruction of the pulmonary nerves, including fluoroscopic guidance when performed; bilateral	Always Investigational
0782T	Bronchoscopy, rigid or flexible, with insertion of esophageal protection device and circumferential radiofrequency destruction of the pulmonary nerves, including fluoroscopic guidance when performed; unilateral	Always Investigational
0783T	Transcutaneous auricular neurostimulation, set-up, calibration, and patient education on use of equipment	Always Investigational
Q4262	Dual layer impax membrane, per square centimeter	Always Investigational
Q4263	Surgraft tl, per square centimeter	Always Investigational
Q4264	Cocoon membrane, per square centimeter	Always Investigational
93264	Remote monitoring of a wireless pulmonary artery pressure sensor for up to 30 days, including at least weekly downloads of pulmonary artery pressure recordings, interpretation(s), trend analysis, and report(s) by a physician or other qualified health care professional	Always Investigational
T2050	Financial management, self-directed, waiver; per diem	Noncovered

Codes	ServiceDescription	ExceptionsNotes
T2051	Supports brokerage, self-directed, waiver; per diem	Noncovered
A2019	Kerecis omega3 marigen shield, per square centimeter	Always Investigational
A2020	Ac5 advanced wound system (ac5)	Always Investigational
C1763	Biodesign Fistula Plug	Always Investigational
43285	Removal of esophageal sphincter augmentation device	Always Investigational
43285	☐ Removal of esophageal sphincter augmentation device	Always Investigational
Q4279	Vendaje ac, per square centimeter	Always Investigational
Q4287	Dermabind dl, per square centimeter	Always Investigational
Q4288	Dermabind ch, per square centimeter	Always Investigational
Q4289	Revoshield + amniotic barrier, per square centimeter	Always Investigational
Q4290	Membrane wrap-hydro, per square centimeter	Always Investigational
Q4291	Lamellas xt, per square centimeter	Always Investigational
Q4292	Lamellas, per square centimeter	Always Investigational
Q4293	Acesso dl, per square centimeter	Always Investigational
Q4294	Amnio quad-core, per square centimeter	Always Investigational
Q4295	Amnio tri-core amniotic, per square centimeter	Always Investigational
Q4296	Rebound matrix, per square centimeter	Always Investigational
Q4297	Emerge matrix, per square centimeter	Always Investigational
Q4298	Amniocore pro, per square centimeter	Always Investigational
Q4299	Amnicore pro+, per square centimeter	Always Investigational
Q4300	Acesso tl, per square centimeter	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
Q4301	Activate matrix, per square centimeter	Always Investigational
Q4302	Complete aca, per square centimeter	Always Investigational
Q4303	Complete aa, per square centimeter	Always Investigational
Q4304	Grafix plus, per square centimeter	Always Investigational
0811T	Remote multi-day complex uroflowmetry (eg, calibrated electronic equipment); set-up and patient education on use of equipment	Always Investigational
0812T	Remote multi-day complex uroflowmetry (eg, calibrated electronic equipment); device supply with automated report generation, up to 10	Always Investigational
0814T	Percutaneous injection of calcium-based biodegradable osteoconductive material, proximal femur, including imaging guidance, unilateral	Always Investigational
0820T	Continuous in-person monitoring and intervention (eg, psychotherapy, crisis intervention), as needed, during psychedelic medication therapy; first physician or other qualified health care professional, each hour	Always Investigational
0821T	Continuous in-person monitoring and intervention (eg, psychotherapy, crisis intervention), as needed, during psychedelic medication therapy; second physician or other qualified health care professional, concurrent with first physician or other qualified health care professional, each hour (List separately in addition to code for primary procedure)	Always Investigational
0822T	Continuous in-person monitoring and intervention (eg, psychotherapy, crisis intervention), as needed, during psychedelic medication therapy; clinical staff under the direction of a physician or other qualified health care professional, concurrent with first physician or other qualified health care professional, each hour (List separately in addition to code for	Always Investigational
0827T	Digitization of glass microscope slides for cytopathology, fluids, washings, or brushings, except cervical or vaginal; smears with interpretation (List separately in addition to code for primary procedure)	Always Investigational
0828T	Digitization of glass microscope slides for cytopathology, fluids, washings, or brushings, except cervical or vaginal; simple filter method with interpretation (List separately in addition to code for primary procedure)	Always Investigational
0829T	Digitization of glass microscope slides for cytopathology, concentration technique, smears, and interpretation (eg, Saccomanno technique) (List separately in addition to code for primary procedure)	Always Investigational
0005U	Oncology (prostate) gene expression profile by real-time RT-PCR of 3 genes (ERG, PCA3, and SPDEF), urine, algorithm reported as risk score	Always Investigational
Q4292	Lamellas, per square centimeter	Always Investigational
Q4293	Acesso dl, per square centimeter	Always Investigational
Q4294	Amnio quad-core, per square centimeter	Always Investigational
Q4295	Amnio tri-core amniotic, per square centimeter	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
Q4296	Rebound matrix, per square centimeter	Always Investigational
A4639	REPLACEMENT PAD FOR INFRARED HEATING PAD SYSTEM, EACH	Not covered
E0221	Infrared heating pad system	Not covered
L1320	Thoracic, pectus carinatum orthosis, sternal compression, rigid circumferential frame with anterior and posterior rigid pads, custom	Always Investigational
97607	Negative pressure wound therapy, (eg, vacuum-assisted drainage collection), utilizing disposable, non-durable medical equipment including provision of exudate management collection system, topical application(s), wound assessment, and instructions for ongoing care,	Always Investigational
97608	Negative pressure wound therapy, (eg, vacuum-assisted drainage collection), utilizing disposable, non-durable medical equipment including provision of exudate management collection system, topical application(s), wound assessment, and instructions for ongoing care, per session; total wound(s) surface area greater than 50 square centimeters	Always Investigational
A9272	Wound suction, disposable, includes dressing, all accessories and components, any type, each	Always Investigational
0020M	Oncology (central nervous system), analysis of 30000 DNA methylation loci by methylation array, utilizing DNA extracted from tumor tissue, diagnostic algorithm reported as probability of matching a reference tumor subclass	Always Investigational
0450U	Oncology (multiple myeloma), liquid chromatography with tandem mass spectrometry (LC MS/MS), monoclonal paraprotein sequencing analysis, serum, results reported as baseline presence or absence of detectable clonotypic peptides	Always Investigational
0451U	Oncology (multiple myeloma), LC MS/MS, peptide ion quantification, serum, results compared with baseline to determine monoclonal paraprotein abundance	Always Investigational
0452U	Oncology (bladder), methylated PENK DNA detection by linear target enrichment-quantitative methylation-specific real-time PCR (LTE-qMSP), urine, reported as likelihood of bladder cancer	Always Investigational
0453U	Oncology (colorectal cancer), cell-free DNA (cfDNA), methylation-based quantitative PCR assay (SEPTIN9, IKZF1, BCAT1, Septin9-2, VAV3, BCAN), plasma, reported as presence or absence of circulating tumor DNA (ctDNA)	Always Investigational
0454U	Rare diseases (constitutional/heritable disorders), identification of copy number variations, inversions, insertions, translocations, and other structural variants by optical genome mapping	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0455U	Infectious agents (sexually transmitted infection), Chlamydia trachomatis, Neisseria gonorrhoeae, and Trichomonas vaginalis, multiplex amplified probe technique, vaginal, endocervical, gynecological specimens, oropharyngeal swabs, rectal swabs, female or male urine, each pathogen reported as detected or not detected	Always Investigational
0457U	Perfluoroalkyl substances (PFAS) (eg, perfluorooctanoic acid, perfluorooctane sulfonic acid), 9 PFAS compounds by LC-MS/MS, plasma or serum, quantitative	Always Investigational
0458U	Oncology (breast cancer), S100A8 and S100A9, by enzyme linked immunosorbent assay April 1, 2024 July 1, 2024 Updated April 1, 2024 (ELISA), tear fluid with age, algorithm reported as a risk score	Always Investigational
0459U	β -amyloid (Abeta42) and total tau (tTau), electrochemiluminescent immunoassay (ECLIA), cerebral spinal fluid, ratio reported as positive or negative for amyloid pathology	Always Investigational
0460U	Oncology, whole blood or buccal, DNA single-nucleotide polymorphism (SNP) genotyping by real-time PCR of 24 genes, with variant analysis and reported phenotypes	Always Investigational
0461U	Oncology, pharmacogenomic analysis of single-nucleotide polymorphism (SNP) genotyping by real-time PCR of 24 genes, whole blood or buccal swab, with variant analysis, including impacted gene-drug interactions and reported phenotypes	Always Investigational
0462U	Melatonin levels test, sleep study, 7 or 9 sample melatonin profile (cortisol optional), enzyme-linked immunosorbent assay (ELISA), saliva, screening/preliminary	Always Investigational
0463U	Oncology (cervix), mRNA gene expression profiling of 14 biomarkers (E6 and E7 of the highest-risk human papillomavirus [HPV] types 16, 18, 31, 33, 45, 52, 58), by real-time nucleic acid sequence-based amplification (NASBA), exo- or endocervical epithelial cells, algorithm reported as positive or negative for increased risk of cervical dysplasia or cancer for each biomarker	Always Investigational
0465U	Oncology (urothelial carcinoma), DNA, quantitative methylation specific PCR of 2 genes (ONECUT2, VIM), algorithmic analysis reported as positive or negative	Always Investigational
0466U	Cardiology (coronary artery disease [CAD]), DNA, genome wide association studies (564856 single-nucleotide polymorphisms [SNPs], targeted variant genotyping), patient lifestyle and clinical data, buccal swab, algorithm reported as polygenic risk to acquired heart disease	Always Investigational
0468U	Hepatology (nonalcoholic steatohepatitis [NASH]), miR-34a5p, alpha 2-macroglobulin, YKL40, HbA1c, serum and whole blood, algorithm reported as a single score for NASH activity and fibrosis	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0469U	"Rare diseases (constitutional/heritable disorders), whole genome sequence analysis for chromosomal abnormalities, copy number variants, duplications/deletions, inversions, unbalanced translocations, regions of homozygosity (ROH), inheritance pattern that indicate uniparental disomy (UPD), and aneuploidy, fetal sample (amniotic fluid, chorionic villus sample, or products of conception), identification and categorization of genetic variants, diagnostic report of fetal results based on phenotype with maternal sample and paternal sample, if performed, as comparators and/or maternal cell contamination"	Always Investigational
0472U	Carbonic anhydrase VI (CA VI), parotid specific/secretory protein (PSP) and salivary protein (SP1) IgG, IgM, and IgA antibodies, enzyme-linked immunosorbent assay (ELISA), semiquantitative, blood, reported as predictive evidence of early Sjögren syndrome	Always Investigational
0473U	Oncology (solid tumor), next generation sequencing (NGS) of DNA from formalin-fixed paraffin embedded (FFPE) tissue with comparative sequence analysis from a matched normal specimen (blood or saliva), 648 genes, interrogation for sequence variants, insertion and deletion alterations, copy number variants, rearrangements, microsatellite instability, and tumor-mutation burden	Always Investigational
0474U	Hereditary pan-cancer (eg, hereditary sarcomas, hereditary endocrine tumors, hereditary neuroendocrine tumors, hereditary cutaneous melanoma), genomic sequence analysis panel of 88 genes with 20 duplications/deletions using next generation sequencing (NGS), Sanger sequencing, blood or saliva, reported as positive or negative for germline variants, each gene	Always Investigational
0475U	Hereditary prostate cancer related disorders, genomic sequence analysis panel using next-generation sequencing (NGS), Sanger sequencing, multiplex ligation-dependent probe amplification (MLPA), and array comparative genomic hybridization (CGH), evaluation of 23 genes and duplications/deletions when indicated, pathologic mutations reported with a genetic risk score for prostate cancer	Always Investigational
0867T	Transperineal laser ablation of benign prostatic hyperplasia, including imaging guidance; prostate volume greater or equal to 50 mL	Always Investigational
0868T	High-resolution gastric electrophysiology mapping with simultaneous patient symptom profiling, with interpretation and report	Always Investigational
0869T	Injection(s), bone-substitute material for bone and/or soft tissue hardware fixation augmentation, including intraoperative imaging guidance, when performed	Always Investigational
0870T	Implantation of subcutaneous peritoneal ascites pump system, percutaneous, including pump-pocket creation, insertion of tunneled indwelling bladder and peritoneal catheters with pump connections, including all imaging and initial programming, when performed	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0871T	Replacement of a subcutaneous peritoneal ascites pump, including reconnection between pump and indwelling bladder and peritoneal catheters, including initial programming and imaging, when performed	Always Investigational
0872T	Replacement of indwelling bladder and peritoneal catheters, including tunneling of catheter(s) and connection with previously implanted peritoneal ascites pump, including imaging and programming, when performed	Always Investigational
0873T	Revision of a subcutaneously implanted peritoneal ascites pump system, any component (ascites pump, associated peritoneal catheter, associated bladder catheter), including imaging and programming, when performed	Always Investigational
0874T	Removal of a peritoneal ascites pump system, including implanted peritoneal ascites pump and indwelling bladder and peritoneal catheters	Always Investigational
0875T	Programming of subcutaneously implanted peritoneal ascites pump system by physician or other qualified health care professional	Always Investigational
0876T	Duplex scan of hemodialysis fistula, computer-aided, limited (volume flow, diameter, and depth, including only body of fistula)	Always Investigational
0877T	Augmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of interstitial lung disease; obtained without concurrent CT examination of any structure contained in previously acquired diagnostic imaging	Always Investigational
0878T	Augmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of interstitial lung disease; obtained with concurrent CT examination of the same structure	Always Investigational
0879T	Augmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of interstitial lung disease; radiological data preparation and transmission	Always Investigational
0881T	Cryotherapy of the oral cavity using temperature regulated fluid cooling system, including placement of an oral device, monitoring of patient tolerance to treatment, and removal of the oral device	Always Investigational
0880T	Augmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of interstitial lung disease; physician or other qualified health care professional	Always Investigational
0882T	Intraoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and removal, upper extremity, minimum of 10 minutes; initial nerve (List separately in	Always Investigational
0883T	Intraoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and removal, upper extremity, minimum of 10 minutes; each additional nerve (List separately in addition to code for primary procedure)	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0884T	Esophagoscopy, flexible, transoral, with initial transendoscopic mechanical dilation (eg, nondrug-coated balloon) followed by therapeutic drug delivery by drug-coated balloon catheter for esophageal stricture, including fluoroscopic guidance, when performed	Always Investigational
0885T	Colonoscopy, flexible, with initial transendoscopic mechanical dilation (eg, nondrug-coated balloon) followed by therapeutic drug delivery by drug-coated balloon catheter for colonic stricture, including fluoroscopic	Always Investigational
0887T	End-tidal control of inhaled anesthetic agents and oxygen to assist anesthesia care delivery (List separately in addition to code for primary	Always Investigational
0886T	Sigmoidoscopy, flexible, with initial transendoscopic mechanical dilation (eg, nondrug-coated balloon) followed by therapeutic drug delivery by drug-coated balloon catheter for colonic stricture, including fluoroscopic	Always Investigational
0888T	Histotripsy (ie, non-thermal ablation via acoustic energy delivery) of malignant renal tissue, including imaging guidance	Always Investigational
0889T	Personalized target development for accelerated, repetitive high-dose functional connectivity MRI-guided theta-burst stimulation derived from a structural and resting-state functional MRI, including data preparation and transmission, generation of the target, motor threshold-starting location, neuronavigation files and target report, review and	Always Investigational
0890T	Accelerated, repetitive high-dose functional connectivity MRI-guided theta-burst stimulation, including target assessment, initial motor threshold determination, neuronavigation, delivery and management,	Always Investigational
0891T	Accelerated, repetitive high-dose functional connectivity MRI-guided theta-burst stimulation, including neuronavigation, delivery and management, subsequent treatment day	Always Investigational
0892T	Accelerated, repetitive high-dose functional connectivity MRI-guided theta-burst stimulation, including neuronavigation, delivery and management, subsequent motor threshold redetermination with delivery	Always Investigational
0893T	Noninvasive assessment of blood oxygenation, gas exchange efficiency, and cardiorespiratory status, with physician or other qualified health care professional interpretation and report	Always Investigational
0894T	Cannulation of the liver allograft in preparation for connection to the normothermic perfusion device and decannulation of the liver allograft following normothermic perfusion	Always Investigational
0895T	Connection of liver allograft to normothermic machine perfusion device, hemostasis control; initial 4 hours of monitoring time, including hourly physiological and laboratory assessments (eg, perfusate temperature, perfusate pH, hemodynamic parameters, bile production, bile pH, bile glucose, biliary bicarbonate, lactate levels, macroscopic assessment)	Always Investigational
0896T	Connection of liver allograft to normothermic machine perfusion device, hemostasis control; each additional hour, including physiological and laboratory assessments (eg, perfusate temperature, perfusate pH, hemodynamic parameters, bile production, bile pH, bile glucose, biliary bicarbonate, lactate levels, macroscopic assessment) (List separately in	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0897T	Noninvasive augmentative arrhythmia analysis derived from quantitative computational cardiac arrhythmia simulations, based on selected intervals of interest from 12-lead electrocardiogram and uploaded clinical parameters, including uploading clinical parameters with interpretation	Always Investigational
0898T	Noninvasive prostate cancer estimation map, derived from augmentative analysis of image-guided fusion biopsy and pathology, including visualization of margin volume and location, with margin determination	Always Investigational
0899T	Noninvasive determination of absolute quantitation of myocardial blood flow (AQMBF), derived from augmentative algorithmic analysis of the dataset acquired via contrast cardiac magnetic resonance (CMR), pharmacologic stress, with interpretation and report by a physician or other qualified health care professional (List separately in addition to	Always Investigational
0900T	Noninvasive estimate of absolute quantitation of myocardial blood flow (AQMBF), derived from assistive algorithmic analysis of the dataset acquired via contrast cardiac magnetic resonance (CMR), pharmacologic stress, with interpretation and report by a physician or other qualified health care professional (List separately in addition to code for primary	Always Investigational
Q4311	Acesso, per square centimeter	Always Investigational
Q4312	Acesso ac, per square centimeter	Always investigational
Q4313	Dermabind fm, per square centimeter	Always Investigational
Q4314	Reeva ft, per square centimeter	Always Investigational
Q4315	Regenelink amniotic membrane allograft, per square centimeter	Always Investigational
Q4316	Amchoplast, per square centimeter	Always Investigational
Q4317	Vitograft, per square centimeter	Always Investigational
Q4318	E-graft, per square centimeter	Always Investigational
Q4319	Sanograft, per square centimeter	Always Investigational
Q4320	Pellograft, per square centimeter	Always Investigational
Q4321	Renograft, per square centimeter	Always Investigational
Q4322	Caregraft, per square centimeter	Always Investigational
Q4323	Alloply, per square centimeter	Always Investigational
Q4324	Amniotx, per square centimeter	Always Investigational
Q4325	Acapatch, per square centimeter	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
Q4326	Woundplus, per square centimeter	Always Investigational
Q4327	Duoamnion, per square centimeter	Always Investigational
Q4328	Most, per square centimeter	Always Investigational
Q4329	Singlay, per square centimeter	Always Investigational
Q4330	Total, per square centimeter	Always Investigational
Q4331	Axolotl graft, per square centimeter	Always Investigational
Q4332	Axolotl dualgraft, per square centimeter	Always Investigational
Q4333	Ardeograft, per square centimeter	Always Investigational
G0519	Management of new patient-caregiver dyad with dementia, low complexity, for use in cmmi model	Always Investigational
G0520	Management of new patient-caregiver dyad with dementia, moderate complexity, for use in cmmi model	Always Investigational
G0521	Management of new patient-caregiver dyad with dementia, high complexity, for use in cmmi model	Always Investigational
G0522	Management of a new patient with dementia, low complexity, for use in cmmi model	Always Investigational
G0523	Management of a new patient with dementia, moderate to high complexity, for use in cmmi model	Always Investigational
G0524	Management of established patient-caregiver dyad with dementia, low complexity, for use in cmmi model	Always Investigational
G0525	Management of established patient-caregiver dyad with dementia, moderate complexity, for use in cmmi model	Always Investigational
G0526	Management of established patient-caregiver dyad with dementia, high complexity, for use in cmmi model	Always Investigational
G0527	Management of established patient with dementia, low complexity, for use in cmmi model	Always Investigational
G0528	Management of established patient with dementia, moderate to high complexity, for use in cmmi model	Always Investigational
G0529	In-home respite care, 4-hour unit, for use in cmmi model	Always Investigational
G0530	Adult day center, 8-hour unit, for use in cmmi model	Always Investigational
G0531	Facility-based respite, 24-hour unit, for use in cmmi model	Always Investigational
A9506	Graphite crucible for preparation of technetium tc 99m-labeled carbon aerosol, one crucible	Always Investigational
31242	Nasal/sinus endoscopy, surgical; with destruction by radiofrequency ablation, posterior nasal nerve	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
31243	Nasal/sinus endoscopy, surgical; with destruction by cryoablation, posterior nasal nerve	Always Investigational
67516	Suprachoroidal space injection of pharmacologic agent (separate procedure)	Always Investigational
81517	Liver disease, analysis of 3 biomarkers (hyaluronic acid [HA], procollagen III amino terminal peptide [PIIINP], tissue inhibitor of metalloproteinase 1 [TIMP-1]), using immunoassays, utilizing serum, prognostic algorithm reported as a risk score and risk of liver fibrosis and liver-related clinical	Always Investigational
92972	Percutaneous transluminal coronary lithotripsy (List separately in addition to code for primary procedure)	Always Investigational
97037	Application of a modality to 1 or more areas; low-level laser therapy (ie, nonthermal and non-ablative) for post-operative pain reduction	Always Investigational
0421U	Oncology (colorectal) screening, quantitative real-time target and signal amplification of 8 RNA markers (GAPDH, SMAD4, ACY1, AREG, CDH1, KRAS, TNFRSF10B, EGLN2) and fecal hemoglobin, algorithm reported as a	Always Investigational
0420U	Oncology (urothelial), mRNA expression profiling by real-time quantitative PCR of MDK, HOXA13, CDC2, IGFBP5, and CXCR2 in combination with droplet digital PCR (ddPCR) analysis of 6 single-nucleotide polymorphisms (SNPs) genes TERT and FGFR3, urine,	Always Investigational
0422U	Oncology (pan-solid tumor), analysis of DNA biomarker response to anti-cancer therapy using cell-free circulating DNA, biomarker comparison to a previous baseline pre-treatment cell-free circulating DNA analysis using next-generation sequencing, algorithm reported as a quantitative change from baseline,	Always Investigational
0423U	Psychiatry (eg, depression, anxiety), genomic analysis panel, including variant analysis of 26 genes, buccal swab, report including metabolizer status and	Always Investigational
0424U	Oncology (prostate), exosome based analysis of 53 small noncoding RNAs (sncRNAs) by quantitative reverse transcription polymerase chain reaction (RTqPCR), urine, reported as no molecular evidence, low-, moderate- or elevated-risk of prostate cancer	Always Investigational
0425U	Genome (eg, unexplained constitutional or heritable disorder or syndrome), rapid sequence analysis, each comparator genome (eg,	Always Investigational
0430U	Gastroenterology, malabsorption evaluation of alpha-1-antitrypsin, calprotectin, pancreatic elastase and reducing substances, feces,	Always Investigational
0431U	Glycine receptor alpha1 IgG, serum or cerebrospinal fluid (CSF), live cell-binding assay (LCBA), qualitative	Always Investigational
0432U	Kelch-like protein 11 (KLHL11) antibody, serum or cerebrospinal fluid (CSF), cell-binding assay, qualitative	Always Investigational
0433U	Oncology (prostate), 5 DNA regulatory markers by quantitative PCR, whole blood, algorithm, including prostate-specific antigen, reported as	Always Investigational
0434U	Drug metabolism (adverse drug reactions and drug response), genomic analysis panel, variant analysis of 25 genes with reported phenotypes	Always Investigational
0435U	Oncology, chemotherapeutic drug cytotoxicity assay of cancer stem cells (CSCs), from cultured CSCs and primary tumor cells, categorical drug response reported based on cytotoxicity percentage observed, minimum	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0436U	Oncology (lung), plasma analysis of 388 proteins, using aptamer based proteomics technology, predictive algorithm reported as clinical benefit from immune checkpoint inhibitor therapy	Always Investigational
0437U	Psychiatry (anxiety disorders), mRNA, gene expression profiling by RNA sequencing of 15 biomarkers, whole blood, algorithm reported as predictive	Always Investigational
0438U	Drug metabolism (adverse drug reactions and drug response), buccal specimen, gene-drug interactions, variant analysis of 33 genes, including deletion/duplication analysis of CYP2D6, including reported phenotypes	Always Investigational
0858T	Externally applied transcranial magnetic stimulation with concomitant measurement of evoked cortical potentials with automated report	Always Investigational
0859T	Noncontact near-infrared spectroscopy (eg, for measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation), other than for screening for peripheral arterial disease, image acquisition, interpretation, and report; each additional anatomic site (List separately	Always Investigational
0860T	Noncontact near-infrared spectroscopy (eg, for measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation), for screening for peripheral arterial disease, including provocative maneuvers, image acquisition, interpretation, and report, one or both	Always Investigational
0811T	Remote multi-day complex uroflowmetry (eg, calibrated electronic equipment); set-up and patient education on use of equipment	Always Investigational
0812T	Remote multi-day complex uroflowmetry (eg, calibrated electronic equipment); device supply with automated report generation, up to 10	Always Investigational
0814T	Percutaneous injection of calcium-based biodegradable osteoconductive material, proximal femur, including imaging guidance, unilateral	Always Investigational
0820T	Continuous in-person monitoring and intervention (eg, psychotherapy, crisis intervention), as needed, during psychedelic medication therapy; first physician or other qualified health care professional, each hour	Always Investigational
0830T	Digitization of glass microscope slides for cytopathology, selective-cellular enhancement technique with interpretation (eg, liquid-based slide preparation method), except cervical or vaginal (List separately in addition to code for primary procedure)	Always Investigational
0831T	Digitization of glass microscope slides for cytopathology, cervical or vaginal (any reporting system), requiring interpretation by physician (List separately in addition to code for primary procedure)	Always Investigational
0832T	Digitization of glass microscope slides for cytopathology, smears, any other source; screening and interpretation (List separately in addition to code for primary procedure)	Always Investigational
0833T	Digitization of glass microscope slides for cytopathology, smears, any other source; preparation, screening and interpretation (List separately in addition to code for primary procedure)	Always Investigational
0834T	Digitization of glass microscope slides for cytopathology, smears, any other source; extended study involving over 5 slides and/or multiple stains (List separately in addition to code for primary procedure)	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0835T	Digitization of glass microscope slides for cytopathology, evaluation of fine needle aspirate; immediate cytohistologic study to determine adequacy for diagnosis, first evaluation episode, each site (List separately in addition to code for primary procedure)	Always Investigational
0836T	Digitization of glass microscope slides for cytopathology, evaluation of fine needle aspirate; immediate cytohistologic study to determine adequacy for diagnosis, each separate additional evaluation episode, same site (List separately in addition to code for primary procedure)	Always Investigational
0837T	Digitization of glass microscope slides for cytopathology, evaluation of fine needle aspirate; interpretation and report (List separately in addition to code for primary procedure)	Always Investigational
0838T	Digitization of glass microscope slides for consultation and report on referred slides prepared elsewhere (List separately in addition to code for	Always Investigational
0839T	Digitization of glass microscope slides for consultation and report on referred material requiring preparation of slides (List separately in addition to code for primary procedure)	Always Investigational
0840T	Digitization of glass microscope slides for consultation, comprehensive, with review of records and specimens, with report on referred material (List separately in addition to code for primary procedure)	Always Investigational
0841T	Digitization of glass microscope slides for pathology consultation during surgery; first tissue block, with frozen section(s), single specimen (List separately in addition to code for primary procedure)	Always Investigational
0842T	Digitization of glass microscope slides for pathology consultation during surgery; each additional tissue block with frozen section(s) (List separately in addition to code for primary procedure)	Always Investigational
0843T	Digitization of glass microscope slides for pathology consultation during surgery; cytologic examination (eg, touch preparation, squash preparation), initial site (List separately in addition to code for primary	Always Investigational
0844T	Digitization of glass microscope slides for pathology consultation during surgery; cytologic examination (eg, touch preparation, squash preparation), each additional site (List separately in addition to code for	Always Investigational
0845T	Digitization of glass microscope slides for immunofluorescence, per specimen; initial single antibody stain procedure (List separately in addition to code for primary procedure)	Always Investigational
0846T	Digitization of glass microscope slides for immunofluorescence, per specimen; each additional single antibody stain procedure (List separately in addition to code for primary procedure)	Always Investigational
0847T	Digitization of glass microscope slides for examination and selection of retrieved archival (ie, previously diagnosed) tissue(s) for molecular analysis (eg, KRAS mutational analysis) (List separately in addition to code	Always Investigational
0848T	Digitization of glass microscope slides for in situ hybridization (eg, FISH), per specimen; initial single probe stain procedure (List separately in addition to code for primary procedure)	Always Investigational
0849T	Digitization of glass microscope slides for in situ hybridization (eg, FISH), per specimen; each additional single probe stain procedure (List separately in addition to code for primary procedure)	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0850T	Digitization of glass microscope slides for in situ hybridization (eg, FISH), per specimen; each multiplex probe stain procedure (List separately in addition to code for primary procedure)	Always Investigational
0851T	Digitization of glass microscope slides for morphometric analysis, in situ hybridization (quantitative or semiquantitative), manual, per specimen; initial single probe stain procedure (List separately in addition to code for	Always Investigational
0852T	Digitization of glass microscope slides for morphometric analysis, in situ hybridization (quantitative or semiquantitative), manual, per specimen; each additional single probe stain procedure (List separately in addition	Always Investigational
0853T	Digitization of glass microscope slides for morphometric analysis, in situ hybridization (quantitative or semiquantitative), manual, per specimen; each multiplex probe stain procedure (List separately in addition to code	Always Investigational
0854T	Digitization of glass microscope slides for blood smear, peripheral, interpretation by physician with written report (List separately in addition to code for primary procedure)	Always Investigational
0855T	Digitization of glass microscope slides for bone marrow, smear interpretation (List separately in addition to code for primary procedure)	Always Investigational
0856T	Digitization of glass microscope slides for electron microscopy, diagnostic (List separately in addition to code for primary procedure)	Always Investigational
0411U	Psychiatry (eg, depression, anxiety, attention deficit hyperactivity disorder [ADHD]), genomic analysis panel, variant analysis of 15 genes, including deletion/duplication analysis of CYP2D6	Always Investigational
0419U	Neuropsychiatry (eg, depression, anxiety), genomic sequence analysis panel, variant analysis of 13 genes, saliva or buccal swab, report of each	Always Investigational
81418	Drug metabolism (eg, pharmacogenomics) genomic sequence analysis panel, must include testing of at least 6 genes, including CYP2C19, CYP2D6, and CYP2D6 duplication/deletion analysis	Always Investigational
0387U	Oncology (melanoma), autophagy and beclin 1 regulator 1 (AMBRA1) and loricrin (AMLo) by immunohistochemistry, formalin-fixed paraffin-embedded (FFPE) tissue, report for risk of progression	Always Investigational
0390U	Obstetrics (preeclampsia), kinase insert domain receptor (KDR), Endoglin (ENG), and retinol-binding protein 4 (RBP4), by immunoassay, serum, algorithm reported as a risk score	Always Investigational
0392U	Drug metabolism (depression, anxiety, attention deficit hyperactivity disorder [ADHD]), gene-drug interactions, variant analysis of 16 genes, including deletion/duplication analysis of CYP2D6, reported as impact of gene-drug interaction for each drug	Always Investigational
0394U	Perfluoroalkyl substances (PFAS) (eg, perfluorooctanoic acid, perfluorooctane sulfonic acid), 16 PFAS compounds by liquid chromatography with tandem mass spectrometry (LC-MS/MS), plasma or	Always Investigational
0398U	Gastroenterology (Barrett esophagus), P16, RUNX3, HPP1, and FBN1 DNA methylation analysis using PCR, formalin-fixed paraffin-embedded (FFPE) tissue, algorithm reported as risk score for progression to high-grade	Always Investigational
0401U	Cardiology (coronary heart disease [CAD]), 9 genes (12 variants), targeted variant genotyping, blood, saliva, or buccal swab, algorithm reported as a genetic risk score for a coronary event	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0792T	Application of silver diamine fluoride 38%, by a physician or other qualified health care professional	Always Investigational
0793T	Percutaneous transcatheter thermal ablation of nerves innervating the pulmonary arteries, including right heart catheterization, pulmonary artery angiography, and all imaging guidance	Always Investigational
0794T	Patient-specific, assistive, rules-based algorithm for ranking pharmacologic treatment options based on the patient's tumor-specific cancer marker information obtained from prior molecular pathology, immunohistochemical, or other pathology results which have been	Always Investigational
0804T	Programming device evaluation (in person) with iterative adjustment of implantable device to test the function of device and to select optimal permanent programmed values, with analysis, review, and report, by a physician or other qualified health care professional, leadless pacemaker	Always Investigational
0805T	Transcatheter superior and inferior vena cava prosthetic valve implantation (ie, caval valve implantation [CAVI]); percutaneous femoral	Always Investigational
0806T	Transcatheter superior and inferior vena cava prosthetic valve implantation (ie, caval valve implantation [CAVI]); open femoral vein	Always Investigational
0807T	Pulmonary tissue ventilation analysis using software-based processing of data from separately captured cinefluorograph images; in combination with previously acquired computed tomography (CT) images, including data preparation and transmission, quantification of pulmonary tissue	Always Investigational
0808T	Pulmonary tissue ventilation analysis using software-based processing of data from separately captured cinefluorograph images; in combination with computed tomography (CT) images taken for the purpose of pulmonary tissue ventilation analysis, including data preparation and transmission, quantification of pulmonary tissue ventilation, data review,	Always Investigational
0809T	Arthrodesis, sacroiliac joint, percutaneous or minimally invasive (indirect visualization), with image guidance, placement of transfixing device(s) and intra-articular implant(s), including allograft or synthetic device(s)	Always Investigational
0386U	Gastroenterology (Barrett's esophagus), P16, RUNX3, HPP1, and FBN1 methylation analysis, prognostic and predictive algorithm reported as a risk score for progression to high-grade dysplasia or esophageal cancer	Always Investigational
0385U	Nephrology (chronic kidney disease), apolipoprotein A4 (ApoA4), CD5 antigen-like (CD5L), and insulin-like growth factor binding protein 3 (IGFBP3) by enzyme-linked immunoassay (ELISA), plasma, algorithm combining results with HDL, estimated glomerular filtration rate (GFR) and clinical data reported as a risk score for developing diabetic kidney	Always Investigational
0384U	Nephrology (chronic kidney disease), carboxymethyllysine, methylglyoxal hydroimidazolone, and carboxyethyl lysine by liquid chromatography with tandem mass spectrometry (LC-MS/MS) and HbA1c and estimated glomerular filtration rate (GFR), with risk score reported for predictive	Always Investigational
0380U	Drug metabolism (adverse drug reactions and drug response), targeted sequence analysis, 20 gene variants and CYP2D6 deletion or duplication analysis with reported genotype and phenotype	Always Investigational
0378U	RFC1 (replication factor C subunit 1), repeat expansion variant analysis by traditional and repeat-primed PCR, blood, saliva, or buccal swab	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0377U	Cardiovascular disease, quantification of advanced serum or plasma lipoprotein profile, by nuclear magnetic resonance (NMR) spectrometry with report of a lipoprotein profile (including 23 variables)	Always Investigational
0376U	Oncology (prostate cancer), image analysis of at least 128 histologic features and clinical factors, prognostic algorithm determining the risk of distant metastases, and prostate cancer-specific mortality, includes predictive algorithm to androgen deprivation-therapy response, if	Always Investigational
0375U	Oncology (ovarian), biochemical assays of 7 proteins (follicle stimulating hormone, human epididymis protein 4, apolipoprotein A-1, transferrin, beta-2 macroglobulin, prealbumin [ie, transthyretin], and cancer antigen 125), algorithm reported as ovarian cancer risk score	Always Investigational
0374U	Infectious agent detection by nucleic acid (DNA or RNA), genitourinary pathogens, identification of 21 bacterial and fungal organisms and identification of 21 associated antibiotic-resistance genes, multiplex	Always Investigational
0373U	Infectious agent detection by nucleic acid (DNA and RNA), respiratory tract infection, 17 bacteria, 8 fungus, 13 virus, and 16 antibiotic-resistance genes, multiplex amplified probe technique, upper or lower	Always Investigational
0372U	Infectious disease (genitourinary pathogens), antibiotic-resistance gene detection, multiplex amplified probe technique, urine, reported as an antimicrobial stewardship risk score	Always Investigational
0371U	Infectious agent detection by nucleic acid (DNA or RNA), genitourinary pathogen, semiquantitative identification, DNA from 16 bacterial organisms and 1 fungal organism, multiplex amplified probe technique via quantitative polymerase chain reaction (qPCR), urine	Always Investigational
0370U	Infectious agent detection by nucleic acid (DNA and RNA), surgical wound pathogens, 34 microorganisms and identification of 21 associated antibiotic-resistance genes, multiplex amplified probe technique, wound	Always Investiigational
0369U	Infectious agent detection by nucleic acid (DNA and RNA), gastrointestinal pathogens, 31 bacterial, viral, and parasitic organisms and identification of 21 associated antibiotic-resistance genes, multiplex amplified probe	Always Investigational
0368U	Oncology (colorectal cancer), evaluation for mutations of APC, BRAF, CTNNB1, KRAS, NRAS, PIK3CA, SMAD4, and TP53, and methylation markers (MYO1G, KCNQ5, C9ORF50, FLI1, CLIP4, ZNF132 and TWIST1), multiplex quantitative polymerase chain reaction (qPCR), circulating cell-free DNA (cfDNA), plasma, report of risk score for advanced adenoma or	Always Investigational
0367U	Oncology (bladder), analysis of 10 protein biomarkers (A1AT, ANG, APOE, CA9, IL8, MMP9, MMP10, PAI1, SDC1 and VEGFA) by immunoassays, urine, diagnostic algorithm reported as a risk score for probability of rapid recurrence of recurrent or persistent cancer following transurethral	Always Investigational
0366U	Oncology (bladder), analysis of 10 protein biomarkers (A1AT, ANG, APOE, CA9, IL8, MMP9, MMP10, PAI1, SDC1 and VEGFA) by immunoassays, urine, algorithm reported as a probability of recurrent bladder cancer	Always Investigational
0365U	Oncology (bladder), analysis of 10 protein biomarkers (A1AT, ANG, APOE, CA9, IL8, MMP9, MMP10, PAI1, SDC1 and VEGFA) by immunoassays, urine, algorithm reported as a probability of bladder cancer	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0403U	Oncology (prostate), mRNA, gene expression profiling of 18 genes, first-catch post-digital rectal examination urine (or processed first-catch urine), the algorithm reported as a percentage of likelihood of detecting clinically significant prostate cancer	Always Investigational
53451	Bilateral periurethral transperineal adjustable balloon continence device	Always Investigational
53452	Unilateral periurethral transperineal adjustable balloon continence device	Always Investigational
53453	Removal of periurethral transperineal adjustable balloon continence device	Always Investigational
53454	Fluid adjustment of periurethral transperineal adjustable balloon continence device	Always Investigational
E0732	Cranial electrotherapy stimulation (ces) system, any type	Always Investigational
0517U	Therapeutic drug monitoring, 80 or more psychoactive drugs or substances, LC-MS/MS, plasma, qualitative and quantitative therapeutic minimally and maximally effective dose of prescribed and non-prescribed	Always Investigational
0518U	Therapeutic drug monitoring, 90 or more pain and mental health drugs or substances, LC-MS/MS, plasma, qualitative and quantitative therapeutic minimally effective range of prescribed and non-prescribed medications	Always Investigational
0519U	Therapeutic drug monitoring, medications specific to pain, depression, and anxiety, LCMS/MS, plasma, 110 or more drugs or substances, qualitative and quantitative therapeutic minimally effective range of prescribed, non-prescribed, and illicit medications in circulation	Always Investigational
0520U	Therapeutic drug monitoring, 200 or more drugs or substances, LCMS/MS, plasma, qualitative and quantitative therapeutic minimally effective range of prescribed and non-prescribed medications	Always Investigational
A2027	Matriderm, per square centimeter	Always Investigational
A2028	Micromatrix flex, per mg	Always Investigational
A2029	Mirotract wound matrix sheet, per cubic centimeter	Always Investigational
Q4334	Amnioplast 1, per square centimeter	Always Investigational
Q4335	Amnioplast 2, per square centimeter	Always Investigational
Q4336	Artacent c, per square centimeter	Always Investigational
Q4337	Artacent trident, per square centimeter	Always Investigational
Q4338	Artacent velos, per square centimeter	Always Investigational
Q4339	Artacent vericlen, per square centimeter	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
Q4340	Simpligraft, per square centimeter	Always Investigational
Q4341	Simplimax, per square centimeter	Always Investigational
Q4342	Theramend, per square centimeter	Always Investigational
Q4343	Dermacyte ac matrix amniotic membrane allograft, per square centimeter	Always Investigational
Q4344	Tri-membrane wrap, per square centimeter	Always Investigational
Q4345	Matrix hd allograft dermis, per square centimeter	Always Investigational
A4543	Supplies for transcutaneous electrical nerve stimulator, for nerves in the auricular region, per month	Always Investigational
A4544	Electrode for external lower extremity nerve stimulator for restless legs syndrome	Always Investigational
E0721	Transcutaneous electrical nerve stimulator for nerves in the auricular region	Always Investigational
E0737	Transcutaneous tibial nerve stimulator, controlled by phone application	Always Investigational
E0743	External lower extremity nerve stimulator for restless legs syndrome, each	Always Investigational
E3200	Gait modulation system, rhythmic auditory stimulation, including restricted therapy software, all components and accessories, prescription	Always Investigational
51721	Insertion of transurethral ablation transducer for delivery of thermal ultrasound for prostate tissue ablation, including suprapubic tube placement during the same session and placement of an endorectal	Always Investigational
55881	Ablation of prostate tissue, transurethral, using thermal ultrasound, including magnetic resonance imaging guidance for, and monitoring of, tissue ablation	Always Investigational
55882	Ablation of prostate tissue, transurethral, using thermal ultrasound, including magnetic resonance imaging guidance for, and monitoring of, tissue ablation; with insertion of transurethral ultrasound transducer for delivery of thermal ultrasound, including suprapubic tube placement and placement of an endorectal cooling device, when performed	Always Investigational
53865	Cystourethroscopy with insertion of temporary device for ischemic remodeling (ie, pressure necrosis) of bladder neck and prostate	Always Investigational
53866	Catheterization with removal of temporary device for ischemic remodeling (ie, pressure necrosis) of bladder neck and prostate	Always Investigational
66683	Implantation of iris prosthesis, including suture fixation and repair or removal of iris, when performed	Always Investigational
81195	Cytogenomic (genome-wide) analysis, hematologic malignancy, structural variants and copy number variants, optical genome mapping (OGM)	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
81558	Transplantation medicine (allograft rejection, kidney), mRNA, gene expression profiling by quantitative polymerase chain reaction (qPCR) of 139 genes, utilizing whole blood, algorithm reported as a binary categorization as transplant excellence, which indicates immune quiescence, or not transplant excellence, indicating subclinical rejection	Always Investigational
82233	Beta-amyloid; 1-40 (Abeta 40)	Always Investigational
82234	Beta-amyloid; 1-42 (Abeta 42)	Always Investigational
83884	Neurofilament light chain (NfL)	Always Investigational
84393	Tau, phosphorylated (eg, pTau 181, pTau 217), each	Always Investigational
84394	Tau, total (tTau)	Always Investigational
87513	Infectious agent detection by nucleic acid (DNA or RNA); Helicobacter pylori (H. pylori), clarithromycin resistance, amplified probe technique	Always Investigational
87564	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacterium tuberculosis, rifampin resistance, amplified probe technique	Always Investigational
87594	Infectious agent detection by nucleic acid (DNA or RNA); Pneumocystis jirovecii, amplified probe technique	Always Investigational
0521U	Rheumatoid factor IgA and IgM, cyclic citrullinated peptide (CCP) antibodies, and scavenger receptor A (SR-A) by immunoassay, blood	Always Investigational
0522U	Carbonic anhydrase VI, parotid specific/secretory protein and salivary protein 1 (SP1), IgG, IgM, and IgA antibodies, chemiluminescence,	Always Investigational
0523U	Oncology (solid tumor), DNA, qualitative, next-generation sequencing (NGS) of single-nucleotide variants (SNV) and insertion/deletions in 22 genes utilizing formalin-fixed paraffin-embedded tissue, reported as presence or absence of mutation(s), location of mutation(s), nucleotide	Always Investigational
0524U	Obstetrics (preeclampsia), sFlt-1/PIGF ratio, immunoassay, utilizing serum or plasma, reported as a value	Always Investigational
0525U	Oncology, spheroid cell culture, 11-drug panel (carboplatin, docetaxel, doxorubicin, etoposide, gemcitabine, niraparib, olaparib, paclitaxel, rucaparib, topotecan, veliparib) ovarian, fallopian, or peritoneal response	Always Investigational
0526U	Nephrology (renal transplant), quantification of CXCL10 chemokines, flow cytometry, urine, reported as pg/mL creatinine baseline and monitoring	Always Investigational
0527U	Herpes simplex virus (HSV) types 1 and 2 and Varicella zoster virus (VZV), amplified probe technique, each pathogen reported as detected or not	Always Investigational
0528U	Lower respiratory tract infectious agent detection, 18 bacteria, 8 viruses, and 7 antimicrobial-resistance genes, amplified probe technique, including reverse transcription for RNA targets, each analyte reported as detected or not detected with semiquantitative results for 15 bacteria	Always Investigational
0529U	Hematology (venous thromboembolism [VTE]), genome-wide single-nucleotide polymorphism variants, including F2 and F5 gene analysis, and Leiden variant, by microarray analysis, saliva, report as risk score for VTE	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0530U	Oncology (pan-solid tumor), ctDNA, utilizing plasma, next-generation sequencing (NGS) of 77 genes, 8 fusions, microsatellite instability, and tumor mutation burden, interpretative report for single-nucleotide variants, copy-number alterations, with therapy association	Always Investigational
0901T	Placement of bone marrow sampling port, including imaging guidance when performed	Always Investigational
0902T	QTc interval derived by augmentative algorithmic analysis of input from an external, patient-activated mobile ECG device	Always Investigational
0903T	Electrocardiogram, algorithmically generated 12-lead ECG from a reduced-lead ECG; with interpretation and report	Always Investigational
0904T	Electrocardiogram, algorithmically generated 12-lead ECG from a reduced-lead ECG; tracing only	Always Investigational
0905T	Electrocardiogram, algorithmically generated 12-lead ECG from a reduced-lead ECG; interpretation and report only	Always Investigational
0906T	Concurrent optical and magnetic stimulation (COMS) therapy, wound assessment and dressing care; first application, total wound(s) surface area less than	Always Investigational
0907T	Concurrent optical and magnetic stimulation (COMS) therapy, wound assessment and dressing care; each additional application, total wound(s) surface area less than or equal to 50 sq cm (List separately in addition to	Always Investigational
0915T	Insertion of permanent cardiac contractility modulation-defibrillation system component(s), including fluoroscopic guidance, and evaluation and programming	Always Investigational
0916T	Insertion of permanent cardiac contractility modulation-defibrillation system component(s), including fluoroscopic guidance, and evaluation and	Always Investigational
0917T	Insertion of permanent cardiac contractility modulation-defibrillation system component(s), including fluoroscopic guidance, and evaluation and programming	Always Investigational
0918T	Insertion of permanent cardiac contractility modulation-defibrillation system component(s), including fluoroscopic guidance, and evaluation and programming	Always Investigational
0919T	Removal of a permanent cardiac contractility modulation-defibrillation system component(s); pulse generator only	Always Investigational
0920T	Removal of a permanent cardiac contractility modulation-defibrillation system component(s); single transvenous pacing lead only	Always Investigational
0921T	Removal of a permanent cardiac contractility modulation-defibrillation system component(s); single transvenous defibrillation lead only	Always Investigational
0922T	Removal of a permanent cardiac contractility modulation-defibrillation system component(s); dual (pacing and defibrillation) transvenous leads	Always Investigational
0922T	Removal of a permanent cardiac contractility modulation-defibrillation system component(s); dual (pacing and defibrillation) transvenous leads	Always Investigational
0923T	Removal and replacement of permanent cardiac contractility modulation defibrillation pulse generator only	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0924T	Repositioning of previously implanted cardiac contractility modulation-defibrillation transvenous electrode(s)/lead(s), including fluoroscopic guidance and	Always Investigational
0925T	Relocation of skin pocket for implanted cardiac contractility modulation-defibrillation pulse generator	Always Investigational
0926T	Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent	Always Investigational
0927T	Interrogation device evaluation (in person) with analysis, review, and report, including connection, recording, and disconnection, per patient	Always Investigational
0928T	Interrogation device evaluation (remote), up to 90 days, cardiac contractility modulation-defibrillation system with interim analysis and report(s) by a	Always Investigational
0929T	Interrogation device evaluation (remote), up to 90 days, cardiac contractility modulation-defibrillation system, remote data acquisition(s), receipt of	Always Investigational
0930T	Electrophysiologic evaluation of cardiac contractility modulation-defibrillator leads,including defibrillation-threshold evaluation (induction of arrhythmia, evaluation of sensing and therapy for arrhythmia termination), at time of initial implantation or replacement with testing of cardiac contractility modulation-defibrillator pulse generator	Always Investigational
0931T	Electrophysiologic evaluation of cardiac contractility modulation-defibrillator leads, including defibrillation-threshold evaluation (induction of arrhythmia, evaluation of sensing and therapy for arrhythmia termination), separate from initial implantation or replacement with testing of cardiac contractility modulation defibrillator pulse generator	Always Investigational
0932T	Noninvasive detection of heart failure derived from augmentative analysis of an echocardiogram that demonstrated preserved ejection fraction, with	Always Investigational
0936T	Photobiomodulation therapy of retina, single session	Always Investigational
0937T	External electrocardiographic recording for greater than 15 days up to 30 days by continuous rhythm recording and storage; including recording, scanning analysis	Always Investigational
0938T	External electrocardiographic recording for greater than 15 days up to 30 days by continuous rhythm recording and storage; recording (including	Always Investigational
0939T	External electrocardiographic recording for greater than 15 days up to 30 days by	Always Investigational
0940T	External electrocardiographic recording for greater than 15 days up to 30 days by continuous rhythm recording and storage; review and interpretation by a	Always Investigational
0941T	Cystourethroscopy, flexible; with insertion and expansion of prostatic urethral	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0942T	Cystourethroscopy, flexible; with removal and replacement of prostatic urethral scaffold	Always Investigational
0943T	Cystourethroscopy, flexible; with removal of prostatic urethral scaffold	Always Investigational
0944T	3D contour simulation of target liver lesion(s) and margin(s) for image-guided	Always Investigational
0945T	Intraoperative assessment for abnormal (tumor) tissue, in-vivo, following partial mastectomy (eg, lumpectomy) using computer-aided fluorescence	Always Investigational
0946T	Orthopedic implant movement analysis using paired computed tomography (CT) examination of the target structure, including data acquisition, data preparation and transmission, interpretation and report (including CT	Always Investigational
0947T	Magnetic resonance image guided low intensity focused ultrasound (MRgFUS), stereotactic blood-brain barrier disruption using microbubble resonators to increase the concentration of blood-based biomarkers of target, intracranial, including stereotactic navigation and frame	Always Investigational
Q4346	Shelter dm matrix, per square centimeter	Always investigational
Q4348	Sentry sl matrix, per square centimeter	Always Investigational
Q4347	Rampart dl matrix, per square centimeter	Always Investigational
Q4349	Mantle dl matrix, per square centimeter	Always Investigational
Q4350	Palisade dm matrix, per square centimeter	Always Investigational
Q4351	Enclose tl matrix, per square centimeter	Always Investigational
Q4352	Overlay sl matrix, per square centimeter	Always Investigational
Q4353	Xceed tl matrix, per square centimeter	Always Investigational
C1735	Catheter(s), intravascular for renal denervation, radiofrequency, including all single use system components	Always Investigational
C1736	Catheter(s), intravascular for renal denervation, ultrasound, including all single use system components	Always Investigational
C1738	Powered, single-use (i.e. disposable) endoscopic ultrasound-guided biopsy device	Always Investigational
C8001	3d anatomical segmentation imaging for preoperative planning, data preparation and transmission, obtained from previous diagnostic computed tomographic or magnetic resonance examination of the same	Always Investigational
C9804	Elastomeric infusion pump (e.g., on-q* pump with bolus), including catheter and all disposable system components, non-opioid medical device (must be a qualifying medicare non-opioid medical device for post-surgical pain relief in accordance with section 4135 of the caa, 2023)	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
C9806	Rotary peristaltic infusion pump (e.g., ambit pump), including catheter and all disposable system components, non-opioid medical device (must be a qualifying medicare non-opioid medical device for post-surgical pain relief in accordance with section 4135 of the caa, 2023)	Always Investigational
C9807	Nerve stimulator, percutaneous, peripheral (e.g., sprint peripheral nerve stimulation system), including electrode and all disposable system components, non-opioid medical device (must be a qualifying medicare non-opioid medical device for post-surgical pain relief in accordance with	Always Investigational
C9808	Nerve cryoablation probe (e.g., cryoice, cryosphere, cryosphere max, cryoice cryosphere, cryoice cryo2), including probe and all disposable system components, non-opioid medical device (must be a qualifying medicare non-opioid medical device for post-surgical pain relief in	Always Investigational
C9809	Cryoablation needle (e.g., iovera system), including needle/tip and all disposable system components, non-opioid medical device (must be a qualifying medicare non-opioid medical device for post-surgical pain relief in accordance with section 4135 of the caa, 2023)	Always Investigational
G0552	Supply of digital mental health treatment device and initial education and onboarding, per course of treatment that augments a behavioral therapy	Always Investigational
G0554	Each additional 20 minutes of monthly treatment management services directly related to the patient's therapeutic use of the digital mental health treatment (dmht) device that augments a behavioral therapy plan, physician/other qualified health care professional time reviewing data generated from the dmht device from patient observations and patient specific inputs in a calendar month and requiring at least one interactive	Always Investigational
G0553	First 20 minutes of monthly treatment management services directly related to the patient's therapeutic use of the digital mental health treatment (dmht) device that augments a behavioral therapy plan, physician/other qualified health care professional time reviewing information related to the use of the dmht device, including patient observations and patient specific inputs in a calendar month and requiring at least one interactive communication with the	Always Investigational
G0564	Creation of subcutaneous pocket with insertion of 365 day implantable interstitial glucose sensor, including system activation and patient	Always Investigational
G0565	Removal of implantable interstitial glucose sensor with creation of subcutaneous pocket at different anatomic site and insertion of new 365 day implantable sensor, including system activation	Always Investigational
A4563	Rectal control system for vaginal insertion, for long term use, includes pump and all supplies and accessories, any type each	Always Investigational
53451, 53452, 53453, 53454	Periurethral transperineal adjustable balloon continence device, insertion, removal and adjustment	Always Investigational
43290	Esophagogastroduodenoscopy, flexible, transoral; with deployment of intragastric bariatric balloon	Always Investigational
43291	Esophagogastroduodenoscopy, flexible, transoral; with removal of intragastric bariatric balloon(s)	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0813T	Esophagogastroduodenoscopy, flexible, transoral, with volume adjustment of intragastric bariatric balloon	Always Investigational
0531U	Infectious disease (acid-fast bacteria and invasive fungi), DNA (673 organisms), next generation sequencing, plasma	Always Investigational
0532U	Rare diseases (constitutional disease/hereditary disorders), rapid whole genome and mitochondrial DNA sequencing for single- nucleotide variants, insertions/deletions, copy number variations, peripheral blood, buffy coat, saliva, buccal or tissue sample, results reported as positive or	Always Investigational
0533U	Drug metabolism (adverse drug reactions and drug response), genotyping of 16 genes (ie, ABCG2, CYP2B6, CYP2C9, CYP2C19, CYP2C, CYP2D6, CYP3A5, CYP4F2, DPYD, G6PD, GGCX, NUDT15, SLCO1B1, TPMT, UGT1A1, VKORC1), reported as metabolizer status and transporter function	Always Investigational
0534U	Oncology (prostate), microRNA, single-nucleotide polymorphisms (SNPs) analysis by RTPCR of 32 variants, using buccal swab, algorithm reported	Always Investigational
0535U	Perfluoroalkyl substances (PFAS) (eg, perfluorooctanoic acid, perfluorooctane sulfonic acid), by liquid chromatography with tandem mass spectrometry (LC-MS/MS), plasma or serum, quantitative	Always Investigational
0536U	Red blood cell antigen (fetal RhD), PCR analysis of exon 4 of RHD gene and housekeeping control gene GAPDH from whole blood in pregnant individuals at 10+ weeks gestation known to be RhD negative, reported as	Always Investigational
0537U	Oncology (colorectal cancer), analysis of cell-free DNA for epigenomic patterns, next generation sequencing, >2500 differentially methylated regions (DMRs), plasma, algorithm reported as positive or negative	Always Investigational
0538U	Oncology (solid tumor), next- generation targeted sequencing analysis, formalin-fixed paraffin- embedded (FFPE) tumor tissue, DNA analysis of 600 genes, interrogation for single-nucleotide variants, insertions/deletions, gene rearrangements, and copy number alterations, microsatellite instability, tumor mutation burden, reported as actionable	Always Investigational
0539U	Oncology (solid tumor), cell- free circulating tumor DNA (ctDNA), 152 genes, next generation sequencing, interrogation for single- nucleotide variants, insertions/deletions, gene rearrangements, copy number alterations, and microsatellite instability, using whole blood samples, mutations with clinical actionability reported as actionable variant	Always Investigational
0540U	Transplantation medicine, quantification of donor- derived cell-free DNA using next generation sequencing analysis of plasma, reported as percentage of donor- derived cell free DNA to determine probability of	Always Investigational
0541U	Cardiovascular disease (HDL reverse cholesterol transport), cholesterol efflux capacity, LCMS/MS, quantitative measurement of 5 distinct HDL-bound apolipoproteins (apolipoproteins A1, C1, C2, C3, and C4), serum, algorithm reported as prediction of coronary artery disease (pCAD) score	Always Investigational
0542U	Nephrology (renal transplant), urine, nuclear magnetic resonance (NMR) spectroscopy measurement of 84 urinary metabolites, combined with patient data, quantification of BK virus (human polyomavirus 1) using real-time PCR and serum creatinine, algorithm reported as a probability score	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0543U	Oncology (solid tumor), next- generation sequencing of DNA from formalin-fixed paraffin embedded (FFPE) tissue of 517 genes, interrogation for single- nucleotide variants, multi nucleotide variants, insertions and deletions from DNA, fusions in 24 genes and splice variants	Always Investigational
0544U	Nephrology (transplant monitoring), 48 variants by digital PCR, using cell-free DNA from plasma, donor-derived cell-free DNA, percentage reported	Always Investigational
0545U	Acetylcholine receptor (AChR), antibody identification by immunofluorescence, using live cells, reported as positive or negative	Always Investigational
0546U	Low-density lipoprotein receptor-related protein 4 (LRP4), antibody identification by immunofluorescence, using live cells, reported as	Always Investigational
0547U	Neurofilament light chain (NfL), chemiluminescent enzyme immunoassay, plasma, quantitative	Always investigational
0548U	Glial fibrillary acidic protein (GFAP), chemiluminescent enzyme immunoassay, using plasma GFAP CLEIA P	Always Investigational
0549U	Oncology (urothelial), DNA, quantitative methylated real- time PCR of TRNA-Cys, SIM2, and NKX1-1, using urine, diagnostic algorithm reported as a probability index for bladder cancer and/or upper tract urothelial	Always Investigational
E0679	Non-pneumatic sequential compression garment, half leg	Always Investigational
E0680	Non-pneumatic compression controller with sequential calibrated gradient pressure	Always Investigational
0476U	Drug metabolism, psychiatry (eg, major depressive disorder, general anxiety disorder, attention deficit hyperactivity disorder [ADHD], schizophrenia), whole blood, buccal swab, and pharmacogenomic genotyping of 14 genes and CYP2D6 copy number variant analysis and	Always Investigational
0477U	Drug metabolism, psychiatry (eg, major depressive disorder, general anxiety disorder, attention deficit hyperactivity disorder [ADHD], schizophrenia), whole blood, buccal swab, and pharmacogenomic genotyping of 14 genes and CYP2D6 copy number variant analysis,	Always Investigational
0479U	Tau, phosphorylated, pTau217	Always Investigational
0482U	Obstetrics (preeclampsia), biochemical assay of soluble fmslike tyrosine kinase 1 (sFlt-1) and placental growth factor (PlGF), serum, ratio reported for sFlt1/PlGF, with risk of progression for preeclampsia with severe	Always Investigational
0483U	Infectious disease (Neisseria gonorrhoeae), sensitivity, ciprofloxacin resistance (gyrA S91F point mutation), oral, rectal, or vaginal swab, algorithm reported as probability of fluoroquinolone resistance	Always Investigational
0484U	Infectious disease (Mycoplasma genitalium), macrolide sensitivity (23S rRNA point mutation), oral, rectal, or vaginal swab, algorithm reported as probability of macrolide resistance	Always Investigational
0485U	Oncology (solid tumor), cell-free DNA and RNA by next-generation sequencing, interpretative report for germline mutations, clonal hematopoiesis of indeterminate potential, and tumor-derived single-nucleotide variants, small insertions/deletions, copy number alterations, fusions, microsatellite instability, and tumor mutational burden	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0486U	Oncology (pan-solid tumor), next generation sequencing analysis of tumor methylation markers present in cell- free circulating tumor DNA, algorithm reported as quantitative measurement of methylation as a	Always Investigational
0487U	Oncology (solid tumor), cell-free circulating DNA, targeted genomic sequence analysis panel of 84 genes, interrogation for sequence variants, aneuploidy corrected gene copy number amplifications and losses, gene rearrangements, and microsatellite instability	Always Investigational
0488U	Obstetrics (fetal antigen noninvasive prenatal test), cellfree DNA sequence analysis for detection of fetal presence or absence of 1 or more of the Rh, C, c, D, E, Duffy (Fya), or Kell (K) antigen in alloimmunized pregnancies, reported as selected antigen(s) detected or not detected	Always Investigational
0489U	Obstetrics (single-gene noninvasive prenatal test), cell free DNA sequence analysis of 1 or more targets (eg, CFTR, SMN1, HBB, HBA1, HBA2) to identify paternally inherited pathogenic variants, and relative mutation-dosage analysis based on molecular counts to determine fetal inheritance of maternal mutation, algorithm reported as a fetal risk score for the condition (eg, cystic fibrosis, spinal muscular atrophy, beta	Always Investigational
0490U	Oncology (cutaneous or uveal melanoma), circulating tumor cell selection, morphological characterization and enumeration based on differential CD146, high molecular-weight melanoma associated antigen, CD34 and CD45 protein biomarkers, peripheral blood	Always Investigational
0491U	Oncology (solid tumor), circulating tumor cell selection, morphological characterization and enumeration based on differential epithelial cell adhesion molecule (EpCAM), cytokeratins 8, 18, and 19, CD45 protein biomarkers, and quantification of estrogen receptor (ER) protein biomarker-expressing cells, peripheral blood	Always Investigational
0492U	Oncology (solid tumor), circulating tumor cell selection, morphological characterization and enumeration based on differential epithelial cell adhesion molecule (EpCAM), cytokeratins 8, 18, and 19, CD45 protein biomarkers, and quantification of PD-L1 protein biomarker expressing	Always Investigational
0494U	Red blood cell antigen (fetal RhD gene analysis), next-generation sequencing of circulating cell-free DNA (cfDNA) of blood in pregnant individuals known to be RhD negative, reported as positive or negative	Always Investigational
0493U	Transplantation medicine, quantification of donor-derived cell-free DNA (cfDNA) using next generation sequencing, plasma, reported as percentage of donor derived cell-free DNA	Always Investigational
0495U	Oncology (prostate), analysis of circulating plasma proteins (tPSA, fPSA, KLK2, PSP94, and GDF15), germline polygenic risk score (60 variants), clinical information (age, family history of prostate cancer, prior negative prostate biopsy), algorithm reported as risk of likelihood of detecting	Always Investigational
0496U	Oncology (colorectal), cell-free DNA, 8 genes for mutations, 7 genes for methylation by real-time RT-PCR, and 4 proteins by enzyme-linked immunosorbent assay, blood, reported positive or negative for colorectal cancer or advanced adenoma risk	Always Investigational
0497U	Oncology (prostate), mRNA gene expression profiling by real-time RT-PCR of 6 genes (FOXN1, MCM3, MTUS1, TTC21B, ALAS1, and PPP2CA), utilizing formalin fixed paraffin-embedded (FFPE) tissue, algorithm	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0500U	Autoinflammatory disease (VEXAS syndrome), DNA, UBA1 gene mutations, targeted variant analysis (M41T, M41V, M41L, c.118-2A>C, c.118-1G>C, c.1189 118-2del, S56F, S621C)	Always Investigational
0501U	Oncology (colorectal), blood, quantitative measurement of cell free DNA (cfDNA)	Always Investigational
0502U	Human papillomavirus (HPV), E6/E7 markers for high-risk types (16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 66, and 68), cervical cells, branched-chain capture hybridization, reported as negative or positive for high risk	Always Investigational
0503U	Neurology (Alzheimer disease), beta amyloid (A β 40, A β 42, A β 42/40 ratio) and tau-protein (ptau217, np- tau217, ptau217/nptau 217 ratio), blood, immunoprecipitation with quantitation by liquid chromatography with tandem mass spectrometry (LC-MS/MS), algorithm score reported as likelihood of positive or negative for amyloid plaques	Always Investigational
0506U	Gastroenterology (Barrett's esophagus), esophageal cells, DNA methylation analysis by next-generation sequencing of at least 89 differentially methylated genomic regions, algorithm reported as	Always Investigational
0507U	Oncology (ovarian), DNA, whole genome sequencing with 5hydroxymethylcytosine (5hmC) enrichment, using whole blood or plasma, algorithm reported as cancer detected or not	Always Investigational
0508U	Transplantation medicine, quantification of donor-derived cell-free DNA using 40 single nucleotide polymorphisms (SNPs), plasma, and urine, initial evaluation reported as percentage of donor-derived cell free DNA	Always Investigational
0509U	Transplantation medicine, quantification of donor-derived cell-free DNA using up to 12 single-nucleotide polymorphisms (SNPs) previously identified, plasma, reported as percentage of donor-derived cell-free DNA	Always Investigational
0510U	Oncology (pancreatic cancer), augmentative algorithmic analysis of 16 genes from previously sequenced RNA whole transcriptome data, reported as probability of predicted molecular	Always Investigational
0511U	Oncology (solid tumor), tumor cell culture in 3D microenvironment, 36 or more drug panel, reported as tumor- response prediction for each drug	Always Investigational
0512U	Oncology (prostate), augmentative algorithmic analysis of digitized whole-slide imaging of histologic features for microsatellite instability (MSI) status, formalin-fixed paraffin embedded (FFPE) tissue, reported as increased or decreased probability of MSI-high (MSI-H)	Always Investigational
0513U	Oncology (prostate), augmentative algorithmic analysis of digitized whole-slide imaging of histologic features for microsatellite instability (MSI) and homologous recombination deficiency (HRD) status, formalin fixed paraffin-embedded (FFPE) tissue, reported as increased or decreased	Always Investigational
0514U	Gastroenterology (irritable bowel disease [IBD]), immunoassay for quantitative determination of adalimumab (ADL) levels in venous serum in patients undergoing adalimumab therapy, results reported as a numerical value as micrograms per milliliter (μ g/mL)	Always Investigational
0515U	Gastroenterology (irritable bowel disease [IBD]), immunoassay for quantitative determination of infliximab (IFX) levels in venous serum in patients undergoing infliximab therapy, results reported as a numerical value as micrograms per milliliter (μ g/mL)	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0516U	Drug metabolism, whole blood, pharmacogenomic genotyping of 40 genes and CYP2D6 copy number variant analysis, reported as metabolizer status	Always Investigational
0552U	PGT-M, Igenomix®, Part of Vitrolife GroupTM, Igenomix®	Always Investigational
0553U	Smart PGT-A Plus, Igenomix®, Part of Vitrolife GroupTM, Thermo Fisher Scientific	Always Investigational
0554U	Smart PGT-SR, Igenomix®, Part of Vitrolife GroupTM, Thermo Fisher Scientific	Always Investigational
0555U	Smart PGT-SR Plus, Igenomix®, Part of Vitrolife GroupTM, Thermo Fisher Scientific	Always Investigational
92137	Computerized ophthalmic diagnostic imaging (eg, optical coherence tomography [OCT]), posterior segment, with interpretation and report, unilateral or bilateral; retina, including OCT angiography	Always Investigational
Q4368	Amchothick, per square centimeter	Always Investigational
Q4369	Amnioplast 3, per square centimeter	Always Investigational
Q4370	Aeroguard, per square centimeter	Always Investigational
Q4371	Neoguard, per square centimeter	Always Investigational
Q4372	Amchoplast excel, per square centimeter	Always Investigational
Q4373	Membrane wrap-lite, per square centimeter	Always Investigational
0550U	Oncology (prostate), enzyme-linked immunosorbent assays (ELISA) for total prostate-specific antigen (PSA) and free PSA, serum, combined with age, previous negative prostate biopsy status, digital rectal examination findings, prostate volume, and image and data reporting of the prostate, algorithm reported as a risk score for the presence of high-grade prostate cancer (Used to report the ClarityDx Prostate test, by Protean	Always Investigational
0551U	Tau, phosphorylated, pTau217, by single molecule array (ultrasensitive digital protein detection), using plasma	Always Investigational
E1905	Virtual reality cognitive behavioral therapy device (cbt), including pre-programmed therapy software	Always Investigational
K1036	Supplies and accessories (e.g., transducer) for low frequency ultrasonic diathermy treatment device, per month	Always Investigational
87626	INFECTIOUS AGENT DETECTION BY NUCLEIC ACID (DNA OR RNA); HUMAN PAPILLOMAVIRUS (HPV), SEPARATELY REPORTED HIGH-RISK TYPES (EG, 16, 18, 31, 45, 51, 52) AND HIGH-RISK POOLED RESULT(S)	Always Investigational
Q4354	Palingen dual-layer membrane, per square centimeter	Always Investigational
Q4355	Abiomend xplus membrane and abiomend xplus hydromembrane, per square centimeter	Always Investigational
Q4356	Abiomend membrane and abiomend hydromembrane, per square centimeter	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
Q4357	Xwrap plus, per square centimeter	Always Investigational
Q4358	Xwrap dual, per square centimeter	Always Investigational
Q4359	Choripty, per square centimeter	Always Investigational
Q4360	Amchoplast fd, per square centimeter	Always Investigational
Q4361	Epixpress, per square centimeter	Always Investigational
Q4362	Cygnus disk, per square centimeter	Always Investigational
Q4363	Amnio burgeon membrane and hydromembrane, per square centimeter	Always Investigational
Q4364	Amnio burgeon xplus membrane and xplus hydromembrane, per square centimeter	Always Investigational
Q4365	Amnio burgeon dual-layer membrane, per square centimeter	Always Investigational
Q4366	Dual layer amnio burgeon x-membrane, per square centimeter	Always Investigational
Q4367	Amniocore sl, per square centimeter	Always Investigational
Q4305	American amnion ac tri-layer, per square centimeter	Always Investigational
Q4306	American amnion ac, per square centimeter	Always Investigational
Q4307	American amnion, per square centimeter	Always Investigational
Q4308	Sanopellis, per square centimeter	Always Investigational
Q4309	Via matrix, per square centimeter	Always Investigational
Q4310	Procenta, per 100 mg	Always Investigational
Q4265	Neostim tl, per square centimeter	Always Investigational
Q4266	Neostim membrane, per square centimeter	Always Investigational
Q4267	Neostim dl, per square centimeter	Always Investigational
Q4268	Surgraft ft, per square centimeter	Always Investigational
Q4269	Surgraft xt, per square centimeter	Always Investigational
Q4270	Complete sl, per square centimeter	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
Q4271	Complete ft, per square centimeter	Always Investigational
Q4272	Esano a, per square centimeter	Always Investigational
Q4273	Esano aaa, per square centimeter	Always Investigational
Q4274	Esano ac, per square centimeter	Always Investigational
Q4275	Esano aca, per square centimeter	Always Investigational
Q4276	Orion, per square centimeter	Always Investigational
Q4277	Woundplus membrane or e-graft, per square centimeter	Always Investigational
Q4278	Epieffect, per square centimeter	Always Investigational
Q4280	Xcell amnio matrix, per square centimeter	Always Investigational
Q4281	Barrera sl or barrera dl, per square centimeter	Always Investigational
Q4282	Cygnus dual, per square centimeter	Always Investigational
Q4283	Biovance tri-layer or biovance 3l, per square centimeter	Always Investigational
Q4284	Dermabind sl, per square centimeter	Always investigational
Q4285	Nudyn dl or nudyn dl mesh, per square centimeter	Always Investigational
Q4286	Nudyn sl or nudyn slw, per square centimeter	Always Investigational
S4024	Air polymer-type a intrauterine foam	Always investigational
0439U	qPCR and digital PCR DNA analysis of 5 single-nucleotide polymorphisms (SNPs)	Always Investigational
0440U	qPCR and digital PCR DNA, analysis of 10 single-nucleotide polymorphisms (SNPs)	Always Investigational
0441U	Infectious disease (bacterial, fungal, or viral infection), semiquantitative biomechanical assessment (via deformability cytometry), whole blood, with algorithmic analysis and result reported as an index	Always Investigational
0101T	Extracorporeal shock wave involving musculoskeletal system, not otherwise specified	Always Investigational
0102T	Extracorporeal shock wave performed by a physician, requiring anesthesia other than local, and involving the lateral humeral epicondyle	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0864T	Low-intensity extracorporeal shock wave therapy involving corpus cavernosum, low energy	Always Investigational
0556U	HealthTrackRx Bronchitis, HealthTrackRx, Thermo Fisher Scientific	Always Investigational
0557U	HealthTrackRx Vaginitis, HealthTrackRx, Thermo Fisher Scientific	Always Investigational
0558U	IGoCheckTM (Blood-Based Colorectal Cancer Test), Milagen, Inc, Milagen, Inc	Always Investigational
0559U	MammoCheckTM (Blood-Based Breast Cancer Test), Milagen, Inc, Milagen, Inc	Always Investigational
0560U	Haystack MRDTM Baseline, Quest Diagnostics®, Quest Diagnostics®	Always Investigational
0561U	Haystack MRDTM Monitoring, Quest Diagnostics®, Quest Diagnostics®	Always Investigational
0562U	PGDx elioTM plasma focus Dx, Personal Genome Diagnostics Inc	Always Investigational
0563U	BIOFIRE® SPOTFIRE®Respiratory/Sore Throat (R/ST) Panel – Respiratory Menu, bioMérieux, bioMérieux	Always Investigational
0564U	BIOFIRE® SPOTFIRE® Respiratory/Sore Throat (R/ST) Panel – Sore Throat Menu, bioMérieux, bioMérieux	Always Investigational
0565U	EarlyDx MethylScanTM HCC, EarlyDiagnostics Laboratory, EarlyDiagnostics, Inc	Always Investigational
0566U	EPISEEKTM MPE (Malignant Pleural Effusion Detection Test), Precision Epigenomics Inc, Precision Epigenomics Inc	Always Investigational
0567U	Genomic Unity® 2.0, Variantyx Inc, Variantyx Inc	Always Investigational
0568U	LucentADTM Complete, Quanterix Corporation, Quanterix Corporation	Always Investigational
0569U	Guardant RevealTM, Guardant Health, Inc, Guardant Health, Inc	Always Investigational
0570U	i-STAT TBI, Abbott Point of Care	Always Investigational
0571U	ctRNA, Lucence Health, Inc, Lucence Health, Inc	Always investigational
0572U	ProsTAV®, Life Length S.L., Life Length S.L.	Always Investigational
0573U	Amplified Sciences PanCystProTM, Amplified Sciences, Inc	Always Investigational
0574U	NanoDetect-TBTM, NanoPin Technologies, Inc	Always Investigational
0956T	Partial craniectomy, channel creation, and tunneling of electrode for sub-scalp implantation of an electrode array, receiver, and telemetry unit for continuous bilateral electroencephalography monitoring system,	Always Investigational
0957T	Revision of sub-scalp implanted electrode array, receiver, and telemetry unit for electrode, when required, including imaging guidance	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0958T	Removal of sub-scalp implanted electrode array, receiver, and telemetry unit for continuous bilateral electroencephalography monitoring system, including imaging guidance	Always Investigational
0959T	Removal or replacement of magnet from coil assembly that is connected to continuous bilateral electroencephalography monitoring system,	Always Investigational
0960T	Replacement of sub-scalp implanted electrode array, receiver, and telemetry unit with tunneling of electrode for continuous bilateral electroencephalography monitoring system, including imaging guidance	Always Investigational
0961T	Shortwave infrared radiation imaging, surgical pathology specimen, to assist gross examination for lymph node localization in fibroadipose tissue, per specimen (List separately in addition to code for primary	Always Investigational
0962T	Assistive algorithmic analysis of acoustic and electrocardiogram recording for detection of cardiac dysfunction (eg, reduced ejection fraction, cardiac murmurs, atrial fibrillation), with review and interpretation by a physician or other qualified health care professional	Always Investigational
0963T	Anoscopy with directed submucosal injection of bulking agent into anal canal	Always Investigational
0967T	Transanal insertion of endoluminal temporary colorectal anastomosis protection device, including vacuum anchoring component and flexible sheath connected to external vacuum source and monitoring system	Always Investigational
0968T	Insertion or replacement of epicranial neurostimulator system, including electrode array and pulse generator, with connection to electrode array	Always Investigational
0969T	Removal of epicranial neurostimulator system	Always Investigational
0970T	Ablation, benign breast tumor (eg, fibroadenoma), percutaneous, laser, including imaging guidance when performed, each tumor	Always Investigational
0971T	Ablation, malignant breast tumor(s), percutaneous, laser, including imaging guidance when performed, unilateral	Always Investigational
0972T	Assistive algorithmic classification of burn healing (ie, healing or nonhealing) by noninvasive multispectral imaging, including system set-up and acquisition, selection, and transmission of images, with	Always Investigational
0973T	Selective enzymatic debridement, partial-thickness and/or full-thickness burn eschar, requiring anesthesia (ie, general anesthesia, moderate sedation), including patient monitoring, trunk, arms, legs; first 100 sq cm	Always Investigational
0974T	Selective enzymatic debridement, partial-thickness and/or full-thickness burn eschar, requiring anesthesia (ie, general anesthesia, moderate sedation), including patient monitoring, trunk, arms, legs; each additional 100 sq cm (List separately in addition to code for primary procedure)	Always Investigational
0975T	Selective enzymatic debridement, partial-thickness and/or full-thickness burn eschar, requiring anesthesia (ie, general anesthesia, moderate sedation), including patient monitoring, scalp, neck, hands, feet, and/or	Always Investigational
0976T	Selective enzymatic debridement, partial-thickness and/or full-thickness burn eschar, requiring anesthesia (ie, general anesthesia, moderate sedation), including patient monitoring, scalp, neck, hands, feet, and/or multiple digits; each additional 100 sq cm (List separately in addition to	Always Investigational
0977T	Upper gastrointestinal blood detection, sensor capsule, with interpretation and report	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0978T	Submucosal cryolysis therapy; soft palate, base of tongue, and lingual tonsil	Always Investigational
0980T	Submucosal cryolysis therapy; base of tongue and lingual tonsil only	Always Investigational
0984T	Intravascular imaging of extracranial cerebral vessels using optical coherence tomography (OCT) during diagnostic evaluation and/or therapeutic intervention, including all associated radiological supervision, interpretation, and report; initial vessel (List separately in addition to	Always Investigational
0985T	Intravascular imaging of extracranial cerebral vessels using optical coherence tomography (OCT) during diagnostic evaluation and/or therapeutic intervention, including all associated radiological supervision, interpretation, and report; each additional vessel (List separately in	Always Investigational
0986T	Intravascular imaging of intracranial cerebral vessels using optical coherence tomography (OCT) during diagnostic evaluation and/or therapeutic intervention, including all associated radiological supervision, interpretation, and report; initial vessel (List separately in addition to	Always Investigational
0987T	Intravascular imaging of intracranial cerebral vessels using optical coherence tomography (OCT) during diagnostic evaluation and/or therapeutic intervention, including all associated radiological supervision, interpretation, and report; each additional vessel (List separately in	Always Investigational
C9176	Tc-99m from domestically produced non-heu mo-99, [minimum 50 percent], full cost recovery add-on, per study dose	Always Investigational
Q4398	summit fx, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4399	Summit fx, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4400	Polygon3 membrane, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4401	Absolv3 membrane, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4402	Xwrap 2.0, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4403	Xwrap dual plus, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4404	Xwrap hydro plus, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4405	Xwrap fenestra plus, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4406	Xwrap fenestra, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4407	Xwrap tribus, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4408	Xwrap hydro, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4409	Amniomatrixf3x, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
Q4410	Amchomatrixdl, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4411	Amniomatrixf4x, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4412	Choriofix, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4413	Cygnus solo, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4414	Simplichor, per square centimeter (add-on, list separately in addition to primary procedure)	Always investigational
Q4415	Alexiguard sl-t, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4416	Alexiguard tl-t, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4417	Alexiguard dl-t, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4420	Nuform, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4431	Pma skin substitute product, not otherwise specified (list in addition to primary procedure)	Always Investigational
Q4432	510(k) skin substitute product, not otherwise specified (list in addition to primary procedure)	Always Investigational
Q4433	361 hct/p skin substitute product, not otherwise specified (list in addition to primary procedure)	Always Investigational
47384	Ablation, irreversible electroporation, liver, 1 or more tumors, including imaging guidance, percutaneous	Always Investigational
52443	Cystourethroscopy with initial transurethral anterior prostate commissurotomy with a nondrug-coated balloon catheter followed by therapeutic drug delivery into the prostate by a drug-coated balloon catheter, including transrectal ultrasound and fluoroscopy, when	Always Investigational
55877	Ablation, irreversible electroporation, prostate, 1 or more tumors, including imaging guidance, percutaneous	Always Investigational
62330	Decompression, percutaneous, with partial removal of the ligamentum flavum, including laminotomy for access, epidurography, and imaging guidance (ie, CT or fluoroscopy), bilateral; one interspace, lumbar	Always Investigational
62331	Decompression, percutaneous, with partial removal of the ligamentum flavum, including laminotomy for access, epidurography, and imaging guidance (ie, CT or fluoroscopy), bilateral; additional interspace(s), lumbar (List separately in addition to code for primary procedure)	Always Investigational
64728	Decompression; median nerve at the carpal tunnel, percutaneous, with intracarpal tunnel balloon dilation, including ultrasound guidance	Always Investigational
87182	Susceptibility studies, antimicrobial agent; carbapenemase enzyme detection (eg, Klebsiella pneumoniae carbapenemase [KPC], New Delhi metallo-beta-lactamase [NDM], Verona integron-encoded metallo-beta-lactamase [VIM]), multiplex immunoassay, qualitative, per isolate	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
87183	Susceptibility studies, antimicrobial agent; carbapenem resistance genes (eg, blaKPC, blaNDM, blaVIM, blaOXA-48, blaIMP), amplified probe	Always Investigational
87627	Infectious agent detection by nucleic acid (DNA or RNA); joint space pathogens and drug resistance genes, multiplex amplified probe	Always Investigational
0600U	Infectious disease (wound infection), identification of 65 organisms and 30 antibiotic resistance genes, wound swab, real-time PCR, reported as positive or negative for each organism	Always Investigational
0601U	Infectious disease (periprosthetic joint infection), analysis of 11 biomarkers (alpha defensins 1–3, C-reactive protein, microbial antigens for Staphylococcus [SPA, SPB], Enterococcus, Candida, and C. acnes, total nucleated cell count, percent neutrophils, RBC count, and absorbance at 280 nm) using immunoassays, hematology, clinical chemistry, synovial	Always Investigational
0602U	Endocrinology (diabetes), insulin (INS) gene methylation using digital droplet PCR, insulin, and C-peptide immunoassay, serum, Hemoglobin A1c immunoassay, whole blood, algorithm reported as diabetes-risk score	Always Investigational
0607U	Reproductive medicine (endometrial microbiome assessment), real-time PCR analysis for 31 bacterial DNA targets from endometrial biopsy, reported with quantified levels of bacterial presence and targeted	Always Investigational
0608U	Reproductive medicine (endometrial microbiome assessment), real-time PCR analysis for 10 bacterial DNA targets from endometrial biopsy, reported with quantified levels of bacterial presence and targeted	Always Investigational
0609U	Oncology (prostate), immunoassay for total prostate-specific antigen (PSA) and free PSA, serum or plasma, combined with clinical features, algorithm reported as a probability score for clinically significant prostate	Always Investigational
0610U	Infectious disease (antimicrobial susceptibility), phenotypic antimicrobial susceptibility testing of positive blood culture using microfluidic sensor technology to quantify bacterial growth response to multiple antibiotic types, reporting categorical susceptibility (susceptible, susceptible dose dependent, intermediate, resistant), minimum inhibitory concentration,	Always Investigational
0611U	Oncology (liver), analysis of over 1,000 methylated regions, cell-free DNA from plasma, algorithm reported as a quantitative result	Always investigational
0612U	Oncology (liver), analysis of over 1,000 methylated regions, cell-free DNA from plasma, algorithm reported as a quantitative result	Always Investigational
0613U	Oncology (urothelial carcinoma), DNA methylation and mutation analysis of 6 biomarkers (TWIST1, OTX1, ONECUT2, FGFR3, HRAS, TERT promoter region), methylation-specific PCR and targeted next-generation sequencing, urine, algorithm reported as a probability index for bladder	Always Investigational
98979	Remote therapeutic monitoring treatment management services, physician or other qualified health care professional time in a calendar month requiring at least 1 real-time interactive communication with the patient or caregiver during the calendar month; first 10 minutes	Always Investigational
98984	Remote therapeutic monitoring (eg, therapy adherence, therapy response, digital therapeutic intervention); device(s) supply for data access or data transmissions to support monitoring of respiratory system,	Always Investigational
98985	Remote therapeutic monitoring (eg, therapy adherence, therapy response, digital therapeutic intervention); device(s) supply for data access or data transmissions to support monitoring of musculoskeletal	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
98986	Remote therapeutic monitoring (eg, therapy adherence, therapy response, digital therapeutic intervention); device(s) supply for data access or data transmissions to support monitoring of cognitive	Always Investigational
99445	Remote monitoring of physiologic parameter(s) (eg, weight, blood pressure, pulse oximetry, respiratory flow rate); device(s) supply with daily recording(s) or programmed alert(s) transmission, 2-15 days in a 30-	Always investigational
99470	Remote physiologic monitoring treatment management services, clinical staff/physician/other qualified health care professional time in a calendar month requiring 1 real-time interactive communication with the patient/caregiver during the calendar month; first 10 minutes	Always Investigational
0990T	Transcervical instillation of biodegradable hydrogel materials, intrauterine	Always Investigational
0992T	Noninvasive assessment of cardiac risk derived from augmentative software analysis of perivascular fat without concurrent computed tomography (CT) scan of the heart, including patient-specific clinical factors, with interpretation and report by a physician or other qualified	Always Investigational
0993T	Noninvasive assessment of cardiac risk derived from augmentative software analysis of perivascular fat with concurrent computed tomography scan of the heart, including patient-specific clinical factors, with interpretation and report by a physician or other qualified health care professional (List separately in addition to code for primary	Always Investigational
0994T	Endovascular delivery of aortic wall stabilization drug therapy through a sheath positioned within an abdominal aortic aneurysm, with aortic roadmapping, balloon occlusion, imaging guidance, and radiological supervision and interpretation; percutaneous	Always Investigational
0995T	Endovascular delivery of aortic wall stabilization drug therapy through a sheath positioned within an abdominal aortic aneurysm, with aortic roadmapping, balloon occlusion, imaging guidance, and radiological	Always Investigational
0996T	Insertion and scleral fixation of a capsular bag prosthesis containing an intraocular lens prosthesis, with vitrectomy, including removal of crystalline lens or dislocated intraocular lens prosthesis, when performed	Always Investigational
0999T	Autologous muscle cell therapy, harvesting of muscle progenitor cells, including ultrasound guidance, when performed	Always investigational
1000T	Autologous muscle cell therapy, administration of muscle progenitor cells into the urethral sphincter, including cystoscopy and post-void residual ultrasound, when performed	Always investigational
1001T	Autologous muscle cell therapy, injection of muscle progenitor cells into the external anal sphincter, including ultrasound guidance, when	Always investigational
1002T	Air displacement plethysmography, whole-body composition assessment, with interpretation and report	Always investigational
1004T	Electronic analysis of implanted sub-scalp continuous bilateral electroencephalography monitoring system (eg, contact group[s], gain, bandpass filters) by physician or other qualified health care professional;	Always investigational

Codes	ServiceDescription	ExceptionsNotes
1005T	Electronic analysis of implanted sub-scalp continuous bilateral electroencephalography monitoring system (eg, contact group[s], gain, bandpass filters) by physician or other qualified health care professional; with programming, first 15 minutes face-to-face time with physician or other qualified health care professional	Always investigational
1006T	Electronic analysis of implanted sub-scalp continuous bilateral electroencephalography monitoring system (eg, contact group[s], gain, bandpass filters) by physician or other qualified health care professional; with programming, each additional 15 minutes face-to-face time with physician or other qualified health care professional (List separately in	Always investigational
1007T	Electroencephalogram from implanted sub-scalp continuous bilateral electroencephalography monitoring system, physician or other qualified health care professional review of recorded events, analysis of spike and seizure detection, interpretation, and report, up to 30 days of recording	Always investigational
1008T	Remote monitoring of sub-scalp implanted continuous bilateral electroencephalography monitoring system, device fitting, initial set-up, and patient education in wearing of system and use of equipment	Always investigational
1009T	Remote monitoring of a sub-scalp implanted continuous bilateral electroencephalography monitoring system, physician or other qualified health care professional review of recorded events, analysis of spike and seizure detection, interpretation, and report, up to 30 days of recording	Always investigational
1010T	Computerized ophthalmic analysis of monocular eye movements using retinal-based eye-tracking without spatial calibration, including fixation, microsaccades, drift, and horizontal saccades, when performed, unilateral or bilateral, with interpretation and report	Always investigational
1012T	Motorized ab interno trephination of sclera (sclerostomy), or trabecular meshwork (trabeculostomy), 1 or more, including injection of antifibrotic agents, when performed	Always investigational
1013T	Laparoscopy, surgical, implantation or replacement of lower esophageal sphincter neurostimulator electrode array and neurostimulator pulse generator or receiver, requiring pocket creation and connection between electrode array and pulse generator or receiver, including cruroplasty and/or electronic analysis, when performed	Always investigational
1014T	Laparoscopic revision or removal, lower esophageal sphincter neurostimulator electrodes	Always investigational
1015T	Revision or removal, lower esophageal sphincter neurostimulator pulse generator or receiver	Always investigational
1016T	Electronic analysis of implanted neurostimulator pulse generator system (eg, rate, pulse amplitude and duration, configuration of waveform, battery status, electrode selectability, output modulation, cycling, impedance and patient measurements), lower esophageal sphincter neurostimulator pulse generator/transmitter; intraoperative, with	Always investigational
1017T	Electronic analysis of implanted neurostimulator pulse generator system (eg, rate, pulse amplitude and duration, configuration of waveform, battery status, electrode selectability, output modulation, cycling, impedance and patient measurements), lower esophageal sphincter neurostimulator pulse generator/transmitter; subsequent, without	Always investigational

Codes	ServiceDescription	ExceptionsNotes
1018T	Electronic analysis of implanted neurostimulator pulse generator system (eg, rate, pulse amplitude and duration, configuration of waveform, battery status, electrode selectability, output modulation, cycling, impedance and patient measurements), lower esophageal sphincter neurostimulator pulse generator/transmitter; subsequent, with	Always investigational
1020T	Raman spectroscopy of 1 or more skin lesions, with probability score for malignant risk derived by algorithmic analysis of data from each lesion	Always investigational
1021T	Active thoracic irrigation (separate procedure)	Always investigational
1022T	Percutaneous tissue displacement, any method, including imaging guidance; intra-abdominal/pelvic structures (List separately in addition to	Always investigational
1023T	Percutaneous tissue displacement, any method, including imaging guidance; intrathoracic structures (List separately in addition to code for	Always investigational
1024T	Percutaneous tissue displacement, any method, including imaging guidance; soft tissue (List separately in addition to code for primary	Always investigational
1025T	Alternating electric fields dosimetry and delivery-simulation modeling, creation and selection of patient-specific array layouts, and placement	Always investigational
A2002	Innovamatrix ac, per square centimeter	Always Investigational
A2001	Innovamatrix ac, per square centimeter	Always Investigational
A2002	Mirrugen advanced wound matrix, per square centimeter	Always Investigational
A2003	Bio-connekt wound matrix, per square centimeter	Always Investigational
A2005	Microlyte matrix, per square centimeter	Always Investigational
A2004	Xcellistem, per square centimeter	Always Investigational
A2006	Novosorb synpath dermal matrix, per square centimeter	Always investigational
A2007	Restrata, per square centimeter	Always investigational
A2008	Theragenesis, per square centimeter	Always investigational
A2009	Symphony, per square centimeter	Always investigational
A2010	Apis, per square centimeter	Always investigational
A2014	Omeza collagen matrix, per 100 mg	Always investigational
A2015	Phoenix wound matrix, per square centimeter	Always investigational
A2016	Permeaderm B, per square centimeter	Always investigational
A2017	Permeaderm glove, each	Always investigational

Codes	ServiceDescription	ExceptionsNotes
A2018	Permeaderm C, per square centimeter	Always investigational
A2030	Miro3d fibers, per milligram	Always investigational
A2031	Mirodry wound matrix, per square centimeter	Always investigational
A2032	Myriad matrix, per square centimeter	Always investigational
A2033	Myriad morcells, 4 milligrams	Always investigational
A2035	Corplex p or theracor p or allacor p, per milligram	Always investigational
A2034	Foundation drs solo, per square centimeter	Always investigational
C8004	Simulation angiogram with use of a pressure-generating catheter (e.g., one-way valve, intermittently occluding), inclusive of all radiological supervision and interpretation, intraprocedural roadmapping, and imaging guidance necessary to complete the angiogram, for subsequent	Always investigational
C8005	Bronchoscopy, rigid or flexible, non-thermal transbronchial ablation of lesion(s) by pulsed electric field (pef) energy, including fluoroscopic and/or ultrasound guidance, when performed, with computed tomography acquisition(s) and 3d rendering, computer-assisted, image-guided navigation, and endobronchial ultrasound (ebus) guided transtracheal and/or transbronchial sampling (e.g., aspiration[s]/biopsy[ies]) of all mediastinal and/or hilar lymph node	Always investigational
E0201	Penile contracture device, manual, greater than 3 lbs traction force	Always investigational
E1022	Wheelchair transportation securement system, any type includes all components and accessories	Always investigational
E1023	Wheelchair transit securement system, includes all components and accessories	Always investigational
E1032	Wheelchair accessory, manual swingaway, retractable or removable mounting hardware used with joystick or other drive control interface	Always investigational
E1033	Wheelchair accessory, manual swingaway, retractable or removable mounting hardware for headrest, cushioned, any type	Always investigational
E1034	Wheelchair accessory, manual swingaway, retractable or removable mounting hardware for lateral trunk or hip support, any type	Always investigational
E1832	Static progressive stretch finger device, extension and/or flexion, with or without range of motion adjustment, includes all components and	Always investigational
G0183	Quantitative software measurements of cardiac volume, cardiac chambers volumes and left ventricular wall mass derived from ct scan(s) data of the chest/heart (with or without contrast)	Always investigational
G0566	3d radiodensity-value bone imaging, algorithm derived, from previous magnetic resonance examination of the same anatomy	Always investigational
Q4375	Duograft ac, per square centimeter	Always investigational

Codes	ServiceDescription	ExceptionsNotes
Q4376	Duograft aa, per square centimeter	Always investigational
Q4377	Trigraft ft, per square centimeter	Always investigational
Q4378	Renew ft matrix, per square centimeter	Always investigational
Q4379	Amniodefend ft matrix, per square centimeter	Always investigational
Q4380	Advograft one, per square centimeter	Always investigational
Q4381	Matrix hd allograft dermis, per square centimeter	Always investigational
Q4382	Advograft dual, per square centimeter	Always investigational
C8003	Implantation of medial knee extraarticular implantable shock absorber spanning the knee joint from distal femur to proximal tibia, open, includes measurements,	Always investigational
15877	Suction assisted lipectomy; trunk	Always cosmetic
A2036	Cohealyx collagen dermal matrix, per square centimeter	Always Investigational
A2037	G4derm plus, per milliliter	Always investigational
A2039	Innovamatrix fd, per square centimeter	Always investigational
A2038	Marigen pacto, per square centimeter	Always investigational
E0150	Combination wheeled walker with seat and transport chair, folding, adjustable or fixed height	Always investigational
Q4383	Axolotl graft ultra, per square centimeter	Always investigational
Q4384	Axolotl dualgraft ultra, per square centimeter	Always investigational
Q4385	Apollo ft, per square centimeter	Always investigational
Q4386	Acesso trifaca, per square centimeter	Always investigational
Q4387	Neothelium ft, per square centimeter	Always investigational
Q4388	Neothelium 4l, per square centimeter	Always investigational
Q4389	Neothelium 4l+, per square centimeter	Always investigational
Q4390	Ascendion, per square centimeter	Always investigational

Codes	ServiceDescription	ExceptionsNotes
Q4391	Amnioplast double, per square centimeter	Always investigational
Q4392	Grafix duo, per square centimeter	Always investigational
Q4393	Surgraft ac, per square centimeter	Always investigational
Q4394	Surgraft aca, per square centimeter	Always investigational
Q4395	Acelagraft, per square centimeter	Always investigational
Q4396	Natalin, per square centimeter	Always investigational
Q4397	Summit aaa, per square centimeter	Always investigational
C1741	Anchor/screw for bone fixation, absorbable (implantable)	Always investigational
0614U	Inborn error of metabolism (primary mitochondrial disease), mitochondrial analysis of 4 enzyme complexes by stained blue native polyacrylamide gel electrophoresis (PAGE), frozen tissue (muscle, liver, heart, cultured skin fibroblasts), diagnostic qualitative result	Always investigational
0629U	Infectious disease (tuberculosis), DNA, analysis of 1 target by PCR with clustered regularly interspaced short palindromic repeat (CRISPR)-based probe detection, plasma or serum, qualitative report as detected or not	Always investigational
A2040	Microlyte painguard, per square centimeter	Always Investigational
A2041	Foundation drs+ duo, per square centimeter	Always Investigational
A2042	Foundation drs+ solo, per square centimeter	Always Investigational
A2043	Biobrane, per square centimeter	Always Investigational
A2044	Biobrane glove, each	Always Investigational
A2045	Novashield or novogen wound matrix, per square centimeter	Always Investigational
A4479	Electronic transanal irrigation system, includes electronic pump, water reservoir, tubing, and accessories, without catheter, any type	Always Investigational
A8005	Powered, cable driven grip assist glove, hand, finger, includes microprocessor, pressure sensors, all components and accessories,	Always Investigational
A8006	Powered, cable driven grip assist glove, hand, finger, includes pressure sensors, glove replacement only	Always Investigational
C1743	Scaffold, endovascular non-coronary, resorbable drug eluting, with delivery system (implantable)	Always Investigational
G0680	Detection and quantification of coronary artery calcium and/or aortic valve calcification from algorithmic analysis of computed tomography of the chest with report	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
G0681	Application of a premarket approval (pma), 510(k), 361 human cells, tissues or cellular and tissue-based products (hct/p) non-sheet form skin substitute for a wound surface area up to 100 sq cm; first 25 sq cm or less	Always Investigational
G0682	Application of a premarket approval (pma), 510(k), 361 human cells, tissues or cellular and tissue-based products (hct/p) non-sheet form skin substitute for a wound surface area up to 100 sq cm; each additional 25 sq cm wound surface area, or part thereof (list separately in addition to	Always Investigational
G0683	Application of a premarket approval (pma), 510(k), 361 human cells, tissues or cellular and tissue-based products (hct/p) non-sheet form skin substitute graft for a wound surface greater than or equal to 100 sq cm; first 100 sq cm wound surface area, or 1% of body area of infants and	Always Investigational
G0684	Application of a premarket approval (pma), 510(k), 361 human cells, tissues or cellular and tissue-based products (hct/p) non-sheet form skin substitute graft for a wound surface greater than or equal to 100 sq cm; each additional 100 sq cm wound surface area or part thereof, or each additional 1% of body area of infants and children, or part thereof (list	Always Investigational
Q4418	Biolab membrane wrap flow, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4419	Biolab membrane wrap lite flow, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4421	Biolab membrane wrap solo, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4422	A/c wrap, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4423	Biolab tri-membrane wrap flow, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4424	Revive ft, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4425	Revive tl, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4426	Dermabind tl + or dermabind tl x, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4427	Dermabind dl n or dermabind dl + or dermabind dl x, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4428	Dermabind sl n or dermabind sl + or dermabind sl x, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4429	Dermabind ch n or dermabind ch x, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4435	Renati membrane, per square centimeter (add-on, list separately in addition to primary procedure)	Always investigational
Q4436	Renati ac membrane, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4437	Revival ac, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4439	Instagraft, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
Q4438	Prelect, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
Q4440	Curamatrix, per square centimeter (add-on, list separately in addition to primary procedure)	Always Investigational
0071T	Focused ultrasound ablation of uterine leiomyomata, including MR	Always Investigational
0072T	Focused ultrasound ablation of uterine leiomyomata, including MR guidance; total leiomyomata volume greater or equal to 200 cc of tissue	Always Investigational
0080U	Oncology (lung) mass spectrometric analysis of galectin-3-binding protein and scavenger receptor cysteine-rich type 1 protein M130, with five clinical risk factors (age, smoking status, nodule diameter, nodule-spiculation status and nodule location), utilizing plasma, algorithm reported as a categorical probability of malignancy	Always Investigational
0105U	Nephrology (chronic kidney disease), multiplex electrochemiluminescent immunoassay (ECLIA) of tumor necrosis factor receptor 1A, receptor superfamily 2 (TNFR1, TNFR2), and kidney injury molecule-1 (KIM-1) combined with longitudinal clinical data, including APOL1 genotype if available, and plasma (isolated fresh or frozen), algorithm reported as probability score for rapid kidney function decline (RKFD)	Always Investigational
0106U	Gastric emptying, serial collection of 7 timed breath specimens, non-radioisotope carbon-13 (13C) spirulina substrate, analysis of each specimen by gas isotope ratio mass spectrometry, reported as rate of	Always Investigational
0107T	QST testing and interpretation per extremity; using vibration stimuli	Always Investigational
0107U	Clostridium difficile toxin(s) antigen detection by immunoassay technique, stool, qualitative, multiple-step method	Always Investigational
0108T	QST testing and interpretation per extremity; using cooling stimuli	Always Investigational
0108U	Gastroenterology (Barrett's esophagus), whole slide digital imaging, including morphometric analysis, computer-assisted quantitative immunolabeling of 9 protein biomarkers (p16, AMACR, p53, CD68, COX-2, CD45RO, HIF1a, HER-2, K20) and morphology, formalin-fixed paraffin-embedded tissue, algorithm reported as risk of progression to high-grade	Always Investigational
0109T	QST testing and interpretation per extremity; using heat-pain stimuli	Always Investigational
0109U	Infectious disease (Aspergillus species), real-time PCR for detection of DNA from 4 species (A. fumigatus, A. terreus, A. niger, and A. flavus), blood, lavage fluid, or tissue, qualitative reporting of presence or absence	Always Investigational
0110T	QST testing and interpretation per extremity; using other stimuli	Always Investigational
0110U	Prescription drug monitoring, one or more oral oncology drug(s) and substances, definitive tandem mass spectrometry with chromatography, serum or plasma from capillary blood or venous blood, quantitative report with steady-state range for the prescribed drug(s) when detected	Always Investigational
0112U	Infectious agent detection and identification, targeted sequence analysis (16S and 18S rRNA genes) with drug-resistance gene	Always Investigational
0113U	Oncology (prostate), measurement of PCA3 and TMPRSS2-ERG in urine and PSA in serum following prostatic massage, by RNA amplification and fluorescence-based detection, algorithm reported as risk score	Always Investigational
0114U	Gastroenterology (Barrett's esophagus), VIM and CCNA1 methylation analysis, esophageal cells, algorithm reported as likelihood for Barrett's	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0115U	Respiratory infectious agent detection by nucleic acid (DNA and RNA), 18 viral types and subtypes and 2 bacterial targets, amplified probe technique, including multiplex reverse transcription for RNA targets, each analyte reported as detected or not detected	Always Investigational
0116U	Prescription drug monitoring, enzyme immunoassay of 35 or more drugs confirmed with LC-MS/MS, oral fluid, algorithm results reported as a patient-compliance measurement with risk of drug to drug interactions	Always Investigational
0117U	Pain management, analysis of 11 endogenous analytes (methylmalonic acid, xanthurenic acid, homocysteine, pyroglutamic acid, vanilmandelate, 5-hydroxyindoleacetic acid, hydroxymethylglutarate, ethylmalonate, 3-hydroxypropyl mercapturic acid (3-HPMA), quinolinic acid, kynurenic acid), LC-MS/MS, urine, algorithm reported as a pain-index score with likelihood of atypical biochemical function associated with pain	Always Investigational
0118U	Transplantation medicine, quantification of donor-derived cell-free DNA using whole genome next-generation sequencing, plasma, reported as percentage of donor-derived cell-free DNA in the total cell-free DNA	Always Investigational
0119U	Cardiology, ceramides by liquid chromatography tandem mass spectrometry, plasma, quantitative report with risk score for major	Always Investigational
0120U	Oncology (B-cell lymphoma classification), mRNA, gene expression profiling by fluorescent probe hybridization of 58 genes (45 content and 13 housekeeping genes), formalin-fixed paraffin-embedded tissue, algorithm reported as likelihood for primary mediastinal B-cell lymphoma (PMBCL) and diffuse large B-cell lymphoma (DLBCL) with cell of origin	Always Investigational
0121U	Sickle cell disease, microfluidic flow adhesion (VCAM-1), whole blood	Always Investigational
0122U	Sickle cell disease, microfluidic flow adhesion (P-Selectin), whole blood	Always Investigational
0123U	Mechanical fragility, RBC, shear stress and spectral analysis profiling	Always Investigational
0130U	Hereditary colon cancer disorders (eg, Lynch syndrome, PTEN hamartoma syndrome, Cowden syndrome, familial adenomatosis polyposis), targeted mRNA sequence analysis panel (APC, CDH1, CHEK2, MLH1, MSH2, MSH6, MUTYH, PMS2, PTEN, and TP53) (List separately in addition to code for	Always Investigational
0131U	Hereditary breast cancer related disorders (eg, hereditary breast cancer, hereditary ovarian cancer, hereditary endometrial cancer), targeted mRNA sequence analysis panel (13 genes) (List separately in addition to	Always Investigational
0132U	Hereditary ovarian cancer related disorders (eg, hereditary breast cancer, hereditary ovarian cancer, hereditary endometrial cancer), targeted mRNA sequence analysis panel (17 genes) (List separately in addition to	Always Investigational
0133U	Hereditary prostate cancer related disorders, targeted mRNA sequence analysis panel (11 genes) (List separately in addition to code for primary	Always Investigational
0135U	Hereditary gynecological cancer (eg, hereditary breast and ovarian cancer, hereditary endometrial cancer, hereditary colorectal cancer), targeted mRNA sequence analysis panel (12 genes) (List separately in	Always Investigational
0136U	ATM (ataxia telangiectasia mutated) (eg, ataxia telangiectasia) mRNA sequence analysis (List separately in addition to code for primary	Always Investigational
0137U	PALB2 (partner and localizer of BRCA2)(eg, breast and pancreatic cancer) mRNA sequence analysis (List separately in addition to code for primary	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0138U	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) mRNA sequence analysis (List separately in addition to code for primary procedure)	Always Investigational
0139U	Neurology (autism spectrum disorder [ASD]), quantitative measurements of 6 central carbon metabolites (ie, α -ketoglutarate, alanine, lactate, phenylalanine, pyruvate, and succinate), LC-MS/MS, plasma, algorithmic analysis with result reported as negative or positive (with metabolic	Always Investigational
0140U	Infectious disease (fungi), fungal pathogen identification, DNA (15 fungal targets), blood culture, amplified probe technique, each target reported as detected or not detected	Always Investigational
0141U	Infectious disease (bacteria and fungi), gram-positive organism identification and drug resistance element detection, DNA (20 gram-positive bacterial targets, 4 resistance genes, 1 pan gram-negative bacterial target, 1 pan Candida target), blood culture, amplified probe	Always Investigational
0142U	Infectious disease (bacteria and fungi), gram-negative bacterial identification and drug resistance element detection, DNA (21 gram-negative bacterial targets, 6 resistance genes, 1 pan gram-positive bacterial target, 1 pan Candida target), amplified probe technique, each	Always Investigational
0143U	Drug assay, definitive, 120 or more drugs or metabolites, urine, quantitative liquid chromatography with tandem mass spectrometry (LC-MS/MS) using multiple reaction monitoring (MRM), with drug or metabolite description, comments including sample validation, per date	Always Investigational
0144U	Drug assay, definitive, 160 or more drugs or metabolites, urine, quantitative liquid chromatography with tandem mass spectrometry (LC-MS/MS) using multiple reaction monitoring (MRM), with drug or metabolite description, comments including sample validation, per date	Always Investigational
0145U	Drug assay, definitive, 65 or more drugs or metabolites, urine, quantitative liquid chromatography with tandem mass spectrometry (LC-MS/MS) using multiple reaction monitoring (MRM), with drug or metabolite description, comments including sample validation, per date	Always Investigational
0146U	Drug assay, definitive, 80 or more drugs or metabolites, urine, by quantitative liquid chromatography with tandem mass spectrometry (LC-MS/MS) using multiple reaction monitoring (MRM), with drug or metabolite description, comments including sample validation, per date	Always Investigational
0147U	Drug assay, definitive, 85 or more drugs or metabolites, urine, quantitative liquid chromatography with tandem mass spectrometry (LC-MS/MS) using multiple reaction monitoring (MRM), with drug or metabolite description, comments including sample validation, per date	Always Investigational
0148U	Drug assay, definitive, 100 or more drugs or metabolites, urine, quantitative liquid chromatography with tandem mass spectrometry (LC-MS/MS) using multiple reaction monitoring (MRM), with drug or metabolite description, comments including sample validation, per date	Always Investigational
0149U	Drug assay, definitive, 60 or more drugs or metabolites, urine, quantitative liquid chromatography with tandem mass spectrometry (LC-MS/MS) using multiple reaction monitoring (MRM), with drug or metabolite description, comments including sample validation, per date	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0150U	Drug assay, definitive, 120 or more drugs or metabolites, urine, quantitative liquid chromatography with tandem mass spectrometry (LC-MS/MS) using multiple reaction monitoring (MRM), with drug or metabolite description, comments including sample validation, per date	Always Investigational
0151U	Infectious disease (bacterial or viral respiratory tract infection), pathogen specific nucleic acid (DNA or RNA), 33 targets, real-time semi-quantitative PCR, bronchoalveolar lavage, sputum, or endotracheal aspirate, detection of 33 organismal and antibiotic resistance genes with limited semi-	Always Investigational
0152U	Infectious disease (bacteria, fungi, parasites, and DNA viruses), DNA, PCR and next-generation sequencing, plasma, detection of >1,000 potential microbial organisms for significant positive pathogens	Always Investigational
0153U	Oncology (breast), mRNA, gene expression profiling by next-generation sequencing of 101 genes, utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a triple negative breast cancer clinical subtype(s) with information on immune cell involvement	Always Investigational
0154U	FGFR3 (fibroblast growth factor receptor 3) gene analysis (ie, p.R248C [c.742C>T], p.S249C [c.746C>G], p.G370C [c.1108G>T], p.Y373C [c.1118A>G], FGFR3-TACC3v1, and FGFR3-TACC3v3)	Always Investigational
0155U	PIK3CA (phosphatidylinositol-4,5-bisphosphate 3-kinase, catalytic subunit alpha) (eg, breast cancer) gene analysis (ie, p.C420R, p.E542K, p.E545A, p.E545D [g.1635G>T only], p.E545G, p.E545K, p.Q546E, p.Q546R,	Always Investigational
0156U	Copy number (eg, intellectual disability, dysmorphology), sequence	Always Investigational
0157U	APC (APC regulator of WNT signaling pathway) (eg, familial adenomatosis polyposis [FAP]) mRNA sequence analysis (List separately in addition to code for primary procedure)	Always Investigational
0158U	MLH1 (mutL homolog 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) mRNA sequence analysis (List separately in addition to code for primary procedure)	Always Investigational
0159T	Computer-aided detection, including computer algorithm analysis of MRI image data for lesion detection/characterization, pharmacokinetic analysis, with further physician review for interpretation, breast MRI (List separately in addition to code for primary procedure)	Always Investigational
0159U	MSH2 (mutS homolog 2) (eg, hereditary colon cancer, Lynch syndrome) mRNA sequence analysis (List separately in addition to code for primary	Always Investigational
0160U	MSH6 (mutS homolog 6) (eg, hereditary colon cancer, Lynch syndrome) mRNA sequence analysis (List separately in addition to code for primary	Always Investigational
0161U	PMS2 (PMS1 homolog 2, mismatch repair system component) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) mRNA sequence analysis (List separately in addition to code for primary	Always Investigational
0162U	Hereditary colon cancer (Lynch syndrome), targeted mRNA sequence analysis panel (MLH1, MSH2, MSH6, PMS2) (List separately in addition to	Always Investigational
0174T	Computer-aided detection (CAD) (computer algorithm analysis of digital image data for lesion detection) with further physician review for interpretation and report, with or without digitization of film radiographic images, chest radiograph(s), performed concurrent with primary interpretation (List separately in addition to code for primary procedure	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0175T	Computer-aided detection (CAD) (computer algorithm analysis of digital image data for lesion detection) with further physician review for interpretation and report, with or without digitization of film radiographic images, chest radiograph(s), performed remote from primary	Always Investigational
0184T	Excision of rectal tumor, transanal endoscopic microsurgical approach (ie, TEMS), including muscularis propria (ie, full thickness)	Always Investigational
0198T	Measurement of ocular blood flow by repetitive intraocular pressure sampling, with interpretation and report	Always Investigational
0200T	Percutaneous sacral augmentation (sacroplasty), unilateral injection(s), including the use of a balloon or mechanical de	Always Investigational
0201T	Percutaneous sacral augmentation (sacroplasty), bilateral injection(s), including the use of a balloon or mechanical dev	Always Investigational
0206T	Algorithmic analysis, remote, of electrocardiographic-derived data with computer probability assessment, including repor	Always Investigational
0207T	Evacuation of meibomian glands, automated, using heat and intermittent pressure, unilateral	Always Investigational
0208T	Pure tone audiometry (threshold), automated (includes use of computer-assisted device); air only	Always Investigational
0209T	Pure tone audiometry (threshold), automated (includes use of computer-assisted device); air and bone	Always Investigational
0210T	Speech audiometry threshold, automated (includes use of computer-	Always Investigational
0211T	Speech audiometry threshold, automated (includes use of computer-assisted device); with speech recognition	Always Investigational
0212T	Comprehensive audiometry threshold evaluation and speech recognition (0209T, 0211T combined), automated (includes use of	Always Investigational
0219T	Placement of a posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s	Always Investigational
0220T	Placement of a posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s	Always Investigational
0221T	Placement of a posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s	Always Investigational
0222T	Placement of a posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s	Always Investigational
0232T	Injection(s), platelet rich plasma, any tissue, including image guidance, harvesting and preparation when performed	Always Investigational
0233T	Skin advanced glycation endproducts measurement by multi-wavelength fluorescent spectroscopy	Always Investigational
0234T	Transluminal peripheral atherectomy, open or percutaneous, including radiological supervision and interpretation; renal artery	Always Investigational
0235T	Transluminal peripheral atherectomy, open or percutaneous, including radiological supervision and interpretation; visceral artery (except renal),	Always Investigational
0236T	Transluminal peripheral atherectomy, open or percutaneous, including radiological supervision and interpretation; abdominal aorta	Always Investigational
0237T	Transluminal peripheral atherectomy, open or percutaneous, including radiological supervision and interpretation; brachiocephalic trunk and	Always Investigational
0238T	Transluminal peripheral atherectomy, open or percutaneous, including radiological supervision and interpretation; iliac artery, each vessel	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0253T	Insertion of anterior segment aqueous drainage device, without extraocular reservoir; internal approach, into the suprachoroidal space	Always Investigational
0254T	Endovascular repair of iliac artery bifurcation using bifurcated endoprosthesis from the common iliac artery into both the external and	Always Investigational
0263T	Intramuscular autologous bone marrow cell therapy, with preparation of harvested cells, multiple injections, one leg, including ultrasound guidance, if performed; complete	Always Investigational
0264T	Intramuscular autologous bone marrow cell therapy, with preparation of harvested cells, multiple injections, one leg, including ultrasound guidance, if performed; complete	Always Investigational
0265T	Intramuscular autologous bone marrow cell therapy, with preparation of harvested cells, multiple injections, one leg, including ultrasound guidance, if performed; unilateral	Always Investigational
0267T	Implantation or replacement of carotid sinus baroreflex activation device; lead only, unilater (includes intra-operative interrogation, programming, and repositioning, when pe	Always Investigational
0268T	Implantation or replacement of carotid sinus baroreflex activation device; pulse generator only (includes intra-operative interrogation, programming, and repositioning, when	Always Investigational
0269T	Revision or removal of carotid sinus baroreflex activation device; total system (includes generator placement, unilateral or bilateral lead placement, intra-operative interrorg	Always Investigational
0270T	Revision or removal of carotid sinus baroreflex activation device; lead only, unilateral (includes intra-operative interrogation, programming, and repositioning, when performe	Always Investigational
0271T	Revision or removal of carotid sinus baroreflex activation device; pulse generator only (includes intra-operative interrogation, programming, and repositioning, when performe	Always Investigational
0272T	Interrogation device evaluation (in person), carotid sinus varoreflex activation system, including telemetric iterative communication with the	Always Investigational
0273T	Interrogation device evaluation (in person), carotid sinus varoreflex activation system, including telemetric iterative communication with the	Always Investigational
0274T	Percutaneous laminotomy/laminectomy (intralaminar approach) for decompression of neural elements, (with or without ligamentous resection, discectomy, facetectomy and/or forami	Always Investigational
0275T	Percutaneous laminotomy/laminectomy (intralaminar approach) for decompression of neural elements, (with or without ligamentous resection, discectomy, facetectomy and/or forami	Always Investigational
0278T	Transcutaneous Electrical Modulation Pain Reprocessing, Each Treatment Session (Includes Placement Of Electrodes)	Always Investigational
0290T	Corneal incisions in the recipient cornea created using a laser, in preparation for penetrating or lamellar keratoplasty (List separately in addition to code for primary procedure)	Always Investigational
0312T	Vagus Nerve Blocking; Laparoscopic Implant Neurostim Electrode Array, Vagal Trunks, W Implantation Of Pulse Generator	Always Investigational
0313T	Vagus Nerve Blocking Therapy; Laparoscopic Revision Or Replacement Of Vagal Trunk Neurostimulator Electrode Array	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0314T	Vagus Nerve Blocking Therapy; Laparoscopic Removal Of Vagal Trunk Neurostimulator Electrode Array And Pulse Generator	Always Investigational
0315T	Vagus Nerve Blocking Therapy (Morbid Obesity); Removal Of Pulse	Always Investigational
0316T	Vagus Nerve Blocking Therapy (Morbid Obesity); Replacement Of Pulse	Always Investigational
0317T	Vagus Nerve Blocking Therapy; Neurostimulator Pulse Generator Electronic Analysis, Includes Reprogramming When Performed	Always Investigational
0320T	Insertion of subcutaneous defibrillator electrode	Always Investigational
0329T	Monitoring of intraocular pressure for 24 hours or longer, unilateral or bilateral, with interpretation and report	Always Investigational
0330T	Tear film imaging, unilateral or bilateral, with interpretation and report	Always Investigational
0331T	Myocardial sympathetic innervation imaging, planar qualitative and quantitative assessment;	Always Investigational
0332T	Myocardial sympathetic innervation imaging, planar qualitative and quantitative assessment; with tomographic SPECT	Always Investigational
0333T	Visual evoked potential, screening of visual acuity, automated, with	Always Investigational
0335T	Extra-Osseous Subtalar Joint Implant For Talotarsal Stabilization	Always Investigational
0337T	Endothelial Function Assessment, Using Peripheral Vascular Response To Reactive Hyperemia, Non-Invasive, Uni/Bilat	Always Investigational
0338T	Transcatheter Renal Sympathetic Denervation, Percutaneous Approach;	Always Investigational
0339T	Transcatheter Renal Sympathetic Denervation, Percutaneous Approach;	Always Investigational
0342T	therapeutic Apheresis with Selective Hdl Delipidation and Plasma	Always Investigational
0345T	Transcatheter mitral valve repair percutaneous approach via the coronary	Always Investigational
0347T	Placement of interstitial device(s) in bone for radiostereometric analysis	Always Investigational
0348T	Radiologic examination, radiostereometric analysis (RSA); spine, (includes, cervical, thoracic and lumbosacral, when performed)	Always Investigational
0349T	Radiologic examination, radiostereometric analysis (RSA); upper extremity(ies), (includes shoulder, elbow and wrist, when performed)	Always Investigational
0350T	Radiologic examination, radiostereometric analysis (RSA); lower extremity(ies), (includes hip, proximal femur, knee and ankle, when	Always Investigational
0351T	Optical coherence tomography of breast or axillary lymph node, excised tissue, each specimen; real time intraoperative	Always Investigational
0352T	Optical coherence tomography of breast or axillary lymph node, excised tissue, each specimen; interpretation and report, real time or referred	Always Investigational
0353T	Optical coherence tomography of breast, surgical cavity; real time	Always Investigational
0354T	Optical coherence tomography of breast, surgical cavity; interpretation and report, real time or referred	Always Investigational
0356T	Insertion of drug-eluting implant (including punctal dilation and implant removal when performed) into lacrimal canaliculus, each	Always Investigational
0358T	Bioelectrical impedance analysis whole body composition assessment, supine position, with interpretation and report	Always Investigational
0377T	Anoscopy with directed submucosal injection of bulking agent for fecal	Always Investigational
0378T	Visual field assessment, with concurrent real time data analysis and accessible data storage with patient initiated data transmitted to a remote surveillance center for up to	Always Investigational
0379T	Visual field assessment, with concurrent real time data analysis and accessible data storage with patient initiated data transmitted to a remote surveillance enter for up to 3	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0389T	Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values	Always Investigational
0390T	Peri-procedural device evaluation (in person) and programming of device system parameters before or after a surgery, procedure or test with analysis, review and report, leadle	Always Investigational
0391T	Interrogation device evaluation (in person) with analysis, review and report, includes connection, recording and disconnection per patient encounter, leadless pacemaker system	Always Investigational
0410T	Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic parameters; atrial electrode	Always Investigational
0411T	Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic parameters; ventricular	Always Investigational
0414T	Removal and replacement of permanent cardiac contractility modulation system pulse generator only	Always Investigational
0415T	Repositioning of previously implanted cardiac contractility modulation transvenous electrode, (atrial or ventricular lead)	Always Investigational
0416T	Relocation of skin pocket for implanted cardiac contractility modulation pulse generator	Always Investigational
0417T	Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, including review and report, implantable cardiac contractility modulation system	Always Investigational
0418T	Interrogation device evaluation (in person) with analysis, review and report, includes connection, recording and disconnection per patient encounter; implantable cardiac contractility modulation system	Always Investigational
0419T	Destruction neurofibromata, extensive, (cutaneous, dermal extending into subcutaneous); face, head and neck, greater than 50 neurofibromata	Always Investigational
0420T	Destruction neurofibromata, extensive, (cutaneous, dermal extending into subcutaneous); trunk and extremities, extensive, greater than 100	Always Investigational
0422T	Tactile breast imaging by computer-aided tactile sensors, unilateral or	Always Investigational
0423T	Secretory type II phospholipase A2 (sPLA2-IIA)	Always Investigational
0424T	Insertion or replacement of neurostimulator system for treatment of central sleep apnea; complete system (transvenous placement of right or left stimulation lead, sensing lead, implantable pulse generator)	Always Investigational
0425T	Insertion or replacement of neurostimulator system for treatment of central sleep apnea; sensing lead only	Always Investigational
0426T	Insertion or replacement of neurostimulator system for treatment of central sleep apnea; stimulation lead only	Always Investigational
0427T	Insertion or replacement of neurostimulator system for treatment of central sleep apnea; pulse generator only	Always Investigational
0428T	Removal of neurostimulator system for treatment of central sleep apnea; pulse generator only	Always Investigational
0429T	Removal of neurostimulator system for treatment of central sleep apnea; sensing lead only	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0430T	Removal of neurostimulator system for treatment of central sleep apnea; stimulation lead only	Always Investigational
0431T	Removal and replacement of neurostimulator system for treatment of central sleep apnea, pulse generator only	Always Investigational
0432T	Repositioning of neurostimulator system for treatment of central sleep apnea; stimulation lead only	Always Investigational
0433T	Repositioning of neurostimulator system for treatment of central sleep apnea; sensing lead only	Always Investigational
0434T	Interrogation device evaluation implanted neurostimulator pulse generator system for central sleep apnea	Always Investigational
0435T	Programming device evaluation of implanted neurostimulator pulse generator system for central sleep apnea; single session	Always Investigational
0436T	Programming device evaluation of implanted neurostimulator pulse generator system for central sleep apnea; during sleep study	Always Investigational
0440T	Ablation, percutaneous, cryoablation, includes imaging guidance; upper extremity distal/peripheral nerve	Always Investigational
0441T	Ablation, percutaneous, cryoablation, includes imaging guidance; lower extremity distal/peripheral nerve	Always Investigational
0443T	Real time spectral analysis of prostate tissue by fluorescence spectroscopy (Use 0443T with prostate biopsy) (Report 0443T only once	Always Investigational
0444T	Initial placement of a drug-eluting ocular insert under one or more eyelids, including fitting, training, and insertion, unilateral or bilateral	Always Investigational
0445T	Subsequent placement of a drug-eluting ocular insert under one or more eyelids, including re-training, and removal of existing insert, unilateral or bilateral (For insertion and removal of drug-eluting implant into lacrimal	Always Investigational
0449T	Insertion of aqueous drainage device, without extraocular reservoir, internal approach, into the subconjunctival space; initial device	Always Investigational
0450T	Insertion of aqueous drainage device, without extraocular reservoir, internal approach, into the subconjunctival space; each additional device (List separately in addition to code for primary procedure)	Always Investigational
0451T	Insertion or replacement of a permanently implantable aortic counterpulsation ventricular assist system, endovascular approach, and programming of sensing and therapeutic parameters; complete system	Always Investigational
0452T	Insertion or replacement of a permanently implantable aortic counterpulsation ventricular assist system, endovascular approach, and programming of sensing and therapeutic parameters; aortic	Always Investigational
0453T	Insertion or replacement of a permanently implantable aortic counterpulsation ventricular assist system, endovascular approach, and programming of sensing and therapeutic parameters; mechano-electrical	Always Investigational
0454T	Insertion or replacement of a permanently implantable aortic counterpulsation ventricular assist system, endovascular approach, and programming of sensing and therapeutic parameters; subcutaneous	Always Investigational
0455T	Removal of permanently implantable aortic counterpulsation ventricular assist system; complete system (aortic counterpulsation device, vascular hemostatic seal, mechano-electrical skin interface and electrodes)	Always Investigational
0456T	Removal of permanently implantable aortic counterpulsation ventricular assist system; aortic counterpulsation device and vascular hemostatic	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0457T	Removal of permanently implantable aortic counterpulsation ventricular assist system; mechano-electrical skin interface	Always Investigational
0458T	Removal of permanently implantable aortic counterpulsation ventricular assist system; subcutaneous electrode	Always Investigational
0459T	Relocation of skin pocket with replacement of implanted aortic counterpulsation ventricular assist device, mechano-electrical skin	Always Investigational
0460T	Repositioning of previously implanted aortic counterpulsation ventricular assist device; subcutaneous electrode	Always Investigational
0461T	Repositioning of previously implanted aortic counterpulsation ventricular assist device; aortic counterpulsation device	Always Investigational
0462T	Programming device evaluation (in person) with iterative adjustment of the implantable mechano-electrical skin interface and/or external driver to test the function of the device and select optimal permanent programmed values with analysis, including review and report, implantable aortic counterpulsation ventricular assist system, per day	Always Investigational
0463T	Interrogation device evaluation (in person) with analysis, review and report, includes connection, recording and disconnection per patient encounter, implantable aortic counterpulsation ventricular assist system,	Always Investigational
0464T	Visual evoked potential, testing for glaucoma, with interpretation and	Always Investigational
0465T	Suprachoroidal injection of a pharmacologic agent (does not include supply of medication)	Always Investigational
0466T	Insertion of chest wall respiratory sensor electrode or electrode array, including connection to pulse generator (List separately in addition to code for primary procedure) This code is designated as an Add-on code by the AMA. List separately in addition to the primary procedure.	Always Investigational
0467T	Revision or replacement of chest wall respiratory sensor electrode or electrode array, including connection to existing pulse generator	Always Investigational
0468T	Removal of chest wall respiratory sensor electrode or electrode array	Always Investigational
0469T	Retinal polarization scan, ocular screening with on-site automated	Always Investigational
0470T	Optical coherence tomography (OCT) for microstructural and morphological imaging of skin, image acquisition, interpretation, and	Always Investigational
0471T	Optical coherence tomography (OCT) for microstructural and morphological imaging of skin, image acquisition, interpretation, and	Always Investigational
0472T	Device evaluation, interrogation, and initial programming of intraocular retinal electrode array (eg, retinal prosthesis), in person, with iterative adjustment of the implantable device to test functionality, select optimal permanent programmed values with analysis, including visual training, with review and report by a qualified health care professional	Always Investigational
0473T	Device evaluation and interrogation of intraocular retinal electrode array (eg, retinal prosthesis), in person, including reprogramming and visual training, when performed, with review and report by a qualified health	Always Investigational
0474T	Insertion of anterior segment aqueous drainage device, with creation of intraocular reservoir, internal approach, into the supraciliary space	Always Investigational
0475T	Recording of fetal magnetic cardiac signal using at least 3 channels; patient recording and storage, data scanning with signal extraction, technical analysis and result, as well as supervision, review, and interpretation of report by a physician or other qualified health care	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0476T	Recording of fetal magnetic cardiac signal using at least 3 channels; patient recording, data scanning, with raw electronic signal transfer of	Always Investigational
0477T	Recording of fetal magnetic cardiac signal using at least 3 channels; signal extraction, technical analysis, and result	Always Investigational
0478T	Recording of fetal magnetic cardiac signal using at least 3 channels; review, interpretation, report by physician or other qualified health care	Always Investigational
0479T	Fractional ablative laser fenestration of burn and traumatic scars for functional improvement; each additional 100 cm2, or each additional 1% of body surface area of infants and children	Always Investigational
0480T	Fractional ablative laser fenestration of burn and traumatic scars for functional improvement; each additional 100 cm2, or each additional 1% of body surface area of infants and children, or part thereof	Always Investigational
0481T	Injection(s), autologous white blood cell concentrate (autologous protein solution), any site, including image guidance, harvesting and preparation,	Always Investigational
0483T	Transcatheter mitral valve implantation/replacement (TMVI) with prosthetic valve; percutaneous approach, including transseptal puncture,	Always Investigational
0484T	Transcatheter mitral valve implantation/replacement (TMVI) with prosthetic valve; transthoracic exposure (eg, thoracotomy, transapical)	Always Investigational
0485T	Optical coherence tomography (OCT) of middle ear, with interpretation and report; unilateral	Always Investigational
0486T	Optical coherence tomography (OCT) of middle ear, with interpretation and report; bilateral	Always Investigational
0487T	Biomechanical mapping, transvaginal, with report	Always Investigational
0489T	Autologous adipose-derived regenerative cell therapy for scleroderma in the hands; adipose tissue harvesting, isolation and preparation of harvested cells including incubation with cell dissociation enzymes, removal of non-viable cells and debris, determination of concentration	Always Investigational
0490T	Autologous adipose-derived regenerative cell therapy for scleroderma in the hands; multiple injections in one or both hands	Always Investigational
0491T	Ablative laser treatment, non-contact, full field and fractional ablation, open wound, per day, total treatment surface area; first 20 sq cm or less	Always Investigational
0492T	Ablative laser treatment, non-contact, full field and fractional ablation, open wound, per day, total treatment surface area; each additional 20 sq cm, or part thereof (List separately in addition to code for primary	Always Investigational
0493T	Near-infrared spectroscopy studies of lower extremity wounds (eg, for oxyhemoglobin measurement)	Always Investigational
0494T	Surgical preparation and cannulation of marginal (extended) cadaver donor lung(s) to ex vivo organ perfusion system, including decannulation, separation from the perfusion system, and cold preservation of the allograft prior to implantation, when performed	Always Investigational
0495T	Initiation and monitoring marginal (extended) cadaver donor lung(s) organ perfusion system by physician or qualified health care professional, including physiological and laboratory assessment (eg, pulmonary artery flow, pulmonary artery pressure, left atrial pressure, pulmonary vascular resistance, mean/peak and plateau airway pressure, dynamic compliance and perfusate gas analysis), including bronchoscopy and X ray when	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0496T	Initiation and monitoring marginal (extended) cadaver donor lung(s) organ perfusion system by physician or qualified health care professional, including physiological and laboratory assessment (eg, pulmonary artery flow, pulmonary artery pressure, left atrial pressure, pulmonary vascular resistance, mean/peak and plateau airway pressure, dynamic compliance and perfusate gas analysis), including bronchoscopy and X ray when performed; each additional hour (List separately in addition to code for	Always Investigational
0506T	Macular pigment optical density measurement by heterochromatic flicker photometry, unilateral or bilateral, with interpretation and report	Always Investigational
0507T	Near-infrared dual imaging (ie, simultaneous reflective and trans-illuminated light) of meibomian glands, unilateral or bilateral, with	Always Investigational
0508T	Pulse-echo ultrasound bone density measurement resulting in indicator of axial bone mineral density, tibia	Always Investigational
0509T	Electroretinography (ERG) with interpretation and report, pattern (PERG)	Always Investigational
0510T	Removal of sinus tarsi implant	Always Investigational
0511T	Removal and reinsertion of sinus tarsi implant	Always Investigational
0512T	Extracorporeal shock wave for integumentary wound healing	Always Investigational
0513T	Extracorporeal shock wave for integumentary wound healing, high energy	Always Investigational
0514T	Intraoperative visual axis identification using patient fixation (List separately in addition to code for primary procedure)	Always Investigational
0518T	Removal of only pulse generator component(s) (battery and/or transmitter) of wireless cardiac stimulator for left ventricular pacing	Always Investigational
0521T	Interrogation device evaluation (in person) with analysis, review and	Always Investigational
0522T	Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device	Always Investigational
0523T	Intraprocedural coronary fractional flow reserve (FFR) with 3D functional	Always Investigational
0524T	Endovenous catheter directed chemical ablation with balloon isolation of incompetent extremity vein, open or percutaneous	Always Investigational
0525T	Insertion or replacement of intracardiac ischemia monitoring system	Always Investigational
0526T	Insertion or replacement of intracardiac ischemia monitoring system	Always Investigational
0527T	Insertion or replacement of intracardiac ischemia monitoring system	Always Investigational
0528T	Programming device evaluation (in person) of intracardiac ischemia	Always Investigational
0529T	Interrogation device evaluation (in person) of intracardiac ischemia monitoring system with analysis, review, and report	Always Investigational
0530T	Removal of intracardiac ischemia monitoring system	Always Investigational
0531T	Removal of intracardiac ischemia monitoring system	Always Investigational
0532T	Removal of intracardiac ischemia monitoring system	Always Investigational
0533T -	Continuous recording of movement disorder symptoms, including bradykinesia, dyskinesia, and tremor for 6 days up to 10 days;	Always Investigational
0534T	Continuous recording of movement disorder symptoms	Always Investigational
0535T	Continuous recording of movement disorder symptoms,	Always Investigational
0536T	Continuous recording of movement disorder symptoms	Always Investigational
0541T	Myocardial imaging by magnetocardiography (MCG) for detection of cardiac ischemia, by signal acquisition using minimum 36 channel grid,	Always Investigational
0542T	Myocardial imaging by magnetocardiography (MCG) for detection of cardiac ischemia, by signal acquisition using minimum 36 channel grid,	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0563T	Evacuation of meibomian glands, using heat delivered through wearable, open-eye eyelid treatment devices and manual gland expression, bilateral	Always Investigational
0564T	Oncology, chemotherapeutic drug cytotoxicity assay of cancer stem cells (CSCs), from cultured CSCs and primary tumor cells, categorical drug response reported based on percent of cytotoxicity observed, a minimum	Always Investigational
0565T	Autologous cellular implant derived from adipose tissue for the treatment of osteoarthritis of the knees; tissue harvesting and cellular implant	Always Investigational
0566T	Autologous cellular implant derived from adipose tissue for the treatment of osteoarthritis of the knees; injection of cellular implant into knee joint including ultrasound guidance, unilateral	Always Investigational
0567T	Permanent fallopian tube occlusion with degradable biopolymer implant, transcervical approach, including transvaginal ultrasound	Always Investigational
0568T	Introduction of mixture of saline and air for sonosalpingography to confirm occlusion of fallopian tubes, transcervical approach, including transvaginal ultrasound and pelvic ultrasound	Always Investigational
0569T	Transcatheter tricuspid valve repair, percutaneous approach; initial	Always Investigational
0570T	Transcatheter tricuspid valve repair, percutaneous approach; each additional prosthesis during same session (List separately in addition to code for primary procedure)	Always Investigational
0571T	Insertion or replacement of implantable cardioverter-defibrillator system with substernal electrode(s), including all imaging guidance and electrophysiological evaluation (includes defibrillation threshold evaluation, induction of arrhythmia, evaluation of sensing for arrhythmia termination, and programming or reprogramming of sensing or	Always Investigational
0572T	Insertion of substernal implantable defibrillator electrode	Always Investigational
0573T	Removal of substernal implantable defibrillator electrode	Always Investigational
0574T	Repositioning of previously implanted substernal implantable defibrillator pacing electrode	Always Investigational
0575T	Programming device evaluation (in person) of implantable cardioverter-defibrillator system with substernal electrode, with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional	Always Investigational
0576T	Interrogation device evaluation (in person) of implantable cardioverter-defibrillator system with substernal electrode, with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter	Always Investigational
0577T	Electrophysiological evaluation of implantable cardioverter-defibrillator system with substernal electrode (includes defibrillation threshold evaluation, induction of arrhythmia, evaluation of sensing for arrhythmia termination, and programming or reprogramming of sensing or	Always Investigational
0578T	Interrogation device evaluation(s) (remote), up to 90 days, substernal lead implantable cardioverter-defibrillator system with interim analysis, review(s) and report(s) by a physician or other qualified health care	Always Investigational
0579T	Interrogation device evaluation(s) (remote), up to 90 days, substernal lead implantable cardioverter-defibrillator system, remote data acquisition(s), receipt of transmissions and technician review, technical	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
0580T	Removal of substernal implantable defibrillator pulse generator only	Always Investigational
0581T	Ablation, malignant breast tumor(s), percutaneous, cryotherapy, including imaging guidance when performed, unilateral	Always Investigational
0582T	Transurethral ablation of malignant prostate tissue by high-energy water vapor thermotherapy, including intraoperative imaging and needle	Always Investigational
0583T	Tympanostomy (requiring insertion of ventilating tube), using an automated tube delivery system, iontophoresis local anesthesia	Always Investigational
0584T	Islet cell transplant, includes portal vein catheterization and infusion, including all imaging, including guidance, and radiological supervision and interpretation, when performed; percutaneous	Always Investigational
0585T	Islet cell transplant, includes portal vein catheterization and infusion, including all imaging, including guidance, and radiological supervision and interpretation, when performed; laparoscopic	Always Investigational
0586T	Islet cell transplant, includes portal vein catheterization and infusion, including all imaging, including guidance, and radiological supervision and interpretation, when performed; open	Always Investigational
0587T	Percutaneous implantation or replacement of integrated single device neurostimulation system including electrode array and receiver or pulse generator, including analysis, programming, and imaging guidance when performed, posterior tibial nerve	Always Investigational
0588T	Revision or removal of integrated single device neurostimulation system including electrode array and receiver or pulse generator, including analysis, programming, and imaging guidance when performed, posterior	Always Investigational
0589T	Electronic analysis with simple programming of implanted integrated neurostimulation system (eg, electrode array and receiver), including contact group(s), amplitude, pulse width, frequency (Hz), on/off cycling, burst, dose lockout, patient-selectable parameters, responsive neurostimulation, detection algorithms, closed-loop parameters, and passive parameters, when performed by physician or other qualified	Always Investigational
0590T	Electronic analysis with complex programming of implanted integrated neurostimulation system (eg, electrode array and receiver), including contact group(s), amplitude, pulse width, frequency (Hz), on/off cycling, burst, dose lockout, patient-selectable parameters, responsive neurostimulation, detection algorithms, closed-loop parameters, and passive parameters, when performed by physician or other qualified	Always Investigational
15781	Dermabrasion; Segmental, Face	Always Cosmetic
15782	Dermabrasion; Regional, Other Than Face	Always Cosmetic
15783	Dermabrasion; Superficial, Any Site	Always Cosmetic
15786	Abrasion; Single Lesion	Always Cosmetic
15787	Abrasion; Add'l 4 Lesions	Always Cosmetic
15788	Chemical Peel, Facial; Epidermal	Always Cosmetic
15789	Chemical Peel, Facial; Dermal	Always Cosmetic
15792	Chemical Peel, Nonfacial; Epidermal	Always Cosmetic
15793	Chemical Peel, Nonfacial; Dermal	Always Cosmetic
15820	Blepharoplasty, Lower Eyelid	Always Cosmetic
15821	Blepharoplasty, Lower Eyelid; W/Extensive Herniated Fat Pad	Always Cosmetic
15824	Rhytidectomy; Forehead	Always Cosmetic

Codes	ServiceDescription	ExceptionsNotes
15826	Rhytidectomy; Glabellar Frown Lines	Always Cosmetic
15847	Excision, Excessive Skin and Subcutaneous Tissue (Includes Lipectomy),	Always Cosmetic
15878	suction assisted lipectomy	Always Cosmetic
17360	Chemical Exfoliation, Acne	Always Cosmetic
19105	Ablation, Cryosurgical, of Fibroadenoma, including Ultrasound Guidance, Each Fibroadenoma	Always Investigational
19300	Gynecomastia surgery	Always Cosmetic
20983	Ablation therapy for reduction or eradication of 1 or more bone tumors (eg. Metastasis) including adjacent soft tissue when involved by tumor extension, percutaneous, including imaging guidance when performed;	Always Investigational
20985	Computer-Assisted Surgical Navigational Procedure for Musculoskeletal Procedures; Image-Less (List Sep)	Always Investigational
22505	Manipulation of spine requiring anesthesia, any region	Always Investigational
22867	Insertion of interlaminar/interspinous process stabilization/distraction device, without fusion, including image guidance when performed, with open decompression, lumbar; single level	Always Investigational
22868	Insertion of interlaminar/interspinous process stabilization/distraction device, without fusion, including image guidance when performed, with open decompression, lumbar; second level (List separately in addition to	Always Investigational
22869	Insertion of interlaminar/interspinous process stabilization/distraction device, without open decompression or fusion, including image guidance when performed, lumbar; single level	Always Investigational
22870	Insertion of interlaminar/interspinous process stabilization/distraction device, without open decompression or fusion, including image guidance when performed, lumbar; second level (List separately in addition to code	Always Investigational
28890	Extracorporeal shock wave, high energy, performed by a physician, requiring anesthesia other than local, plantar fascia	Always Investigational
30462	Rhinoplasty, Nasal Deform Sec To Cong Cleft Lip/Palat, W/Columellar Lengthen; Tip/Septum/Osteotomies	Always Cosmetic
31647	Bronchoscopy; W Balloon Occlusn, Assessmt Of Air Leak, Airway Sizing, And Insertion Of Bronchial Valve(s), Initial Lobe	Always Investigational
31648	Bronchoscopy; With Removal Of Bronchial Valve(s), Initial Lobe	Always Investigational
31649	Bronchoscopy; With Removal Of Bronchial Valve(s), Each Additional Lobe	Always Investigational
31651	Bronchoscopy; W Balloon Occlusn, Assessmt Of Air Leak, Airway Sizing, And Insertion Of Bronchial Valve(s), Each Addl Lobe	Always Investigational
31660	Bronchoscopy; With Bronchial Thermoplasty, 1 Lobe	Always Investigational
31661	Bronchoscopy; With Bronchial Thermoplasty, 2 Or More Lobes	Always Investigational
33289	Transcatheter implantation of wireless pulmonary artery pressure sensor	Always Investigational
43206	Esophagoscopy, Rigid Or Flexible; With Optical Endomicroscopy	Always Investigational
43252	Upper Gastrointestinal Endoscopy; With Optical Endomicroscopy	Always Investigational
43257	Ugi Endoscopy; With Delivery Of Thermal Energy To The Muscle Of Lower Esophageal Sphincter And/Or Gastric Cardia	Always Investigational
43284	Laparoscopy, surgical, esophageal sphincter augmentation procedure, placement of sphincter augmentation device (ie, magnetic band), including cruroplasty when performed	Always Investigational
46948	Ligation, hemorrhoidal vascular bundle(s), including ultrasound guidance	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
62287	Aspiration/Decompression, Percutaneous, Nucleus Pulposus, Any Meth, Single/Multiple Levels, Lumbar	Always Investigational
62292	Injection procedure for chemonucleolysis, including discography, intervertebral disc, single or multiple levels, lumbar	Always Investigational
80184	Assay Of Phenobarbital	Always Investigational
81175	ASXL1 (additional sex combs like 1, transcriptional regulator) (eg, myelodysplastic syndrome, myeloproliferative neoplasms, chronic myelomonocytic leukemia), gene analysis; full gene sequence	Always Investigational
81176	ASXL1 (additional sex combs like 1, transcriptional regulator) (eg, myelodysplastic syndrome, myeloproliferative neoplasms, chronic myelomonocytic leukemia), gene analysis; targeted sequence analysis	Always Investigational
81225	Cyp2C19 (Cytochrome P450, Family 2, Subfamily C, Polypeptide 19), Gene Analysis, Common Variants	Always Investigational
81226	Cyp2D6 (Cytochrome P450, Family 2, Subfamily D, Polypeptide 6), Gene Analysis, Common Variants	Always Investigational
81227	Cyp2C9 (Cytochrome P450, Family 2, Subfamily C, Polypeptide 9), Gene Analysis, Common Variants (Eg, *2, *3, *5, *6)	Always Investigational
81230	CYP3A4 (cytochrome P450 famiy 3 subfamiy A member 4 (eg, drug metabolism), gene analysis, common variant(s) (eg, *2, *22)	Always Investigational
81231	CYP3A5 (cytochrome P450 family 3 subfamily A member 5) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *5, *6, *7)	Always Investigational
81232	DPYD (dihydropyrimidine dehydrogenase) (eg, 5-fluorouracil/5-FU and capecitabine drug metabolism), gene analysis, common variant(s) (eg,	Always Investigational
81283	IFNL3 (interferon, lambda 3) (eg, drug response), gene analysis,	Always Investigational
81291	Mthfr (5,10-Methylenetetrahydrofolate Reductase) (Eg, Hereditary Hypercoagulability) Gene Analysis, Common Variants	Always Investigational
81313	PCA3/KLK3 (prostate cancer antigen 3 [non-protein coding]/kallikrein-related peptidase 3 [prostate specific antigen]) ratio (eg, prostate cancer)	Always Investigational
81328	SLCO1B1 (solute carrier organic anion transporter family, member 1B1) (eg, adverse drug reaction), gene analysis, common variant(s) (eg, *5)	Always Investigational
81334	RUNX1 (runt related transcription factor 1) (eg, acute myeloid leukemia, familial platelet disorder with associated myeloid malignancy), gene analysis, targeted sequence analysis (eg, exons 3-8)	Always Investigational
81346	TYMS (thymidylate synthetase) (eg, 5-fluorouracil/5-FU drug metabolism), gene analysis, common variant(s) (eg, tandem repeat	Always investigational
81350	Ugt1A1 (Udp Glucuronosyltransferase 1 Family, Polypeptide A1) (Eg, Irinotecan Metabolism), Gene Analysis,Common Variants	Always Investigational
81355	Vkorc1 (Vitamin K Epoxide Reductase Complex, Subunit 1) (Eg, Warfarin Metabolism), Gene Analysis, Common Variants	Always Investigational
81490	Autoimmune (rheumatoid arthritis), analysis of 12 biomarkers using immunoassays, utilizing serum, prognostic algorithm reported as a	Always Investigational
81493	Coronary artery disease, mRNA, gene expression profiling by real-time RT-PCR of 23 genes, utilizing whole peripheral blood, algorithm reported as a	Always Investigational
81500	Oncology (Ovarian), Biochemical Assays Of Two Proteins, Serum, W Menopausal Status, Algorithm Reported As A Risk Score	Always Investigational
81503	Oncology (Ovarian), Biochemical Assays Of Five Proteins, Utilizing Serum, Algorithm Reported As A Risk Score	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
81504	Oncology Tissue of Origin	Always Investigational
81551	Oncology (Prostate), promoter methylation profiling by real-time PCR of 3 genes (GSTP1, APC, RASSF1), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a likelihood of prostate cancer detection on	Always Investigational
82163	Angiotensin II	Always Investigational
82726	Very Long Chain Fatty Acids	Always Investigational
82777	Galectin-3	Always Investigational
83698	Lipoprotein-Associated Phospholipase A2, (Lp-Pla2)	Always Investigational
83700	Lipoprotein, blood; electrophoretic separation and quantitation	Always Investigational
83701	Lipoprotein, blood; high resolution fractionation and quantitation, w/wo lipoprotein subclasses	Always Investigational
83704	Lipoprotein, blood; quantitation of lipoprotein particle numbers and lipoprotein particle subclasses	Always Investigational
83719	Lipoprotein, Direct Measurement; Direct Measurement, Vldl Cholesterol	Always Investigational
83992	Phencyclidine (Pcp)	Always Investigational
86001	Allergen specific IgG quantitative or semiquantitative, each allergen	Always Investigational
86152	Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood);	Always Investigational
86153	Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood); interpretation and report	Always Investigational
86332	Immune Complex Assay	Always Investigational
86910	Blood typing, for paternity testing, per individual; ABO, Rh and MN	Always Non-covered
86911	Blood typing, for paternity testing, per individual; each additional antigen	Always Non-covered
86999	Unlisted Transfusion Medicine Proc	Always Investigational
92065	Orthoptic &/Or Pleoptic Training, W/Continuing Medical Direction &	Always Investigational
92145	Corneal hysteresis determination, by air impulse stimulation, unilateral or bilateral, with interpretation and report	Always Investigational
92512	Nasal function studies (eg, rhinomanometry)	Always Investigational
93050	Arterial pressure waveform analysis for assessment of central arterial pressures, includes obtaining waveform(s), digitization and application of nonlinear mathematical transformations to determine central arterial pressures and augmentation index, with interpretation and report, upper extremity artery, non-invasive	Always Investigational
93740	Thermal imaging/ Thermography	Always Investigational
93740	Thermal imaging	Always Investigational
93895	Quantitative carotid intima media thickness and carotid atheroma	Always Investigational
95943	Simultaneous, independent, quantitative measures of both parasympathetic function and sympathetic function, based on time-frequency analysis of heart rate variability concurrent with time-frequency analysis of continuous respiratory activity, with mean heart rate and blood pressure measures, during rest, paced (deep) breathing,	Always Investigational
95980	Electronic Analysis of Implanted Gastric Neurostimulator Pulse Generator/Transmitter; Intraoperative, with Programming	Always Investigational
95981	Electronic Analysis of Implanted Gastric Neurostimulator Pulse Generator/Transmitter; Subsequent, Without Reprogramming	Always Investigational
95982	Electronic Analysis of Implanted Gastric Neurostimulator Pulse Generator/Transmitter; Subsequent, with Reprogramming	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
96931	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; image acquisition and interpretation and report, first	Always Investigational
96932	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; image acquisition only, first lesion	Always Investigational
96933	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; interpretation and report only, first lesion	Always Investigational
96934	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; image acquisition and interpretation and report, each additional lesion (List separately in addition to code for primary	Always Investigational
96935	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; image acquisition only, each additional lesion (List separately in addition to code for primary procedure)	Always Investigational
96936	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; interpretation and report only, each additional lesion (List separately in addition to code for primary procedure)	Always Investigational
A4575	Topical Ox Deliver sys, nos	Always Investigational
A9285	Inversion/eversion correction device	Always Investigational
C1821	Interspinous process distraction device (implantable)	Always Investigational
C1890	No Implantable /insertable device used with device-intensive procedure	Always Investigational
C8937	Computer-aided detection, including computer algorithm analysis of breast mri image data for lesion detection/characterization	Always Investigational
C9352	Microporous collagen implantable tube (NeuraGen Nerve Guide), per cm	Always Investigational
C9353	Microporous collagen implantable slit tube (NeuraWrap Nerve Protector), per cm length	Always Investigational
C9354	Acellular pericardial tissue matrix of nonhuman origin (Veritas), per sq cm	Always Investigational
C9355	Collagen nerve cuff (NeuroMatrix), per 0.5 cm length	Always Investigational
C9356	Tendon, porous matrix of cross-linked collagen and glycosaminoglycan matrix (TenoGlide Tendon Protector Sheet), per sq cm	Always Investigational
C9358	SurgiMend, 0.5cm2	Always Investigational
C9360	Dermal substitute, native, non-denatured collagen, neonatal bovine origin (SurgiMend Collagen Matrix), per 0.5 square ce	Always Investigational
C9361	Collagen matrix nerve wrap (NeuroMend Collagen Nerve Wrap), per 0.5 centimeter length	Always Investigational
C9364	Porcine implant, Permacol, per square centimeter	Always Investigational
C9747	Ablation of prostate, transrectal, high intensity focused ultrasound (hifu), including imaging guidance	Always Investigational
C9751	Bronchoscopy, rigid or flexible, transbronchial ablation of lesion(s) by microwave energy	Always Investigational
C9752	Destruction of intraosseous basivertebral nerve, first two vertebral bodies, including imaging guidance (e.g., fluoroscopy), lumbar/sacrum	Always Investigational
C9753	Destruction of intraosseous basivertebral nerve, each additional vertebral body, including imaging guidance (e.g., fluoroscopy), lumbar/sacrum (list separately in addition to code for primary procedure)	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
C9758	Blinded procedure for nyha class iii/iv heart failure; transcatheter implantation of interatrial shunt or placebo control, including right heart catheterization, trans-esophageal echocardiography (tee)/intracardiac echocardiography (ice), and all imaging with or without guidance (e.g., ultrasound, fluoroscopy), performed in an approved investigational	Always Investigational
E0446	Topical Ox Deliver sys, nos, includes all supplies and accessories	Always Investigational
E0740	Incontinence treatment system, pelvic floor stimulator, monitor, sensor, and/or trainer	Always Investigational
E0765	Nerve Stimulator For Tx N&V	Always Investigational
E1816	Static progressive stretch ankle device, flexion and/or extension, with or without range of motion adjustment, includes all components and	Always Investigational
E1840	Dynamic adjustable shoulder flexion/abduction/rotation device, includes soft interface material	Always Investigational
E1841	Static progressive stretch shoulder device, with or without range of motion adjustment, includes all components	Always Investigational
G0428	Collagen meniscus implant procedure for filling meniscal defects (eg, CMI, collagen scaffold, Menaflex)	Always Investigational
K1004	Low frequency ultrasonic diathermy treatment device for home use, includes all components and accessories	Always Investigational
M0076	Prolotherapy	Always Investigational
P9020	Platelet Rich Plasma Unit	Always Investigational
Q2026	Injection, radiessse, 0.1 ml	Always Cosmetic
Q4103	Oasis burn matrix, per sq cm	Always Investigational
Q4108	Integra matrix, per sq cm	Always Investigational
Q4110	PriMatrix, per sq cm	Always Investigational
Q4111	GammaGraft, per sq cm	Always Investigational
Q4112	Cymetra, injectable, 1 cc	Always Investigational
Q4113	GRAFTJACKET XPRESS, injectable, 1cc	Always Investigational
Q4114	Integra flowable wound matrix, injectable, 1 cc	Always Investigational
Q4115	AlloSkin, per sq cm	Always Investigational
Q4117	Hyalomatrix	Always Investigational
Q4118	Matristem micromatrix	Always Investigational
Q4121	Theraskin	Always Investigational
Q4123	Alloskin Rt, Per Square Centimeter	Always Investigational
Q4124	Oasis Ultra Tri-Layer Matrix, per square centimeter	Always Investigational
Q4125	Arthroflex, Per Square Centimeter	Always Investigational
Q4126	Memoderm, Per Square Centimeter	Always Investigational
Q4127	Talymed, Per Square Centimeter	Always Investigational
Q4134	hMatrix	Always Investigational
Q4135	Mediskin	Always Investigational
Q4136	EZderm	Always Investigational
Q4137	Amnioexcel or biodexcel, per sq cm	Always Investigational
Q4138	Biodfence dryflex, per sq cm	Always Investigational
Q4139	Amniomatrix or biodmatrix, injectable, 1 cc	Always Investigational
Q4140	Biodfence, per sq cm	Always Investigational
Q4141	Alloskin AC, per sq cm	Always Investigational
Q4142	XCM biologic tissue matrix, per sq cm	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
Q4143	Repriza, per sq cm	Always Investigational
Q4146	Tensix, per sq cm	Always Investigational
Q4147	Architect, architect PX, or architect FX, extracellular matrix, per sq cm	Always Investigational
Q4148	Neox 1k, per sq cm	Always Investigational
Q4149	Excellagen, 0.1 cc	Always Investigational
Q4150	Allowrap DS or dry, per sq cm	Always Investigational
Q4151	Amnioband or guardian, per sq cm	Always Investigational
Q4152	Dermapure, per sq cm	Always Investigational
Q4153	Dermavest, per sq cm	Always Investigational
Q4154	Biovance, per sq cm	Always Investigational
Q4155	Neoxflo or clariflo 1 mg	Always Investigational
Q4156	Neox 100, per sq cm	Always Investigational
Q4157	Revitalon, per sq cm	Always Investigational
Q4158	Marigen, per sq cm	Always Investigational
Q4159	Affinity, per sq cm	Always Investigational
Q4160	Nushield, per square centimeter	Always Investigational
Q4161	Bio-connekt wound matrix, per square centimeter	Always Investigational
Q4162	Amniopro flow, bioskin flow, biorenew flow, woundex flow, amniogen-a, amniogen-c, 0.5 cc	Always Investigational
Q4163	Amniopro, bioskin, biorenew, woundex, amniogen-45, amniogen-200, per square centimeter	Always Investigational
Q4164	Helicoll, per square centimeter	Always Investigational
Q4165	Keramatrix or kerasorb, per square centimeter	Always Investigational
Q4166	Cytal, per square centimeter (Acell - full thickness diabetic ulcers, venous	Always Investigational
Q4167	Truskin, per square centimeter	Always Investigational
Q4168	Amnioband, 1 mg	Always Investigational
Q4169	Artacent wound, per square centimeter	Always Investigational
Q4170	Cygnus, per square centimeter	Always Investigational
Q4171	Interfyl, 1 mg	Always Investigational
Q4172	Puraply or puraply am, per square centimeter	Always Investigational
Q4173	Palingen or palingen xplus, per square centimeter	Always Investigational
Q4174	Palingen or promatrix, 0.36 mg per 0.25 cc	Always Investigational
Q4175	Miroderm, per square centimeter	Always Investigational
Q4176	NeoPatch	Always Investigational
Q4177	FlowerAmnioFlo	Always Investigational
Q4178	FlowerAmnioPatch	Always Investigational
Q4179	FlowerDerm	Always Investigational
Q4180	ReVita	Always Investigational
Q4181	Amnio Wound	Always Investigational
Q4182	Transcyte	Always Investigational
Q4183	Surgigraft, per square centimeter	Always Investigational
Q4184	Cellesta or cellesta duo, per square centimeter	Always Investigational
Q4185	Cellesta flowable amnion (25 mg per cc); per 0.5 cc	Always Investigational
Q4188	Amnioarmor, per square centimeter	Always Investigational
Q4189	Artacent ac, 1 mg	Always Investigational
Q4190	Artacent ac, per square centimeter	Always Investigational
Q4191	Restorigin, per square centimeter	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
Q4192	Restorigin, 1 cc	Always Investigational
Q4193	Coll-e-derm, per square centimeter	Always Investigational
Q4194	Novachor, per square centimeter	Always Investigational
Q4195	Puraply, per square centimeter	Always Investigational
Q4196	Puraply am, per square centimeter	Always Investigational
Q4197	Puraply xt, per square centimeter	Always Investigational
Q4198	Genesis amniotic membrane, per square centimeter	Always Investigational
Q4200	Skin te, per square centimeter	Always Investigational
Q4201	Matrion, per square centimeter	Always Investigational
Q4202	Keroxx (2.5g/cc), 1cc	Always Investigational
Q4203	Derma-gide, per square centimeter	Always Investigational
Q4204	Xwrap, per square centimeter	Always Investigational
Q4205	Membrane graft or membrane wrap, per square centimeter	Always Investigational
Q4206	Fluid flow or fluid GF, 1 cc	Always Investigational
Q4208	Novafix, per square centimeter	Always Investigational
Q4209	Surgraft, per square centimeter	Always Investigational
Q4210	Axolotl graft or axolotl dualgraft, per square centimeter	Always Investigational
Q4211	Amnion bio or Axobiomembrane, per square centimeter	Always Investigational
Q4212	Allogen, per cc	Always Investigational
Q4213	Ascent, 0.5 mg	Always Investigational
Q4214	Cellesta cord, per square centimeter	Always Investigational
Q4215	Axolotl ambient or axolotl cryo, 0.1 mg	Always Investigational
Q4216	Artacent cord, per square centimeter	Always Investigational
Q4217	Woundfix, BioWound, Woundfix Plus, BioWound Plus, Woundfix Xplus or BioWound Xplus, per square centimeter	Always Investigational
Q4218	Surgicord, per square centimeter	Always Investigational
Q4219	Surgigraft-dual, per square centimeter	Always Investigational
Q4220	BellaCell HD or Surederm, per square centimeter	Always Investigational
Q4221	Amniowrap2, per square centimeter	Always Investigational
Q4222	Progenamatrix, per square centimeter	Always Investigational
Q4226	MyOwn skin, includes harvesting and preparation procedures, per square	Always Investigational
S2348	Decompression procedure, percutaneous, of nucleus pulposus of intervertebral disc, using radiofrequency energy, single or multiple levels,	Always Investigational
S2348	Decompress disc RF lumbar	Always Investigational
S2350	Discectomy, anterior, with decompression of spinal cord and/or nerve root(s), including osteophytectomy; lumbar, single interspace	Always Investigational
S2351	Discectomy, anterior, with decompression of spinal cord and/or nerve root(s), including osteophytectomy; lumbar, each additional interspace (list separately in addition to code for primary procedure)	Always Investigational
S3650	Saliva test, hormone level; during menopause	Always Investigational
S3652	Saliva test, hormone level; to assess preterm labor risk	Always Investigational
S3722	Dose Optimization By Area Under The Curve (Auc) Analysis, For Infusional 5-Fluorouracil	Always Investigational
S8040	Topographic Brain Mapping	Always Investigational
S8130	Interferential current stimulator, 2 channel	Always Investigational
S8131	Interferential current stimulator, 4 channel	Always Investigational
S8930	Auricular electrostimulation	Always Investigational

Codes	ServiceDescription	ExceptionsNotes
S8948	Application of a modality (requiring constant provider attendance) to one or more areas; low-level laser; each 15 minutes	Always Investigational
S9090	Vertebral Axial Decompression	Always Investigational